

Qualified Product List

Edition E02.25



Our company

We are a global leader in the field of paints, coatings and specialty chemicals. From yachts and automobiles to skyscrapers and consumer electronics, we create everyday essentials to make people's lives more liveable and inspiring. Our colors and coatings are everywhere, providing decoration, durability and sustainability.



Aerospace Coatings

When it comes to air travel, our market-leading products and technologies offer world-class functionality, performance, efficiency and value. As a dedicated industry partner, we provide global support and offer a wide range of solutions for manufacturers, airlines, and MROs.

Our Markets

Commercial Exteriors

The exterior of a commercial aircraft is an opportunity to showcase innovative livery designs and inspire feelings of confidence and safety in passengers. We work closely with the lead global OEM companies to develop state-of-the-art coatings trusted by airlines, MROs and manufacturers worldwide.

Structural Coatings

Nothing is more important than providing protection against the many forces that act on aircraft during flight. Our structural coatings offer reliable protection against forces such as corrosion, structural flexing, and extremes of temperature, contributing to a sturdy airframe and a safe flight.

Cabin Interiors

Aircraft interiors are critical differentiators for passengers travelling with our airline customers. Our product offering includes fillers, top coats, and protective coatings used in the beautification and preservation of interior surfaces.

General Aviation

The livery of a private aircraft is a reflection of its owner. That's why we work hard to develop durable and hassle-free coatings so that you can develop your own signature style with every color at your fingertips.

Air Defense

Defense aircraft require the best defenses. Our air defense coatings provide protection of the highest caliber (along with unique functions such as camouflage and anti-infrared) to fighter planes and military carriers around the world.

Color Expertise

We take pride in providing essential color and go to great lengths to ensure reliability and consistency of color throughout the global supply chain, helping airlines and private aircraft owners achieve style and recognition. Our mastery of color allows us to provide our customers with advanced digital tools and a limitless palette, so they can set trends and maximize impact.



Innovations

We are at the cutting edge when it comes to aerospace coatings and their application, always pushing the boundaries to achieve new standards of performance and sustainability. From waterborne, peelable and special effects coatings to base coat/clear coat systems and chromate-free technologies, we are long-established leaders in developing sustainable, high performance, convenient and cost-effective coatings.



Global Capabilities

AkzoNobel is a global company to match a global industry. Whenever a plane is manufactured, our extensive distribution network is there to provide every kind of coating it needs, and wherever a plane touches down, our help is at hand. We are always ready to draw upon our worldwide network of customer support, training centers, technical expertise and sales support to ensure that your needs are met and your expectations exceeded.



AkzoNobel Aerospace Coatings is the major innovative supplier of coatings to the worldwide Aerospace industry. Our products are approved by over 70 OEMs/Specifiers with hundreds of unique specifications.

The enclosed Qualified Product List validates our strength in the industry by providing products that help our customers enhance their brand image, protect their assets, and make them more competitive in their market. Our brands are recognized and trusted globally:

Aerobase	High solids exterior systems
Aerodur	Solvent based coatings
Aeroflex	High flexible coatings and wing coatings
Aerowave	Water based coatings
Alumigrip	General Aviation exterior systems
Aviox	High solids exterior systems
Eclipse	High solids exterior coatings
Metaflex	Pretreatment
Pyroflex 7 D 713	Conductive coatings
Pyrosil	High heat coatings

Product specifications are constantly changing, therefore this QPL should be used as a guideline.

To ensure the most accurate information regarding specifications, please contact your sales representative.

Digital copies are also available online at <https://aerospace.akzonobel.com/products>

Contents

Primers

Epoxy Primers

Aerodur 2122 Touch-up Primer	06
10P20-12	06
10P20-13	06
Spray2Fix 10P20-13SC	07
10P20-14 (ITAR)	07
Spray2Fix 10P20-14SC (ITAR)	07
10P20-44	08
10P20-44MNF	08
Spray2Fix 10P20-44SC	09
10P3-2	09
10P30-5	10
10P30-5Y/LV 4105	10
10P4-2NF	11
10P4-3NF	11
10P8-10NF	12
Spray2Fix 10P8-10NFSC	12
Alumigrip 10P8-11	13
10PW20-4	13
463-12-8	14
Aerodur 2100 MgRP	14
Aerodur 2111	15
Aerodur HS 2118 CF Primer	15
Aerodur HS 2121 CF Primer	16
Aerodur HS Primer 37092	17
Aerodur LV 2114	18
Aerowave 2001	19
Aerowave 2002	20
Aerowave 2003	21
Alumigrip 4101	22
Aviox CF Primer 37124	23
Epoxy Primer 37002 (S15/76)	24
Epoxy Primer 37035A	25
Epoxy Primer 37076	26
Spray2Fix Intergard 1031SC	27
P60-A	28
P60-2K	29
P60-LC	30
MSP-1	30
SP350	31
P250 Metal	31
P63	32

Polyurethane Primers

20P20-3	32
Aerolith P27-CF	33
Aerodur Primer S15/60	33
Aerodur Primer S15/90	34
9014-B	34
Static F1	35
Stat-100	35
P300	36
P23	36

Top Coats

Epoxy Top Coats

22 Series	38
23 Series	38
422XT C Series	39
422XT Series	39
Aerowave 3003	40
F69	41
F70-A	42

Polyurethane Top Coats

58 Series	43
Spray2Fix 58 Series	43
683-3-2	44
683-3-20	44
Aerobase	45
Aerobase Special Effects	46
Aerodur 3001E	46
Aerodur 3001G	47
Aerodur 3002G	48
Aerodur 5000 Gloss	49
Aerodur 5000 Camouflage	49
Aerodur Clearcoat UVR	50
Aerodur ARC	51
Aerodur Finish C 21/100	51
Aerodur Finish SGL Aluminum	52
Aerodur HS 67348	52
Aerodur HS 77302	53
Aerowave 5001	53
Aerowave 5001 ARC	54
Alumigrip 4200	55
Alumigrip 4250	56
Alumigrip 4400	56

Alumigrip 4450	57
Aviox Advanced Mica Series	57
Aviox Clearcoat UVR	58
Aviox Finish 77702	59
Aviox Matt Clear	60
Aviox SGL Aluminum	60
Eclipse Flat	61
Eclipse Gloss	62
Eclipse Special Effects	63
Spray2Fix Eclipse Gloss Spray Can	64
Eclipse Semi-Gloss	65
Spray2Fix Aerodur5000/ECM-F	66
Spray2Fix Intergard 10215C	66
XS420	67
F300 HT	67
Mapcoat	68
Mapcoat AS	68
Mapcoat TF	68
A1000	69
A1500-M	69
A1500-UVR	70
F14	70

Pretreatments

Pretreatment

Metaflex SP 1050 Pretreatment	72
-------------------------------	----

Putties & Fillers

28C1	73
Alumigrip 4602	74
Aerowave Filler 2501	74
467-9	75
Pyroflex Filler 0651	75
M50	76

Surfacers

03-49	76
Alumigrip 10P30-8	77
464-3-1	78
8W5	78
Aerodur Barrier Primer 37045	79
Polystop LP	80

Cleaning Solvents

Solvent Cleaning 96100	80
Solvent Cleaning 98068	81
Solvent Cleaning C28/15	81

Conductive Coatings

10P2-3	82
8B6A	83
Pyroflex 7 D 713	84

Fuel Tank Coatings

10P30-1	86
20P1-21	86
454-4-1	87
454-4-5	87
473-13	88
F80	88

High Heat or Insulation Coatings

0709A01M	90
463-6-4	90
64C1-2-A	91
68C3-1-A	92
High Heat Resistant Paint S21/8	92
Pyrosil 2000 LV Aluminium	93
Aerodur CF 8900	93

Abrasion Resistant or Walkway Coatings

Eclipse ARC	94
Aviox Non-Slip	94
23T3 Series	95
23T3-10	96
23T3-105	97
24T3-105	98
24T3 Series	98
24T3-10	99

Wing Coatings

763-66-9200	100
Aeroflex Finish G12E25	101
Aeroflex HS 113F01	102
Aeroflex HS 113F03	103

Cabin Coatings

Optidur 6000 UV Filler	104
Optidur 8000 Sealer (437-2263)	105
Optidur 8001 UV Sealer	106
Optidur 8002 High Flex UV Sealer	107
Optidur 8003 UV High Gloss Sealer	108
Optidur 9100 Series Clear Coat	109
Optidur 9200 Clear Coat	109
Optidur 9300 Top Coat	110
FR-P1K	110
FR1-55	111
FR4-45	112
FR4-45 Conductive	113
FRS30	113
1500-FR	114
FR2-55	115
FRS40	116
A1000AD	117
DI-TEX 50	117
FR6-55	118
FRC	118
FR150	119
FR280-AD	119
FR18 Velvet	120
FR5-55	120
1500-HD	121
FR2-55 Flex	121
FRS40 Flex	122
FR-M1K	122
FR-Preprime	123

Composite Coating/Primer Surfacer

P65-C	124
P65-C 2K	125
P65-HG	126

Specialty Coatings

Aerodur Clear 43022 /	
Clear Fluo 43023 Clearcoat	128
4002A21M	128
Aerodur Sealer 42240	129
Daylight Reflecting System	130
SRA 9009	131

Parting Laquers

366-A020-125	132
--------------	-----

Products by specification

OEM/Specifiers

Pages	134
-------	-----

Product specifications are constantly changing, therefore this QPL should be used as a guideline. To ensure the most accurate information regarding specifications, please contact your sales representative.

Digital copies are also available online at <https://aerospace.akzonobel.com/products>

Primers

Aerodur 2122 Touch-up Primer (Epoxy Primer)

Fluid and Corrosion Resistant Primer

Product Overview	2122P001 is a fast drying, fluid resistant epoxy primer designed for compatibility with sealants, for touch-up of damaged primer coatings and for use as a tie coat in applications requiring corrosion resistance without the use of chromate pigments.
Curing Solution	EC-292
Thinner Activator	
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Lockheed Martin Aeronautic	LMA-MR058 Class I, Form I (E)

10P20-12 (Epoxy Primer)

Exterior Corrosion Resistant Primer

Product Overview	Designed for the exterior of aircraft, this Skydrol® resistant primer provides excellent corrosion resistance and adhesion for urethane top coats.
Curing Solution	EC-212
Thinner Activator	TR-114
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing Long Beach	DMS 2104, TY I COMP C

10P20-13 (Epoxy Primer)

Exterior Corrosion Resistant Primer

Product Overview	This low VOC two-component epoxy primer exhibits excellent corrosion resistance with good flexibility and chemical resistance.
Curing Solution	EC-213
Thinner Activator	TR-114
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Cessna	CSFS084
Lockheed Martin Aeronautic	DWG 70193240
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	32-09-01 Section 36D
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	IFC 30-117-07
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	IFC 30-117-09
US Military	MIL-PRF-23377, TY I CL C2 (TR-144 is not qualified)

Spray2Fix 10P20-13SC (Epoxy Primer)

Exterior Corrosion Resistant Primer Aerosol

Product Overview	This low VOC two-component epoxy primer exhibits excellent corrosion resistance with good flexibility and chemical resistance.
Curing Solution	EC-213
Thinner Activator	TR-114
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-PRF-23377, TY I CL C2 (TR-144 is not qualified)

10P20-14 (ITAR) (Epoxy Primer)

Low IR Primer

Product Overview	A high solids primer for aircraft exteriors meeting the low infrared reflectance requirements of the referenced specification. This product is subject to International Traffic in Arms Regulations (ITAR).
Curing Solution	EC-214
Thinner Activator	TR-114
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-PRF-23377, TY II CL C2 (TR-144 is not qualified)

Spray2Fix 10P20-14SC (ITAR) (Epoxy Primer)

Low IR Primer Aerosol

Product Overview	A high solids primer for aircraft exteriors meeting the low infrared reflectance requirements of the referenced specification. This product is subject to International Traffic in Arms Regulations (ITAR).
Curing Solution	EC-214
Thinner Activator	TR-114
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-PRF-23377, TY II CL C2 (TR-144 is not qualified)

Primers

10P20-44 (Epoxy Primer)

Exterior Corrosion Resistant Primer

Product Overview	A high solids urethane compatible, Skydrol® resistant primer for the exterior of aircraft. It provides excellent corrosion resistance and excellent adhesion for urethane top coats.
Curing Solution	EC-265, EC-273
Thinner Activator	TR-114
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Triumph	ES-336
Bombardier	BAMS 565-008, TY I&II GR B
Boeing	BMS 10-144 (Type I, Grade B, Composition C)
Boeing	BMS 10-79, TY II&III CL B GRD
Boeing	D6-83729
Boeing	BAC 5093
Boeing	BAC 5075
Comac	CMS-CT-201, CL B, GR B
deHavilland	DHMS C4.18, TY III CL B GRB
Boeing Long Beach	DMS 2104, TY I COMP B
Collins Aerospace	LGQP 6000
Collins Aerospace	LGQP 6001
Embraer	MEP 10-068, TY I CL A&B
Xian Aircraft Corp	XMS1623
Avic Aviation	AMMS2502
Illyushin	TN 756.03.583
Viking Air	VMS C4.18
Mitsubishi	CMAMS 565-008, TY I & II GR B
Embraer	MEP 10-059, TY II (AB)

10P20-44MNF (Epoxy Primer)

Exterior Corrosion Resistant Primer

Product Overview	A high solids urethane compatible, Skydrol® resistant primer for application to aircraft exterior surfaces. 10P20-44MNF provides excellent corrosion protection and optimizes the system adhesion of the exterior decoration finish.
Curing Solution	EC-291B
Thinner Activator	TR-114
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Boeing	BMS 10-72, TY IX, COMP C
Boeing	BMS 10-72, TY VIII, COMP C
Boeing	BMS 10-72, TY X, COMP C
Boeing	D6-83729
Boeing	BAC 5075
Ilyushin	TN 756.03.583
Ilyushin	TN 756.03-603

Spray2Fix10P20-44SC (Epoxy Primer)

Exterior Corrosion Resistant Primer Aerosol

Product Overview	A high solids urethane compatible, Skydrol® resistant primer for the exterior of aircraft. It provides excellent corrosion resistance and excellent adhesion for urethane top coats.
Curing Solution	EC-265
Thinner Activator	TR-114
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Embraer	MEP 10-068, TY I CL A&B
Embraer	MEP 10-059, TY II (AB)

10P3-2 (Epoxy Primer)

Zinc Rich Primer

Product Overview	A chemically cured zinc dust pigmented epoxy primer designed to provide corrosion and chemical resistance for steel surfaces. This primer provides excellent protection without a top coat, however it is completely compatible with enamel and aliphatic polyurethane top coats.
Curing Solution	EC-113
Thinner Activator	TR-49
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Spec

Primers

10P30-5 (Epoxy Primer)

Corrosion Resistant Epoxy Primer/Fuel Tank Primer

Product Overview	This high solids corrosion resistant primer displays excellent compatibility with sealants, intermediate primers and top coats. • It has excellent Skydrol®, water and chemical resistance, including TTS-735 Type VII hydrocarbons • May serve as a combination process and fuel tank primer
Curing Solution	EC-275
Thinner Activator	TR-115
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Cessna	CSFS084
Gulfstream	GAMPS4002
Gulfstream	GMS 5005, TY I
Israel Aerospace Industries	MS100013E
LearJet	LES 1091
Piper Aircraft Inc	PMS-F1005

10P30-5Y/LV 4105 (Epoxy Primer)

Corrosion Resistant Epoxy Primer/Fuel Tank Primer

Product Overview	This high solids corrosion resistant primer displays excellent compatibility with sealants, intermediate primers and top coats. • It has excellent Skydrol®, water and chemical resistance, including TTS-735 Type VII hydrocarbons • May serve as a combination process and fuel tank primer
Curing Solution	EC-275
Thinner Activator	TR-115
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Textron Aviation	TM-34034

10P4-2NF (Epoxy Primer)

Structural Corrosion and Chemical Resistant Primer

Product Overview	A chemically cured epoxy primer that provides excellent corrosion and chemical resistance for aircraft detail and subassembly parts. - When used as the base primer for specification approved epoxy and polyurethane top coats, the primer/top coat system provides the optimum protection for interior structural components - This product has excellent adhesion to a variety of substrates
Curing Solution	EC-117S
Thinner Activator	TR-19, TR-20
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-001, GrA, Cat1, Ty1
Allied Signal	51180208
Aviation Technical Services	ATSMS-001 Rev. A
Bombardier	BAMS 565-001
Bombardier	BAMS 565-001, GR A CT1 TY I
deHavilland	DHMS C4.01
deHavilland	PPS34.08
Boeing	BMS 10-11, TY I CL A GRA
Embraer	MEP 10-059, TY I
Israel Aerospace Industries	MS100013E CL S
Rohr	RMS 118, TY I CL G
Spirit Aerosystems	SMS-111202, TY I CL 1 GR A
Kearfott Guidance & Nav C	6831544
Viking Air	VAMS 565-001, Grade A, Category 1 Type1
Mitsubishi	CMAMS 565-001, GR A CT1 TY1

10P4-3NF (Epoxy Primer)

Structural Corrosion and Chemical Resistant Primer

Product Overview	A chemically cured epoxy primer that provides excellent corrosion and chemical resistance for aircraft detail and subassembly parts. - When used as the base primer for specification approved epoxy and polyurethane top coats, the primer/top coat system provides the optimum protection for interior structural components - This product adheres well to a variety of substrates
Curing Solution	EC-117
Thinner Activator	TR-19, TR-20
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-001, GrA, Cat1, Ty1
Bombardier	BAMS 565-001, GR A CT1 TY I
Bombardier	BAMS 565-001
Boeing	BMS 10-11, TY I CL A GRA
Viking Air	VAMS 565-001, Grade A, Category 1 Type1
Mitsubishi	CMAMS 565-001, GR A CT1 TY1

Primers

10P8-10NF (Epoxy Primer)

Fluid Resistant Epoxy Primer

Product Overview	A chemically cured fluid resistant epoxy primer designed to provide excellent corrosion and chemical resistance for aircraft detail and subassembly parts.
Curing Solution	EC-283
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-001, GrB, Cat1, Ty1
Bombardier	BAMS 565-001, GR B CT1 TY1
Bombardier	BAMS 565-001, GR A CT1 TY I
Boeing	BMS 10-11, TY I CL A GR B
Embraer	MEP 10-059, TY II
Israel Aerospace Industries	MS100013E
Piper Aircraft Inc	PMS-F1003-8
Spirit Aerosystems	SMS-111202, TY I CL 1 GR B
Mitsubishi	CMAMS 565-001, GR A CT1 TY1
Mitsubishi	CMAMS 565-001, GR A CT1 TY1
Mitsubishi	CMAMS 565-001, GR B CT1
Embraer	MEP 10-059, TY I
Embraer	MEP 10-059, TY II

Spray2Fix 10P8-10NFSC (Epoxy Primer)

Structural Corrosion and Chemical Resistant Primer

Product Overview	A chemically cured fluid resistant epoxy primer designed to provide excellent corrosion and chemical resistance for aircraft detail and subassembly parts.
Curing Solution	EC-283
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BMS 10-11, TY I CL A GR B PERF

Alumigrip 10P8-11 (Epoxy Primer)

Smooth Finish Primer

Product Overview	This two component, VOC compliant epoxy primer will provide a very smooth finish optimizing the appearance of the subsequent top coat. This primer utilizes exempt solvents in meeting the required VOC level.
Curing Solution	EC-286
Delivery Method	Solventborne, TR-114
OEM/Specifier	Specs Qualified
US Military	MIL-PRF-23377, TY I CL C2
Cessna	CMFS035
Cessna	CSFS084
Learjet	LES 1509
Textron Aviation	TM3405, TY I, CL C

10PW20-4 (Epoxy Primer)

Water-based Primer for Aluminum Substrates

Product Overview	This chemically cured, water-based epoxy primer is designed to provide corrosion and chemical resistance over aluminum substrates. It may be top coated with epoxy or polyurethane.
Curing Solution	ECW-104
Thinner Activator	DI Water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Kearfott Guidance & Nav	6831544-001
US Military	MIL-PRF-85582, TY I CL C2
Cessna	CSFS084

Primers

463-12-8 (Epoxy Primer)

Fluid and Corrosion Resistant Primer

Product Overview	A chemically cured, two-component epoxy primer designed to provide maximum protection from various chemicals, hydraulic fluids, aviation fuels, phosphate ester (Skydrol®) fluids and corrosion causing media.
Curing Solution	CA-116
Thinner Activator	TR-19, TR-49
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
SAE International	AMS12, TY I
Allied Signal	CEMS 1024
Comac	CMS-CT-202, TY I CL 1
Boeing/McDonald Douglas	DMS 1786, TY I COMP A
General Dynamics	GD 0-00862-1, TY I
General Electric	GE A50TF107-S5, CL A
Allied Signal	MCS 9146
United Launch Alliance	STM-P-L101, CL A
TRW	TRW C600359-1
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	PCS 2500
Safran Landing Systems	32-09-01 Section 36B

Aerodur 2100 MgRP (Epoxy Primer)

Corrosion Inhibiting Chromate-Free Primer

Product Overview	A corrosion inhibiting epoxy- modified polyamide primer formulated using unique chromate-free inhibitors.
Curing Solution	CS6010
Thinner Activator	TR-114, TR-7005
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
BWB	TL 8010-0047
Italian Air Force	AER(EP). M-P-001, TY I CL 1, CL 2, CL 3, GR1
Gulfstream	GAMPS4002
Gulfstream	GMS 5008

Aerodur 2111 (Epoxy Primer)

High Solids Chromate-Free Primer

Product Overview	A VOC compliant, chromate-free, corrosion inhibiting, urethane compatible, Skydrol® resistant primer for application to aircraft exterior surfaces. Aerodur 2111 provides excellent corrosion protection and optimizes the system adhesion of the exterior decoration finish.
Curing Solution	CS6018
Thinner Activator	TR-114
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BAC 5075
Embraer	MEP 10-068, TY II, CL A&B
Gulfstream	GMS 5008
Irkut	741.140/21-00-00-0038-0T04/0A
Boeing	BMS 10-72 TY X, NC2
Pilatus	PMS0600-52-01
Pilatus	VV0607-22
Embraer	MEP 10-068, TY II, CL A&B (U)

Aerodur HS 2118 CF Primer (Epoxy Primer)

Chromate-Free Corrosion Inhibiting Primer

Product Overview	A high solid, polyurethane compatible, hydraulic fluid resistant maintenance primer for application to aircraft exterior surfaces. Aerodur HS 2118 provides excellent corrosion protection and optimizes the system adhesion of the exterior decoration finish. May be used as a direct to metal (DTM) primer. Offers a sustainable coating system that includes safer work environment, reduction in costs, regulatory compliance and waste reduction.
Curing Solution	CS6035
Thinner Activator	A9190, C 25/90 S, TR-114
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BMS 10-144 (Type II, Grade B, Composition NC)
Boeing	D6-83729
Boeing	BAC 5093
Irkut	741.140/21-00-00-0038-0T04/0A
Irkut	741.140/21-00-00-0038-0T04/0B
Piper Aircraft Inc	PMS-F1010
SAAB	STD 175441
SAE International	AMS 3095
US Military	MIL-PRF-32239, TY II CL 1, GR1

Primers

Aerodur HS 2121 CF Primer (Epoxy Primer)

High Adhesion Epoxy Primer

Product Overview	Aerodur HS 2121 CF is a three-component amine cured epoxy primer for exterior use as refresh primer • Developed to meet all Airbus exterior system specifications, including the selective strippable systems • Low VOC High solids technology • Chrome-free • Hydraulic fluid resistant • Excellent bare metal adhesion, e.g. on rivets • High gloss level to quickly detect surface defects visually
Curing Solution	Aerodur HS 2121 CF Primer is the primer designed to be used in combination with several Airbus OEM exterior and decoration systems, e.g. Aviox Finish 77702, Aerobase – Aviox Clearcoat UVR base coat/clear coat system, Intermediate coating and Aeroflex HS 113F0X wing coating.
Curing Solution	6040
Thinner/Activator	A9026
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-031
Airbus	AIMS 04-04-032
Airbus	AIMS 04-04-033
Airbus	AIMS 04-04-034
Airbus	AIMS-04-04-037
Airbus	IPS 04-04-034-08
British Aerospace Airbus	ABP 4-2364
British Aerospace Airbus	BP 4-2364

Aerodur HS Primer 37092 (Epoxy Primer)

High Adhesion Epoxy Primer

Product Overview	Aerodur HS Primer 37092 is a 2 component amine cured epoxy primer with improved adhesion properties for interior and exterior use. • Adheres sealed and non-sealed anodized and alodined substrates • Resistance to aircraft hydraulic fluids and chemicals • Compatible with polyurethane, epoxy and acrylic top coats • Corrosion inhibiting. High solid product, max. VOC 350 g/L
Curing Solution	92217
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Mitsubishi	CMAMS 565-001 Type I, Grade B
Airbus Canada	A2MS 565-001 Grade B Category 1&2 Type I
Sonaca	6.6013-01
British Aerospace Airbus	ABP 4-1123
Airbus	AIMS 04-04-001
Airbus	AIMS 04-04-003
Airbus	AIMS 04-04-004
Airbus	AIMS 04-04-038
Airbus	AIMS 04-04-040
Airbus	AIMS 04-04-041
Airbus	AIMS 04-04-042
British Aerospace AVRO	AVP 3-003
British Aerospace	AVP 3-006
British Aerospace AVRO	AVP 3-011
British Aerospace	AVP 3-038
BAE Systems	AVN 7-003
Bombardier	BAMS 565-001 Grade B Category 1&2 Type I
Hawker Beechcraft	BAEP 3527-4PSD5
UK Ministry of Defense	BS2X 33 TY I A and B
deHavilland	DHMS C4.01
Collins Aerospace	LGQP 6000
Embraer	MEP 10-059
deHavilland	PPS 34.08
Shorts	SMS 89 TY I Grade BA
Leonardo Helicopters (formerly Agusta Westland)	WHPS 081
Viking Air	VPS.PSD 34.08-28

Primers

Aerodur LV 2114 (Epoxy Primer)

Low VOC Corrosion Inhibiting Primer

Product Overview	A high solids urethane compatible, Skydrol® resistant maintenance primer for application to aircraft exterior surfaces. Aerodur LV 2114 provides excellent corrosion protection, also direct to metal, and optimizes the system adhesion of the exterior decoration finish.
Curing Solution	CS6022
Thinner Activator	TR-114, TR-102
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
SAE International	AMS 3095
AkzoNobel	ANAC Spec
Airbus	CML 477200
Airbus	Airbus SRM - task 51-75-12-911-019 or 020

Aerowave 2001 (Epoxy Primer)

Corrosion Inhibiting Primer for Metallic and Non-metallic Substrates

Product Overview	Aerowave 2001 is a chromated, water-based, 2-component amine cured epoxy primer. • Water based technology • Compatible with all products out of the Aerowave Series • Designed for optimal mixing properties for both manual and plural mixing application • Corrosion inhibiting • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals Aerowave 2001 is a product part of the Aerowave Series which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	6005
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Mitsubishi	CMAMS 565-001 Type I, Grade B
Airbus Canada	A2MS 565-001 Grade B Category 2 Type I
Airbus	AIMS 04-04-001
Airbus	AIMS 04-04-003
Airbus	AIMS 04-04-004
Airbus	AIMS 04-04-038
Airbus	AIMS 04-04-040
Airbus	AIMS 04-04-042
Airbus	IPDA 64-07
British Aerospace Airbus	ABP 4-1123
Bombardier	SMS89 TY I
Bombardier	BAMS 565-001 Grade B Category 2 Type I
BAE Systems	R40-6978
Bombardier	DHMS C4.01
Embraer	MEP 10-59 type III
Embraer	PPS34.08
Eurofighter	SP-J-513-A-0016 TY III CL A
Leonardo Helicopters (formerly Augusta Westland)	WHPS 081
Leonardo Aircraft (formerly Alenia Aermacchi)	NTA 63152 H
Pilatus	VV0605-01
Saab	STD 175417
Viking Air	VPS.PSD 34.08-28
DeHavilland	PPS 34-08

Primers

Aerowave 2002 (Epoxy Primer)

Chromate-Free, Non-corrosion Inhibiting Primer for Composite Substrates

Product Overview	Aerowave 2002 is a non-inhibiting, chromate-free, water-based, 2-component amine cured epoxy primer. • Water based technology • Compatible with all products out of the Aerowave Series • Designed for optimal mixing properties for both manual and plural mixing application • For application on composite substrates • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals Aerowave 2002 is a product part of the Aerowave Series which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	6005
Delivery Method	Waterborne

OEM/Specifier	Specs Qualified
Mitsubishi	CMAMS 565-014 Grade B
Airbus Canada	A2MS 565-014, Class A Grade B
Airbus	AIPI 05-02-009
Airbus	AIMS 04-04-002
Airbus	AIMS 04-04-035
Airbus	AIMS 04-04-045
Eurofighter	SP-J-513-A-0013 TY III CL A
BAE Systems	R40-6978
Bombardier	BAMS 565-014 Class A Grade B
Airbus Helicopters	ECS 0096
Embraer	MEP 10-118
Israel Aerospace Industries	MS100016E
Leonardo Aircraft	NTA 63154
Shorts	SMS 98

Aerowave 2003 (Epoxy Primer)

Chromate-Free, Corrosion Inhibiting Primer for Composite Substrates

Product Overview	Aerowave 2003 is a chromate-free, water-based, 2-component, corrosion inhibiting amine cured epoxy primer. • Water based technology • Compatible with all products out of the Aerowave Series • Designed for optimal mixing properties for both manual and plural mixing application • Corrosion inhibiting • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals Aerowave 2003 is a product part of the Aerowave Series which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	6005
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Leonardo Helicopters (formerly Agusta Westland)	AWMS 28-002 TY I CL 1
Leonardo Helicopters (formerly Agusta Westland)	WHPS 081

Primers

Alumigrip 4101 (Epoxy Primer)

Chromate-Free Corrosion Inhibiting Primer

Product Overview	Alumigrip 4101 is a 2 component urethane compatible, corrosion inhibiting primer formulated for use with AkzoNobel Aerospace Coatings' Commercial and General Aviation top coats, Aviox, Eclipse and Alumigrip 4200. • This product uses chromate-free pigments to provide corrosion protection • This product contains VOC exempt solvents allowed by USA legislation
Curing Solution	CS4901
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-018
Bombardier	BAMS 565-018
deHavilland	DHMS C4.30
Piper Aircraft Inc	PMS-F1010
Mitsubishi	CMAMS 565-018

Aviox CF Primer 37124 (Epoxy Primer)

Chromate-Free Exterior Primer

Product Overview	Aviox CF Primer 37124 is a 2-component amine cured epoxy primer for exterior use. • Developed as a refresh primer, to be applied over ‘basic’ primers Airbus OEM) • Resistance to aircraft hydraulic fluids and chemicals • Corrosion inhibiting • Compatible with polyurethane and epoxy top coats • High Solids Aviox C Primer 37124 is a product part of the Aviox Advanced Series Series which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	92245
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
British Aerospace Airbus	ABP 4-1352
Fokker	TH 6.7370
British Aerospace Airbus	ABP 4-2364
Airbus	AIMS 04-04-031
Airbus	AIMS 04-04-032
Airbus	AIMS 04-04-034
Airbus	AIMS 04-04-036
Airbus	AIMS 04-04-037
Airbus	AIMS 04-04-033
Sukhoi	RRJ0000-RE-314-331
Leonardo Helicopters (formerly Agusta Westland)	AWMS 28.001
Fokker	TH 6.7370

Epoxy Primer 37002 (S15/76) (Epoxy Primer)

3-Component Polyamide Cured Primer

Product Overview	Epoxy Primer 37002 (S15/16) is a three-component polyamide cured epoxy primer designed for application on structural parts and on the exterior of military aircraft. • Compatible with chemical conversion coatings and anodized surfaces • Resistance to aircraft fluids and chemicals • Corrosion inhibiting
Curing Solution	92057
Thinner Activator	C 25/90 S
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	80-T-35-5002
ASE	58465/47
Italian Air Force	AER-M-P.023
Hispano Suiza	BLGE 121001
Saab	STD 175139
BWB	WL 5.7011
Safran Landing Systems (formerly Messier- Bugatti-Dowty)	IFC 30-117-08-2
ASE	58465/42

Epoxy Primer 37035A (Epoxy Primer)

Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer

Product Overview	Epoxy Primer 37035A is a 2 or three-component amine cured epoxy primer with improved adhesion properties for interior and exterior use. • Adheres to degreased, sealed and non-sealed anodized and alodined substrates • Resistance to aircraft hydraulic fluids and chemicals • Corrosion inhibiting • Compatible with polyurethane, epoxy and acrylic top coats
Curing Solution	92140, 92162
Thinner Activator	C 25/90 S, 98064, 96184
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Dassault	0.4.2.220
Airbus	80-T-35-5002
Airbus	AIMS 04-04-001
Airbus	AIMS 04-04-038
Airbus	ABP 4-1123
Airbus	TN A.007.10012 Primer TY I
Airbus	TN A.007.10050 - 1
Airbus	AIMS 04-04-003
Airbus	AIMS 04-04-004
Airbus	AIMS 04-04-038
Airbus	AIMS 04-04-040
Airbus	AIMS 04-04-041
Airbus	AIMS 04-04-042
BAE Systems	R40-3527
British Aerospace AVRO	AVN 7-003
British Aerospace AVRO	AVP 3-003
British Aerospace Group	BAER 7004
British Aerospace Jetstream	PS 23-8-12
British Aerospace Jetstream	PS 23-8-35
British Aerospace Jetstream	PS 23-8-36
British Aerospace Jetstream	PS 23-8-7
Dornier	DOL 255
Dowty Aerospace Propellers	PS 5618
Eurofighter	SP-J-513-A-0016 TY I CL A
Eurofighter	SP-J-513-A-0016 TY I CL B
Eurofighter	SP-J-513-M-0021 TY I CL C
Fokker	TH 5.702 / 4
German Aerospace	WL 5.7138
Leonardo Helicopters (formerly Agusta Westland)	WHPS 081
Pilatus	VV0605-01
UK Ministry of Defense	BS2X 33 TY A and B (Hardener 92162 and thinners C25/90S are not qualified)

Primers

Epoxy Primer 37076 (Epoxy Primer)

Lead and Chromate-Free Primer for Ferrous and Non-ferrous Metals

Product Overview	Epoxy Primer 37076 is a 2 or three-component epoxy primer designed for application on ferrous and non-ferrous metals • Corrosion inhibiting, contains no lead or chromates • Resistant to aircraft hydraulic fluids and chemicals • Can be used to replace chromated epoxy primers on chromic acid anodized aluminium
Curing Solution	92133, 92161
Thinner Activator	C 25/90 S, 98064
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Leonardo Helicopters (formerly Agusta Westland)	BM210I0042
Airbus	AIMS 04-04-002
British Aerospace AVRO	AVP 3-003
DASA	DAN 1168
Eurofighter	SP-J-513-A-0013 TY I CL A
Saab	STD 175417 - 21
BWB	TL 8010-0001 TY IV CL 2
Airbus	TN A.007.10012 Primer TY II
Airbus	TN A.007.10050 - 38
German Aerospace	WL 5.7139
Saab	3268

Spray2Fix Intergard 10301SC (Epoxy Primer)

Intermediate Surfacer Primer

Product Overview	This two-component high solids epoxy primer is fast drying and has enhanced corrosion performance on ferrous and non-ferrous metals. • Lead, chromate and HAPS free • Aerosol Spray Can Application
Curing Solution	Intergard 10301
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-DTL-53022E, Type V

Primers

P60-A (Epoxy Primer)

Corrosion Inhibiting Primer for Metallic Substrates

Product Overview	P60-A is a chromated, water-based, three-component epoxy primer. This product is designed for the protection of metallic structures on aircraft. • P60-A is a product which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care • Compatible with F70-A and F69 structural top coats • Compatible with FR2-55, FRS40, DI-TEX and FRC PU interior top coats • Designed for optimal mixing properties for both manual and plural mixing application • Excellent adhesion on all qualified surface treatments • Corrosion inhibiting • Allow wet on wet application in combination with F70-A top coat • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals • Long pot life • Large dilution window with water • Touch up kit for brush application
Curing Solution	P60-A Hardener
Thinner Activator	Demineralized water
Delivery Method	Water reducible
OEM/Specifier	Specs Qualified
Mitsubishi	CMAMS 565-001 Type I, Grade B
Airbus	IPS 04-04-038-07
Airbus	AIMS 04-04-064
Airbus	IPS 04-04-038-07
Airbus	AIMS 04-04-064
Airbus	AIMS 04-04-001
Airbus	AIMS 04-04-003
Airbus	AIMS 04-04-004
Airbus	AIMS 04-04-038
Airbus	AIMS 04-04-040
Airbus	AIMS 04-04-041
Airbus	AIMS 04-04-042
Airbus	AIMS 04-04-063
Airbus	AIPI 05-05-003
Airbus	AIPI 05-02-009
Airbus	ABP 4-1123
Airbus	ASNA 5147
Airbus	PQ N° 10050-230-01
Airbus	A2MS 565-001 Gr B Cat 1&2, Ty I
Airbus Canada	A2MS 565-001 Gr B Cat 1&2, Ty I
Airbus	IPDA 64-02
Airbus	80-T-35-5030
Bombardier	BAMS 565-001 Grade B Category 1, Type I & Category 2, Type I
Embraer	MEP 10-059 Type III
Dassault	DGQT 1.7.0.0120
Dassault	DGQT 0.4.2.0385
Pilatus	VV0605-01E
Socata	Socata
Viking	VAMS 565-001 Grade B Category 1, Type I & Category 2, Type I

P60-2K (Epoxy Primer)

Corrosion Inhibiting Primer for Metallic Substrates

Product Overview	P60-2K is a chromated, water-based, 2-component epoxy primer. • Water based technology • Compatible with F70-A • Designed for optimal mixing properties for both manual and plural mixing application • Excellent adhesion on all qualified surface treatments • Corrosion inhibiting • Allow wet on wet application in combination with F70-A top coat • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals P60-2K utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	H2K Hardener
Thinner Activator	
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Embraer	MEP 10-059 TY III
Pilatus	VV0605-01E

Primers

P60-LC (Epoxy Primer)

Corrosion Inhibiting Primer for Metallic Substrates

Product Overview	P60-LC is a chromated, water-based, three-component epoxy primer. • Low chrome content • Compatible with F70-A • Designed for optimal mixing properties for both manual and plural mixing application • Excellent adhesion on all qualified surface treatments • Corrosion inhibiting • Allow Wet on Wet application in combination with F70-A top coat • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals P60-LC utilizes the latest water-based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	P60-A Hardener
Thinner Activator	Demineralized water
Delivery Method	Water reducible
OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-001 Gr B Cat 1&2, Ty I
deHaviland	DHMS C4.01 Type II Grade C
Bombardier	BAMS 565-001 Grade B Category 1, Type I & Category 2, Type I

MSP-1 (Epoxy Primer)

Chromate-Free Corrosion Resistant Primer

Product Overview	MSP-1 is a chromate-free water-based epoxy anticorrosive three-component primer used for corrosion protection and adhesion on metallic parts. • Excellent adhesion on most metallic substrates (including steel) and surface treatments, including conversion coatings • Low VOC emission • Resistance to aircraft hydraulic fluids and chemicals • Fast-drying
Curing Solution	MSP-1 Hardener
Thinner Activator	Demineralised water
Delivery Method	Water reducible
OEM/Specifier	Specs Qualified
Liebherr Aerospace	T-LABO-QUA-0607
Pilatus	PMS0600-52-02

SP350 (Epoxy Primer)

Chromate-Free Corrosion Resistant Primer

Product Overview	SP350 is a chromate-free high solid epoxy three-component primer used for corrosion protection and adhesion on metallic parts. • High Solids technology • Excellent adhesion on sealed anodized pretreatments • Excellent adhesion on most metallic substrates and surface treatments, including conversion coatings • Compatible with XS420 top coat • Low VOC emission • Resistance to aircraft hydraulic fluids and chemicals • Authorized for MRO use by Honeywell
Curing Solution	SP350 Hardener
Thinner Activator	SP350 Plus
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Safran	IFC 30-125-06
Safran	DMR74-130-A
Safran	DMP16-054-A
Safran	HMRC0149
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	32-09-01 Section 36F
Safran Landing Systems	IFC 30-125-07
Safran Landing Systems	DR 34321

P250 Metal (Epoxy Primer)

High Heat Coating

Product Overview	P250 metal is a chromate free high solids epoxy anti-corrosive 2 components primer used for temperature resistance up to 350°C in peak. • Good temperature resistance • Low VOC emission • Resistance to aircraft hydraulic fluids and chemicals • Can be used on various substrate such as Treated Aluminum alloys and Passivated Inox
Curing Solution	P250 Metal Hardener
Thinner Activator	
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Bombardier	BAMS 565-013 Type II, Class 2

Primers

P63 (Epoxy Primer)

Chromate-Free Solvent-Based Epoxy Primer

Product Overview	Chromate-free solvent-based epoxy primer with strong chemical resistance Anticorrosive protection on metallic parts and good adhesion on composite.
Curing Solution	P63 Hardener
Thinner Activator	E
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Cobham	Cobham

20P20-3 (Polyurethane Primer)

Intermediate Surfacer Primer

Product Overview	A chemically cured high build polyurethane surfacer designed for use as an intermediate primer with good filling.
Curing Solution	PC-232
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Cessna	CMFS039, TY II
Cessna	CSFS084
Embraer	MEP 10-070
Textron Aviation	TM3405

Aerolith P27-CF (Polyurethane Primer)

Chromate-Free Corrosion Resistant Primer

Product Overview	Aerolith P27-CF is a solvent borne chrome free polyurethane anti corrosive primer. • Excellent long term anti corrosion properties • Flexibility and acidic resistance • Especially been developed for application on treated aluminum for fuselage and fuel tank protection
Curing Solution	P27-CF Hardener
Thinner Activator	P2 and P27-CF Thinners
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
SAE International	AMS C-27725 Type III Grade 1, 2

Aerodur Primer S15/60 (Polyurethane Primer)

Interior and exterior primer

Product Overview	Aerodur Primer S 15/60 is a three-component isocyanate cured polyurethane primer for interior and exterior use. • Compatible with chemical conversion coatings and anodized surface treatments • Corrosion inhibiting • Resistance to aircraft hydraulic fluids and chemicals
Curing Solution	S 66/14, S 66/22 R
Thinner Activator	C 25/90 S
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Grumman	GP 111 EK
Dowty Aerospace Propellers	PS 5007
Air France	SMI 70 067
Saab	STD 2932E TY I
Fokker	TH 33.0140
Fokker	TH 5.701 /1

Primers

Aerodur Primer S15/90 (Polyurethane Primer)

Interior and exterior corrosion inhibiting primer

Product Overview	Aerodur Primer S 15/90 is a three-component polyurethane primer for interior and exterior use. • Compatible with chemical conversion coatings and anodized surface treatments • Resistance to aircraft hydraulic fluids and chemicals • Corrosion inhibiting • Meets the performance requirements of MIL-P-23377 type 1 and BMS 10-79 type 1
Curing Solution	S 66/14, S 66/22 R
Thinner Activator	C 25/90 S, 98064, 96184
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Airbus	IPDA 64-07
Airbus	TN A.007.10012
Sonaca	6.6002-01
Sonaca	6.6002-01
Hispano Suiza	BLGE 140101
Leonardo Aircraft (formerly Alenia Aermacchi)	NTA 63152 H
Swedish Defense	FSD 7066
Saab	3268
Saab	STD 175417

9014-B (Polyurethane Primer)

Polyurethane Adhesion Promoter

Product Overview	Three-component polyurethane adhesion promoter. It is necessary to apply the 9014-B before applying Mapcoat anti-erosion system.
Curing Solution	9014-B Hardener
Thinner Activator	P
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Cobham	Cobham
Embraer	MEP 10-124
French Air Force	DCAN N°060/AERO/61

Static F1 (Polyurethane Primer)

Antistatic Polyurethane Primer

Product Overview	Antistatic polyurethane primer for treatment of aircraft radoms and antennas.
Curing Solution	F1 Hardener
Thinner Activator	P
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Socata	Socata

Stat-100 (Polyurethane Primer)

Antistatic Polyurethane Primer

Product Overview	Antistatic polyurethane primer for treatment of aircraft radoms and antennas.
Curing Solution	Stat-100 Hardener
Thinner Activator	P
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Helicopters	ECS2217

Primers

P300 (Polyurethane Primer)

Polyurethane Primer

Product Overview	Three-component polyurethane primer, high chemical resistance and resistant to high temperature (250°C).
Curing Solution	300-HT Hardener
Thinner Activator	P
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Sonaca	SMS N°0801
RUAG	RAN-127-0073-01

P23 (Polyurethane Primer)

Polyurethane Primer

Product Overview	Polyurethane primer with strontium chromate, used for the protection of aircrafts interiors and exteriors.
Curing Solution	P23 Hardener
Thinner Activator	P2
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
French Air Force	STPA-MA N°2 859-LE-92
Safran Landing Systems	IFC30-171-02
Socata	Socata

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty
CoatingsParting
Lacquers

Top Coats

22 Series (Epoxy Top Coat)

Aviation Fluid Protective Top Coat

Product Overview	The 22/23 Series product is a chemically cured two-component epoxy top coat designed to provide maximum protection from various chemicals, hydraulic fluids, aviation fuels, phosphate ester (Skydrol®) fluids and corrosion causing media. This high solids technology meets VOC requirements of SCAQMD Rule 1124.
Curing Solution	X-530
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Aviation Technical Services	ATSMS-001 Rev. A
Boeing	BMS 10-11, TY II CL B GRD
Honeywell	51180314
Honeywell	EMS93284 Rev. K
Honeywell	EM-369
Israel Aerospace Industries	MS100014E
Rohr	RMS 118

23 Series (Epoxy Top Coat)

Aviation Fluid Protective Top Coat

Product Overview	The 22/23 Series product is a chemically cured two-component epoxy top coat designed to provide maximum protection from various chemicals, hydraulic fluids, aviation fuels, phosphate ester (Skydrol®) fluids and corrosion causing media. This high solids technology meets VOC requirements of SCAQMD Rule 1124.
Curing Solution	EC-263 (Semi-gloss), EC-264 (Flat)
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Aviation Technical Services	ATSMS-001 Rev. A
Boeing	BMS 10-11, TY II CL B GRD
Honeywell	MC8045-01
Honeywell	EMS93284 Rev. K
Israel Aerospace Industries	MS100014E

422XT C Series (Epoxy Top Coat)

Flexible, Chip and Flake Resistant Top Coat

Product Overview	A two-component, chemically cured epoxy top coat designed to provide chemical resistance coupled with sufficient flexibility to minimize chipping and flaking. This epoxy top coat can be used with various primers. Normally military specification primers MIL-P-85582, MIL-PRF-23377 or MIL-DTL-53022 are recommended.
Curing Solution	0200T129(G), 0200T126C(F)
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-PRF-22750,TYII CLH GRA

422XT Series (Epoxy Top Coat)

Flexible, Chip and Flake Resistant Top Coat

Product Overview	A two-component, chemically cured epoxy top coat designed to provide chemical resistance coupled with sufficient flexibility to minimize chipping and flaking. This epoxy top coat can be used with various primers. Normally military specification primers MIL-P-85582, MIL-PRF-23377 or MIL-DTL-53022 are recommended.
Curing Solution	0200T129(G), 0200T126C(F)
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-PRF-22750,TY II CL H GRA

Top Coats

Aerowave 3003 (Epoxy Top Coat)

Interior Top Coat

Product Overview	Aerowave 3003 is a water-based, 2-component, amine cured epoxy finish. • Water based technology • Compatible with all products out of the Aerowave Series • Designed for optimal mixing properties for both manual and plural mixing application • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals Aerowave 3003 is a product part of the Aerowave Series which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	6007
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus	AIPI 05-02-009
Airbus	AIMS 04-04-003
Airbus	AIMS 04-04-040
Airbus	AIMS 04-04-045
Airbus	ABP 4-2130
Airbus	IPDA 64-07
Leonardo Aircraft	NTA 63352

F69 (Epoxy Top Coat)

Structure water-based direct adhesion

Product Overview		F69 is a chrome free, water-based, three-component epoxy top coat used to protect mountings and sealants. Corrosion protection for certain structural parts. Can be also used in cabin metallic parts. • Compatible with P60-A, F70-A • Compatible with FR2-55, FRS40, DI-TEX and FRC interior top coats • Designed for optimal mixing properties for both spray and brush applications • Excellent adhesion on all qualified surface treatments • Corrosion inhibiting • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals • Long pot life • Large dilution window with water • Touch up kit for brush application • Excellent hiding power
Curing Solution		F69 Hardener
Thinner Activator		Water (AIMS 09-00-003 Grade C)
Delivery Method		Water reducible
OEM/Specifier	Specs Qualified	
Airbus	ABP 4-2126	
Airbus	AIMS 04-04-009	
Airbus	AIMS 04-04-018	
Airbus	AIMS 04-04-043	
Airbus	AIMS 04-04-047	
Airbus	PQ10050-055-04 (blue)	
Airbus	PQ10050-053-03 (grey)	
Airbus	CML 16-021	
Airbus	04QAB2	
Airbus	04QAC2	
Airbus	04TMB2	
Airbus	80-T-35-5218,	
Airbus	ABP 4-2128,	
Airbus	A2MS 565-007 Ty E Class 2 Semi-Gloss (White FS 27875 and Dark Grey FS 26473)	
Airbus	API 05-05-003	
Bombardier	BAMS 565-007B Type EC2SG	
F.LIST	LMS QM000094	
Pilatus	VV0600-52F	
Pilatus	PMS0600-52-02	
Safran	DM241-05 T.III, Cl.1 (only for TUK blue)	
Safran Cabin Bellingham	HMS-D1-004	

F70-A (Epoxy Top Coat)

Structural Water-Based Top Coat

Product Overview	F70-A is a water-based, three-component, amine cured epoxy finish. This product is designed for the protection of metallic structures on aircraft. • Water based technology • Good flexibility • To be used with P60-A • Designed for optimal mixing properties for both spray and brush applications • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals
Curing Solution	F70-A Hardener
Thinner Activator	Demineralized water
Delivery Method	Waterbornee

OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-003
Airbus	AIMS 04-04-040
Airbus	AIMS 04-04-041
Airbus	AIMS 04-04-063
Airbus	PS 6.6101.01
Airbus	AIPS 05-02-009
Airbus	ASNA 5148
Airbus	IPDA 64-02
Airbus	PQ10050-240-01
Airbus	ABP 4-2130
Airbus	80-T-35-5130
Dassault	DGQT 1.7.0.0120
Dassault	DGQT 0.4.2.0385

58 Series (Polyurethane Top Coat)

Chemical Resistant Military Top Coat

Product Overview	This two component high solids polyurethane finish is formulated for application to military aircraft, and is designed to provide maximum protection from various chemicals, hydraulic fluids, aviation fuels, and corrosion causing media. Available in gloss, semi-gloss, and camouflage appearance. Clear available in all gloss levels. Also available in aluminum metallic FS17178 and FS27178. This product line provides excellent performance with regard to cleanability, mar resistance and surface smoothness in all gloss ranges. This product 666-58-4095 is subject to International Traffic in Arms Regulations (ITAR).
Curing Solution	X-501 (Gloss), X-503 (Semi and Flat)
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Italian Air Force	AER(EP).M-P-001 TY I CL 1
Boeing Long Beach	DPM 6330-1
Northrup Grumman	GP110AEF
Embraer	MEP 10-117, TY I
US Military	MIL-PRF-85285, TY I CL H
Mitsubishi	MMS 420
Piper Aircraft Inc	PPS 25000 app D
USG Military	WS 26052, TY I CL 2
Saab	STD 175428
Saab	STD 1974
Thales	HSV-N-8010-000
Fokker	TH 5.731
Israel Aerospace Industries	MS100029E
Cessna	CMFS039

Spray2Fix 58 Series (Polyurethane Top Coat)

Chemical Resistant Military Top Coat Aerosol

Product Overview	This two component high solids polyurethane finish is formulated for application to military aircraft, and is designed to provide maximum protection from various chemicals, hydraulic fluids, aviation fuels, and corrosion causing media. Available in gloss, semi-gloss, and camouflage appearance. Clear available in all gloss levels. Also available in aluminum metallic FS17178 and FS27178. This product line provides excellent performance with regard to cleanability, mar resistance and surface smoothness in all gloss ranges. This product 666-58-4095 is subject to International Traffic in Arms Regulations (ITAR).
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-PRF-85285, TY I CL H

Top Coats

683-3-2 (Polyurethane Top Coat)

Chemical, Fluids and Fuel Protective Top Coat

Product Overview	Chemically cured two-component clear polyurethane top coat with two dry options designed to provide maximum protection of various substrates from various chemicals, hydraulic fluids, aviation fuels and phosphate ester fluids.
Curing Solution	X-310A
Thinner/Activator	TL-59
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-052
Boeing Long Beach	DPM 5557
Northrop Grumman	GC130HG1
Embraer	MEP 10-058
Rohr	RMS 8963
Rohr	RPS 13.99
Spirit Aerosystems	SMS-111207, TY I
Boeing	BAC 5710, TY 41 (AA)
Boeing	BMS 10-152
Northrop Grumman	QFM-0007
Israel Aerospace Industries	MS100029E

683-3-20 (Polyurethane Top Coat)

Chemical, Fluids and Fuel Protective Top Coat

Product Overview	Chemically cured two-component clear polyurethane top coat with two dry options designed to provide maximum protection of various substrates from various chemicals, hydraulic fluids, aviation fuels and phosphate ester fluids.
Curing Solution	X-310A
Thinner/Activator	TL-59
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Boeing	BAC 5710, TY 41
Boeing	BMS 10-152
Spirit Aerosystems	SMS-111207, TY I
Raytheon	B6468098
Rohr	RPS 13.99
Israel Aerospace Industries	MS100029E

Aerobase (Polyurethane Top Coat)

Base Coat / Clear Coat System

Product Overview	Aerobase is a three-component base coat for use in the base coat/clear coat decoration system for commercial aircraft application to provide uniform coverage and appearance in one coat application for most of the colors. When used with the specified polyurethane clear top coat, Aviox Clearcoat UVR, this system provides a durable long lasting, protective and decorative finish that exceeds typical OEM requirements for exterior aircraft performance. Aerobase in combination with Aviox Clearcoat UVR provides: • Excellent gloss / color retention • Extended durability and weatherin • Opacity at low film thickness • Short tape time • Reduction of process times • Superior chemical and stain resistance • Low dirt adhesion • Excellent cleanliness • Sustainable and cost efficient
Curing Solution	Aerobase Curing Solution
Thinner/Activator	Aerobase Standard Activator
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-025
Airbus	AIMS 04-04-033
Airbus	AIMS 04-04-037
Airbus	IPS 04-04-033-04
Airbus	IPS 04-04-037-04
SAE International	AMS 3095
Ilyushin	TN 756.03.583
Ilyushin	TN 756.03-603

Top Coats

Aerobase Special Effects (Polyurethane Top Coat)

Base Coat / Clear Coat System with Special Effects Finish

Product Overview	Aerobase is a chemically cured, long life base coat for use in a base coat/clear coat system formulated to provide uniform coverage and appearance in one box coat application. Aerobase, in combination with the specified Aviox Clearcoat UVR, provides reduced cycle time and superior chemical and stain resistance, flexibility, and weathering performance. This system provides a durable long lasting, protective and decorative finish that exceeds typical OEM requirements for exterior aircraft performance.
Curing Solution	Aerobase Curing Solution
Thinner/Activator	Aerobase Standard Activator
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-025
SAE International	AMS 3095

Aerodur 3001E (Polyurethane Top Coat)

Special Effects Base Coat

Product Overview	Aerodur 3001 Special Effects top coat is part of the high solid 3 components polyurethane Aerodur 3001 Solid Colors – Aerodur 3001 Special Effects – Aerodur 3002 Clear Coat system for exterior usage. This system provides uniform coverage and appearance in one box coat application for most of the colors and effects. When used with the specified polyurethane clear top coat (Aerodur 3002) this system provides a durable long lasting, protective and decorative finish that exceeds typical OEM requirements for exterior aircraft performance. Aerodur 3001 Base Coat Solid Colors – Aerodur 3001 Base Coat Special Effect Colors – Aerodur 3002 Clear Coat (3002G00002 or 3002G00005) provides: • Unique appearance on aircraft livery • Uniform sparkling effect appearance • Repairability • Excellent gloss / color retention • Opacity at low film thickness • Short tape time • Superior chemical and stain resistance • Low dirt adhesion • Sustainable and cost efficient
Curing Solution	CS6031
Thinner/Activator	A9005
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Embraer	MEP 10-125, TY II
Boeing	BMS 10-125, TY IV, GR D
Boeing	BMS 10-125 , TY VII, GR D
Boeing	BMS 10-72, TY X
Boeing	BAC 5983
Comac	CMS-CT-102

Aerodur 3001G (Polyurethane Top Coat)

Long Life Base Coat used with Aerodur 3002

Product Overview	Aerodur 3001 is a chemically cured, long life base coat for use in a base coat/clear coat system formulated to provide uniform coverage and appearance in one box coat application. Aerodur 3001, in combination with the specified Aerodur 3002 Clear Coat, provides reduced cycle time and superior chemical and stain resistance, flexibility, and weathering performance. This system provides a durable long lasting, protective and decorative finish that exceeds typical OEM requirements for exterior aircraft performance.
Curing Solution	CS6000
Thinner/Activator	A9002, A9003, A9004
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-018
Bombardier	BAMS 565-018
Boeing	BMS 10-125, TY IV, GR D
Boeing	BMS 10-125, TY VII, GR D
Boeing	BMS 10-72, TY X
Boeing	D6-83729
Boeing	BAC 5075
deHavilland	DHMS C4.30
Embraer	MEP 10-125, TY II
Irkut	741.140/21-00-00-0038-0T04/0A
Comac	CMS-CT-102
SAE International	AMS 3095
Mitsubishi	CMAMS 565-018

Top Coats

Aerodur 3002G (Polyurethane Top Coat)

Long Life Clearcoat used with Aerodur 3001

Product Overview	Aerodur 3002 is a chemically cured, long life clear coat for use in a base coat/ clear coat system formulated to provide uniform appearance in one box coat application. This clear coat formulation, in combination with the specified Aerodur 3001 Base Coat, provides cycle time reduction, superior chemical and stain resistance, flexibility, and weathering performance. This system provides a durable long lasting, protective and decorative finish that exceeds typical OEM requirements for exterior aircraft performance.
Curing Solution	CS6003
Thinner/Activator	A9050, A9052, A9055, A9056, A9053, A9054
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-018
Boeing	BMS 10-72, TY X
Boeing	BMS 10-125, TY VII, GR D
Boeing	D6-83729
Boeing	BMS 10-125, TY II, GR D
Boeing	BMS 10-125, TY IV, GR D
Boeing	BAC 5075
Embraer	MEP 10-125, TY II
Bombardier	BAMS 565-018
deHavilland	DHMS C4.30
Boeing	BMS 10-72, TY IX
Irkut	741.140/21-00-00-0038-0T04/0A
Comac	CMS-CT-102
SAE International	AMS 3095
Mitsubishi	CMAMS 565-018

Aerodur 5000 Gloss (Polyurethane Top Coat)

Military Aircraft Gloss Top Coat

Product Overview	Aerodur 5000 (ECM-G Series) is a two-component high solids polyurethane finish formulated for application to military aircraft and is designed to provide maximum protection from various chemicals, hydraulic fluids, aviation fuels, and corrosion causing media.
Curing Solution	X-501
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-PRF 85285 Type IV, Class H, Form M, Grade N

Aerodur 5000 Camouflage (Polyurethane Top Coat)

Military Aircraft Camouflage Top Coat

Product Overview	Aerodur 5000 (ECM-F Series) is a 2-component polyurethane military aircraft camouflage finish for exterior use. • Excellent durability and weathering • Superior combination of fluid resistance and flexibility • Excellent cleanability • Unique curing mechanism which allows a 24 hrs fly-away time for the aircraft* *When cured at 70°F (21°C) - 77° F (25°C) and defined as resistance to 25 double rubs MEK.
Curing Solution	PC-404
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Northrop Grumman	MS475
Airbus	AIMS 04-04-036
US Military	MIL-PRF-85285, TY IV, CL H
Italian Air Force	AER(EP). M-P-001 TY I CL 2
Embraer	MEP 10-117, TY II
US Military	MIL-PRF-32239, TY II CL 1, GR1

Top Coats

Aerodur Clearcoat UVR (Polyurethane Top Coat)

UV Resistant Clearcoat

Product Overview	Aerodur Clearcoat UVR is a universal three-component, UV Resistant, high-gloss polyurethane top coat for application on exterior polyurethane decoration schemes. • Extended durability of conventional polyurethane systems • Long lasting ‘wet look’ appearance • No dirt retention • Easy to clean • Resistant to aircraft hydraulic fluids and chemicals • Base, hardener and Thinner 98064 comply to the German legislation VBF: A2 (flashpoint >21°C)
Curing Solution	S 66/22 R
Thinner/Activator	C 25/90 S, 98064, 96184
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-022
British Aerospace Airbus	ABP 4-2128
British Aerospace Airbus	ABP 9-4325
Airbus	ASNA4196
Boeing Long Beach	DPS 4.50-187
Airbus	I.C. TO-37.05
Airbus	I.P. DA-64.03
Embraer	MEP 10-058
IPTN	NMS 10-72 TY V
Air France	SMI 70 089
Saab	STD 175429
Collins Aerospace	RPS 13.99
Fokker	TH33.0150
Dassault	DGQT 1.7.0.0138
Safran Landing Systems	IFC30-171-02

Aerodur ARC (Polyurethane Top Coat)

Abrasion Resistant Coating

Product Overview	Aerodur ARC is a three-component polyurethane abrasion resistant coating. - Minimal abrasion on areas highly exposed to wear and friction - Minimal dirt pick-up - Impact and stone chip resistant (rough field operations) - Rapid film build-up with standard air spray techniques
Curing Solution	Hardener S 66/22 R
Thinner/Activator	Thinner C 25/90 S
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Airbus	TN A.007.10050-32
Airbus	80-T-35-5254
British Aerospace Group	BAEP 3536 Issue 7
Fokker	TH 5.724
Ilyushin	TN 756.03-603

Aerodur Finish C 21/100 (Polyurethane Top Coat)

High Gloss Interior Top Coat

Product Overview	Aerodur C 21/100 is a universal 2 or three-component, high-gloss polyurethane finish for interior and exterior use. - Excellent gloss retention - Resistant to staining - Resistant to aircraft hydraulic fluids and chemicals
Curing Solution	S 66/22 R, 90120
Thinner/Activator	C 25/90 S, 98064, 96184
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Airbus	AIPI 05-02-009
Airbus	AIMS 04-04-003
Airbus	AIMS 04-04-040
Airbus	AIMS 04-04-041
Airbus	AIMS 04-04-045
Airbus	AIMS 04-04-046
Airbus	TN A.007.10012
Airbus	AIMS 04-04-075
Airbus	IPS 04-04-075-02
AkzoNobel	ANAC Spec
Leonardo Aircraft	NTA 63353
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	32-09-01 Section 36B
Leonardo Aircraft	NTA 63352
Israel Aerospace Industries	MS100029E

Top Coats

Aerodur Finish SGL Aluminum (Polyurethane Top Coat)

Interior and Exterior Top Coat

Product Overview	Aerodur Finish SGL Aluminium is a universal three-component polyurethane finish for interior and exterior use. • Resistance to staining • Resistant to aircraft hydraulic fluids and chemicals • Well balanced pot life / drying characteristics
Curing Solution	S 66/22 R
Thinner/Activator	98064
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	PCS-2500
Safran Landing Systems	32-09-01 Section 36B

Aerodur HS 67348 (Polyurethane Top Coat)

Interior Top Coat

Product Overview	Aerodur HS 67348 is a three-component, semi gloss polyurethane finish for interior use. • Resistant to aircraft hydraulic fluids and chemicals • High Solids • Compatible with Aerodur HS Primer 37092 and Epoxy Primer 37035A
Curing Solution	90150
Thinner/Activator	99302
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
British Aerospace Airbus	ABP 4-2130
Airbus	AIMS 04-04-003
Airbus	AIMS 04-04-040
Airbus	AIMS 04-04-041
British Aerospace AVRO	AVN 7-002
British Aerospace AVRO	AVP 3-008
Hawker Beechcraft	BAEP3528-4PSD2

Aerodur HS 77302 (Polyurethane Top Coat)

High Gloss Interior Top Coat

Product Overview	Aerodur HS 77302 is a three-component high-gloss polyurethane finish for interior use. • Resistant to aircraft hydraulic fluids and chemicals • High Solids • Compatible with Aerodur HS Primer 37092 and Epoxy Primer 37035A
Curing Solution	90121
Thinner/Activator	99292, 99330
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Bombardier	SMS 92, GR B, ISS.8
Bombardier	BAMS 565-002, Grade B Class 33
Mitsubishi	CMAMS 565-002 Grade B

Aerowave 5001 (Polyurethane Top Coat)

Interior and Exterior Military Top Coat

Product Overview	Aerowave 5001 is a water-based, three-component, isocyanate cured polyurethane finish for interior and exterior use and is available in various gloss levels. • Water-based technology • Compatible with all products out of the Aerowave Series • Low VOC emission • Excellent appearance, MAR resistance and durability • CARC resistance to STANAG 4360 Issue 2 • Various gloss ranges available • Resistance to aircraft hydraulic fluids and chemicals Aerowave 5001 is a product part of the Aerowave Series which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	6002
Thinner/Activator	DI Water
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Eurofighter	SP-J-513-C-0083 TY III CL A
Eurofighter	SP-J-513-C-0083 TY III CL B
UK Ministry of Defense	BS 2X 34
BAE Systems	R40-6309
Airbus Helicopters	ECS 0097
Leonardo Helicopters (formerly Agusta Westland)	WHPS 242
Italian Air Force	AER.M.P 001
SAAB	STD 175431
Thales	HSV-N-8010-000

Top Coats

Aerowave 5001 ARC (Polyurethane Top Coat)

Abrasion Resistant Military Top Coat

Product Overview	Aerowave 5001 is a water-based, three-component, isocyanate cured polyurethane finish for interior and exterior use and is available in various gloss levels. • Water-based technology • Compatible with all products out of the Aerowave Series • Low VOC emission • Excellent appearance, MAR resistance and durability • CARC resistance to STANAG 4360 Issue 2 • Various gloss ranges available • Resistance to aircraft hydraulic fluids and chemicals Aerowave 5001 is a product part of the Aerowave Series which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	6002
Thinner/Activator	DI water
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Eurofighter	SP-J-513-A-0014

Alumigrip 4200 (Polyurethane Top Coat)

Mono Coat for General Aviation

Product Overview	Alumigrip 4200 is a three-component high solid durable polyurethane top coat that provides premium gloss and distinctness of image (DOI) designed to meet and exceed the expectations of the General Aviation (GA) industry. • Optimal application properties in different environmental conditions • Buffable • Low VOC; High Solid technology • Extended durability / UV resistance • Resistant to aircraft hydraulic fluids and chemicals • Compatible with Alumigrip® Clear Coat
Curing Solution	PC-242
Thinner/Activator	A4950(AC-139), A4951, A4952, A4953, A4954
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Spec
Cessna	CMFS037
Cessna	CSFS084
Cessna	CMFS039
Gulfstream	GMS 5008
Learjet	LES 1509
Piper Aircraft Inc	PMS-F1010
Piper Aircraft Inc	PPS 25000 app D
Pilatus	VV0605-28

Top Coats

Alumigrip 4250 (Polyurethane Top Coat)

Accent Color Top Coat for General Aviation

Product Overview	Alumigrip 4250 is a three-component base coat for accent colors and special markings in General Aviation aircraft. In order to achieve high-gloss, durability and system performance it is mandatory to use Alumigrip 4250 in combination with Alumigrip 4450 Clear Coat. Alumigrip 4250 provides: • Very fast process times • Optimal opacity; one layer application at low layer thickness • Excellent special effect control • Buffable
Curing Solution	PC-242
Thinner/Activator	A4950 (AC-139), A4954
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Spec
Embraer	MEP 10-080
Learjet	LES 1509
Pilatus	VV0605-33

Alumigrip 4400 (Polyurethane Top Coat)

Base Coat for General Aviation

Product Overview	Alumigrip Base Coat is a three-component, high solids, durable, polyurethane base coat, formulated to exceed the performance and appearance requirements of the General Aviation (GA) industry. The Alumigrip 4400 Base Coat should be used with Alumigrip 4450 Clear Coat as part of a base coat/clear coat system. • Designed to meet the rigorous requirements of the MIL-PRF-85285 specification • Base coat / clear coat system helps reduce cycle time • Low VOC; high solids technology • Resistant to military and commercial aircraft fluids • Solvent resistant • Buffable • Extended durability / UV resistance
Curing Solution	CS4904
Thinner/Activator	A4956, A4957, A4965, A4967
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Piper Aircraft Inc	PMS-F1010
Pilatus	PMS0600-52-01
Pilatus	VV0607-22
Embraer	MEP 10-125, TY I
Gulfstream	GAMPS4002
Gulfstream	GMS 5008
Cessna	CMFS038
Cessna	CSFS084

Alumigrip 4450 (Polyurethane Top Coat)

Clear Coat used with Alumigrip 4400

Product Overview	Alumigrip 4450 Clear Coat is a three-component, high solids, durable, Acrylic Urethane clear coat that provides exceptional gloss and DOI. Formulated to exceed the performance and appearance requirements of the General Aviation (GA) industry. The Alumigrip 4450 Clear Coat should be used with Alumigrip 4400 Base Coat as part of a base coat/clear coat system. It may also be used with Alumigrip 4200 and Alumigrip 4200 SHR. • Designed to meet the rigorous requirements of the MIL-PRF-85285 specification • Passes high pressure water jet simulated erosion test • Base coat/clear coat system helps reduce cycle time • Low VOC; high solids technology • Buffable • Extended durability / UV resistance • Resistant to military and commercial aircraft fluids
Curing Solution	CS4906
Thinner/Activator	A4961, A4962, A4968, A4969
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Cessna	CMFS038
Cessna	CSFS084
Cessna (4450G00003)	CMFS039
Embraer	MEP 10-125, TY I (C)24
Gulfstream	GAMPS4002
Gulfstream	GMS 5008
Learjet	LES 1509
Pilatus	PMS0600-52-01
Pilatus	VV0607-22
Piper Aircraft Inc	PMS-F1010

Aviox Advanced Mica Series (Polyurethane Top Coat)

High Solids Exterior Top Coat

Product Overview	The Aviox Advanced Mica Series are part of the base coat / mica / clear coat system for exterior usage. The system consists of Aviox Finish 77 702 – Aviox Advanced Mica Series – Aviox Clearcoat UVR. • Creates unique appearance on aircraft livery • Uniform sparkling special effect appearance • Repairable • Permanent wet look • High solids • Resistance to hydraulic fluids and chemicals The Aviox Advanced Mica Series is a product part of the Aviox Advanced Series which utilizes the latest high solid technology and sets the standard for minimum process times and reduced process cycle costs.
Curing Solution	90150
Thinner/Activator	99341, 99321
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-025
Airbus	TN A.007.10050 - 446

Top Coats

Aviox Clearcoat UVR (Polyurethane Top Coat)

High Solids Top Coat

Product Overview	Aviox Clearcoat UVR is a three-component durable high-gloss polyurethane clear-coat for application on exterior decoration schemes. • Extended durability / UV resistance • Long lasting 'wet look' appearance • Less dirt retention • Easy to clean • Resistance to aircraft hydraulic fluids and chemicals • Wide application window due to various activators Admixed VOC is 480g/L Aviox Clearcoat UVR is a product part of the Aviox Advanced Series which utilizes the latest high solid technology and sets the standard for minimum process times and reduced process cycle costs. Aviox Clearcoat UVR can be used in combination with SRA9009 to ease spot-repair. See SRA9009 Technical Data Sheet for this purpose.
Curing Solution	90150
Thinner/Activator	99397, 99351, 99341, 99321, 99330
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-023
Airbus	AIMS 04-04-025
Airbus	AIMS 04-04-033
Airbus	AIMS 04-04-037
Airbus	IPS 04-04-033-04
Airbus	IPS 04-04-037-04
SAE International	AMS 3095
British Aerospace Airbus	ABP 4-2128
British Aerospace Airbus	ABP 9-4325
BAE Systems	AVN 7-004
BAE Systems	AVP 3-001
BAE Systems	AVP 3-006
BAE Systems	AVP 3-011
Diamond Aircraft	DM-S-03-0006
Collins Aerospace	RPS 13.99
Sukhoi	RRJ0000-RE-314-331
Ilyushin	TN 756.03.583
Ilyushin	TN 756.03-603
Dassault	DGQT 1.7.0.0138
Eurocopter	ECS 7275

Aviox Finish 77702 (Polyurethane Top Coat)

UV Resistant Exterior Top Coat

Product Overview		Aviox Finish 77702 is a 3 component durable high-gloss finish for exterior use. • Extended durability / UV resistance • High solids • Resistance to aircraft hydraulic fluids and chemicals Wide application window due to various activators Aviox Finish 77702 is a product part of the Aviox Advanced Series which utilizes the latest high solid technology and sets the standard for minimum process times and reduced process cycle costs. To ease the spot repairs, Aviox Finish 77702 can be used in combination with SRA9009. See Technical Data Sheet of SRA9009 for this purpose.
Curing Solution	90150	
Thinner/Activator	99322, 99321, 99341, 99330	
Delivery Method	Solventborne	
OEM/Specifier	Specs Qualified	
British Aerospace Airbus	ABP 4-2126	
British Aerospace Airbus	ABP 4-2127	
British Aerospace Airbus	ABP 4-2364	
Airbus	AIMS 04-04-013	
Airbus	AIMS 04-04-025	
Airbus	AIMS 04-04-031	
Airbus	AIMS 04-04-032	
Airbus	IPS-04-04-031-05	
Airbus	IPS-04-04-032-04	
Embraer	MEP 10-069	
UK Ministry of Defense	BS2X34 TY A	
Diamond Aircraft	DM-S-03-0006	
Safran Nacelles	HMDC0022	
Sukhoi	RRJ0000 RE -314-331	
Fokker	TH 5.721	
Fokker	TH 6.7370	
Leonardo Aircraft	NTA 63353	
Leonardo Helicopters (formerly Agusta Westland)	WHPS 242	
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	PCS-2530	
Safran Landing Systems	PCS 2531	
Safran Landing Systems	IFC-30-117-08-2	
Safran Landing Systems	32-09-01 Section 36D	
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	PCS-2500	
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	IFC 30-117-09	

Top Coats

Aviox Matt Clear (Polyurethane Top Coat)

Anti-glare, Matt Top Coat

Product Overview	Aviox Matt Clear is a 2 component high solid, durable, and matt polyurethane clear-coat for application on exterior decoration schemes in order to obtain anti-glare properties. • Extended durability / UV resistance • Less dirt retention • Easy to clean • Resistance to aircraft hydraulic fluids and chemicals High solids Aviox Matt Clear is a product part of the Aviox Advanced Series which utilizes the latest high solid technology and sets the standard for minimum process times and reduced process cycle costs.
Curing Solution	90150
Thinner/Activator	99341
Delivery Method	Solventborne

Aviox SGL Aluminum (Polyurethane Top Coat)

Aluminium Finish Exterior Top Coat

Product Overview	Aviox SGL Aluminium is a 3 component durable semi gloss aluminum finish for exterior use. • Low VOC (high solid technology) • Resistance to aircraft hydraulic fluids and chemicals
Curing Solution	90121
Thinner/Activator	99321, 99330
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	PCS-2530
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	IFC 30-117-07

Eclipse Flat (Polyurethane Top Coat)

High Solids Decorative Top Coat

Product Overview	A chemically cured, low VOC top coat designed to provide premium gloss and distinctness of image (DOI). This coating has a balanced formulation to provide superior chemical and stain resistance, and flexibility. When used with AkzoNobel primers 10P20-44 (BMS 10-79, TY II & III, DMS 2104, Comp B, BAMS 565-008, Ty I & II), 10P20-44M or 10P20-44MNF (BMS 10-72 Type IX) or 10P20-12 (DMS 2104, Comp C), the Eclipse top coat provides a durable, long lasting, protective and decorative finish that exceeds typical OEM requirements for exterior aircraft performance.
Curing Solution	PC-233
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-009, GR B, TY 1
Bombardier	BAMS 565-009
Boeing	BMS 10-60, TY I&II CL B GRD
Boeing	BMS 10-72, TY IX
Boeing	D6-83729
Boeing	BAC 5075
Comac	CMS-CT-103, Class II
Embraer	MEP 10-069
Israel Aerospace Industries	MS100029E, CL HS
Comac	CMS-CT-101, TY III
deHavilland	DHMS C4.04, TY VI CL B GRB
Xian Aircraft Corp	XMS1622
Boeing	BMS 10-125, TY II, GR D
Ilyushin	TN 756.03.583
Mitsubishi	CMAMS 565-009, GR B, TY I

Top Coats

Eclipse Gloss (Polyurethane Top Coat)

High Solids Decorative Top Coat

Product Overview	A chemically cured, low VOC top coat designed to provide premium gloss and distinctness of image (DOI). This coating has a balanced formulation to provide superior chemical and stain resistance, and flexibility. When used with AkzoNobel primers 10P20-44 (BMS 10-79, TY II & III, DMS 2104, Comp B, BAMS 565-008, Ty I & II), 10P20-44M or 10P20-44MNF (BMS 10-72 Type IX) or 10P20-12 (DMS 2104, Comp C), the Eclipse top coat provides a durable, long lasting, protective and decorative finish that exceeds typical OEM requirements for exterior aircraft performance.
Curing Solution	PC-233
Thinner/Activator	TR-109, TR-111, TR-112, TR-113, TR-141
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Honeywell	51180320
Honeywell (ECL-G-10342 only)	EM-369
Bombardier (ECL-G-7 only)	BAMS 565-009
Bombardier	BAMS 565-009
RUAG	RAN-127-0038.01
Triumph	ES-336
Airbus Canada	A2MS 565-009, GR B, TY 1
Bombardier	BAMS 565-002, GR B, CL 33
Bombardier	BAMS 565-009, TY I GR B
Boeing	BMS 10-125, TY II, GR D
Boeing	BMS 10-60, TY I&II CL B GRD
Boeing	BMS 10-72, TY IX
Boeing	BAC 5075
Boeing (ECL-G, ECL-G-8XX and ECL-G-7)	D6-83729
Comac	CMS-CT-101, TY I
Comac	CMS-CT-103, Class I
Dassault (ECL-G-7 only)	DGQT 1.7.0.0138
deHavilland	DHMS C4.04, TY6 CL B GRB
Boeing Long Beach	DPM 6502
Embraer	MEP 10-069
Embraer	MEP 10-058
Embraer (ECL-G-7 only)	MEP 10-058
Israel Aerospace Industries	MS100029E, CL HS
Xian Aircraft Corp	XMS1622
Sikorsky	SS 8526, TY I&II
Collins Aerospace	LGQP 6001
Irkut	741.140/21-00-00-0038-0T04/OA
Ilyushin	TN 756.03.583
Ilyushin	TN 756.03-603
SAE International	AMS 3095
Safran	PCS-2500
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	PCS 2531
Leonardo Helicopter	BM210I0012
Learjet	LES 1509
Boeing	BAC 5983
Mitsubishi	CMAMS 565-002, GR B, CL 33
Mitsubishi	CMAMS 565-009, GR B, TY I
Honeywell	EMS53181

Eclipse Special Effects (Polyurethane Top Coat)

High Solids Decorative Metallic Top Coat

Product Overview	Eclipse Special Effects is a chemically cured, low VOC special effect topcoat designed to be used with an Eclipse Gloss base color. This coating has a balanced formulation to provide superior chemical, stain resistance and flexibility when used in conjunction with Eclipse Clear. Eclipse topcoats provide a durable, long lasting, protective and decorative finish that exceed typical OEM requirements for exterior aircraft performance.
Curing Solution	PC-233
Thinner/Activator	TR-109, TR-111, TR-112, TR-113
Delivery Method	Solventborne

OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-009
Avic Aviation	AMMS2502
Boeing Long Beach	DPM 6502
Boeing	BMS 10-125, TY II, GR D
Bombardier	BAMS 565-002, GR B
Bombardier	BAMS 565-009, TY I GR B
Comac	CMS-CT-101, TY I
Comac	CMS-CT-101, TY III
EADS (CASA)	Z-12.140MIL-P-23377 Ty I
Embraer	MEP 10-069
Federal Express	84-010
Collins Aerospace	LGQP 6001
Irkut	741.14021-00-00-0038-0T040A
Israel Aerospace Industries	MS100029E, CL HS
Pilatus	VV0605-28
SAE International	AMS3095B
Saab	TEK 00-0161MT
Sikorsky	SS 8526, TY I&TY II
Xian Aircraft Corp	XMS1622
Mitsubishi	CMAMS 565-009, GR B, TY I

Top Coats

Spray2Fix Eclipse Gloss Spray Can (Polyurethane Top Coat)

High Solids Decorative Top Coat Aerosol

Product Overview	A chemically cured, low VOC top coat designed to provide premium gloss and distinctness of image (DOI). This coating has a balanced formulation to provide superior chemical and stain resistance, and flexibility. When used with AkzoNobel primers 10P20-44 (BMS 10-79, TY II & III, DMS 2104, Comp B, BAMS 565-008, Ty I & II), 10P20-44M or 10P20-44MNF (BMS 10-72 Type IX) or 10P20-12 (DMS 2104, Comp C), the Eclipse top coat provides a durable, long lasting, protective and decorative finish that exceeds typical OEM requirements for exterior aircraft performance.
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Embraer	MEP 10-069

Eclipse Semi-Gloss (Polyurethane Top Coat)

High Solids Decorative Top Coat

Product Overview	A chemically cured, low VOC top coat designed to provide premium gloss and distinctness of image (DOI). This coating has a balanced formulation to provide superior chemical and stain resistance, and flexibility. When used with AkzoNobel primers 10P20-44 (BMS 10-79, TY II & III, DMS 2104, Comp B, BAMS 565-008, Ty I & II), 10P20-44M or 10P20-44MNF (BMS 10-72 Type IX) or 10P20-12 (DMS 2104, Comp C), the Eclipse top coat provides a durable, long lasting, protective and decorative finish that exceeds typical OEM requirements for exterior aircraft performance.
Curing Solution	PC-233
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-009, GR B, TY 1
Boeing	BMS 10-60, TY I&II CL B GRD
Boeing	D6-83729
Embraer	MEP 10-069
Israel Aerospace Industries	MS100029E, CL HS
Xian Aircraft Corp	XMS1622
Ilyushin	TN 756.03.583
SAE International	AMS 3095

Top Coats

Spray2Fix Aerodur 5000 Camouflage (Polyurethane Top Coat)

Military Aircraft Camouflage Finish Aerosol

Product Overview	Aerodur 5000 (ECM-F Series) is a 2-component polyurethane military aircraft camouflage finish for exterior use. These components are packaged in a aerosol container for ease of use for touch-up and detail work, such as stenciling. The aerosol container reduces hazardous waste stream, as well as personnel exposure.
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-PRF-85285, TY IV, CL H

Spray2Fix Intergard 10215C (ITAR) (Polyurethane Top Coat)

Military CARC Coating Aerosol

Product Overview	Contained portable kit is polymeric flattened, chemical agent resistant, lead, cadmium, cadmium compounds, hexavalent chromium and HAPS free for use as a finish coat on military tactical equipment which includes ground, aviation, and related support assets. The aerosol container reduces hazardous waste stream and personnel exposure. The aerosol application is ideal for touchup and detail work, such as rotor blades and stenciling.
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
US Military	MIL-DTL-53039, TY VIII

XS420 (Polyurethane Top Coat)

High Solids Decorative Top Coat

Product Overview	Three-component polyurethane top coat , chemically cured, low VOC top coat designed to provide premium gloss and flexibility for external use application. • High Solids technology • Compatible with SP350 • Very good coverage of the edges of complex geometries • High chemical resistant • Excellent fretting resistance • UV resistance
Curing Solution	XS420 Hardener
Thinner Activator	713, 713-2
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIPI 05-02-009
Safran	IFC 30-125-06
Safran	HMRC0150
Safran Landing Systems (formerly Messier-Bugatti-Dowty)	32-09-01 Section 36F
Safran Landing Systems	IFC 30-125-07
Safran Landing Systems	DR 34321

F300 HT (Polyurethane Top Coat)

Polyurethane Top Coat, Resistant to High Temperature

Product Overview	3 components polyurethane top coat, resistant to high temperature (250°C) with a good chemical resistance.
Curing Solution	F300 Hardener
Thinner Activator	FRSL
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Sonaca	SMS N°0802
RUAG	RAN-127-0073-01

Top Coats

Mapcoat (Polyurethane Top Coat)

Polyurethane Top Coat

Product Overview	Thick polyurethane coating providing protection against erosion.
Curing Solution	Mapcoat Hardener
Thinner Activator	Mapcoat
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Cobham	Cobham
French Air Force	DCAN N°060/AERO/61

Mapcoat AS (Polyurethane Top Coat)

Antistatic Polyurethane Top Coat

Product Overview	Thick antistatic polyurethane top coat with high chemical resistance.
Curing Solution	Mapcoat AS Hardener
Thinner Activator	Mapcoat AS
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Cobham	Cobham

Mapcoat TF (Polyurethane Top Coat)

Solvent-Based Polyurethane Coating

Product Overview	Solvent based polyurethane coating use to protect aircraft parts against erosion.
Curing Solution	Mapcoat Hardener
Thinner Activator	Mapcoat
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Embraer	MEP 10-124

A1000 (Polyurethane Top Coat)

Exterior Solvent-Based Civil Polyurethane Top Coat

Product Overview	Three-component flexible polyurethane top coat with high chemical resistance, used for exterior decoration of aircraft. The top coat has good UV resistance. • Excellent appearance • Resistance to aircraft hydraulic fluids and chemicals
Curing Solution	A1000 or A1000 Brush Hardener
Thinner Activator	P2, PU No. 4, brush extra slow, accelerator 702, thinner D712, retarder
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	TNA00710028 - ASNA 4255
Cobham	Cobham
Socata	Socata

A1500-M (Polyurethane Top Coat)

Exterior Solvent-Based Military Polyurethane Top Coat

Product Overview	Three-component polyurethane top coat with high chemical resistance for aircraft exterior. The top coat has good UV resistance. • Various gloss ranges available • Excellent appearance • Resistance to aircraft hydraulic fluids and chemicals
Curing Solution	A1500-M Hardener
Thinner Activator	P2
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
French Air Force	STPA-MA N°2 859-LE-92
Airbus Helicopters	ECS 2018
Airbus Helicopters	ECS 2139
Liebherr Aerospace	T-LABO-QUA-0607

Top Coats

A1500-UVR (Polyurethane Top Coat)

Solvent-Based Polyurethane Top Coat

Product Overview	Three-component flexible polyurethane top coat, with high chemical resistance, used for exterior protection of aircrafts. The varnish has a good resistance to UV. Clear coat used with F14 and F15. • Base coat/clear coat system helps reduce cycle time • Buffable • Extended durability / UV resistance
Curing Solution	A1000 or A1000 Brush Hardener
Thinner Activator	P2
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Socata	Socata
Cobham	Cobham
Safran	HMRC 0142
Safran Aero Composites	CP8019 LEAP-00-70-70-80-19A-077A-D

F14 (Polyurethane Top Coat)

Solvent-Based Polyurethane Base Coat for General Aviation

Product Overview	Fast drying three components solvent-based polyurethane base coat with a matt finish. Used with clear coat A1500-UVR. • Base coat / clear coat system helps reduce cycle time • Solvent resistant • Buffable • Extended durability / UV resistance
Curing Solution	F14 Hardener
Thinner Activator	713, 714 or 715
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Socata	Socata

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Pretreatments

Metaflex SP 1050 Pretreatment (Cleaner/Adhesion Promoter)

Chromate-Free Surface Pretreatment

Product Overview	MetaflexSP1050 Pretreatment is a water based chromate-free surface pretreatment that gives superior adhesion, improved paint flexibility, and advanced corrosion protection on painted surfaces when used as part of a coating system. • 1 component system • Low VOC • Tested on several substrates including aluminum, composite, titanium
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Pilatus	PMS0600-52-01
Airbus	AIMS 04-04-072
Gulfstream	GMS 5008
SAE International	AMS 3095
Airbus Helicopters	ECS7118
Italian Air Force	AER(EP).M-P-001 TY I CL 1, 2 & 3, GR1
Airbus	IPS 04-04-072

28C1 (Pinhole Filler)

Pinhole Filler for Glass Laminates and Open Grained Woods

Product Overview	Single component high solids compound designed to fill pinholes in glass laminates and pores of open grained woods prior to finishing with epoxy or polyurethane coatings. • Combines chlorinated resins with selected filler pigments and is packaged in ready to use form • Resin content is compatible with most epoxy and polyurethane surfacers and top coats, and reacts with the applied coating to tightly bind filler particles
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AIM Aerospace	APS 10
Bell Helicopter / Textron	299-947-144
TRW	3231894
Raytheon	772254-3
General Electric	A15B174
Boeing	BAC 5322, TY I&II, CL 1&2
Boeing	BAC 5837
Comac	CMS-CT-903
Boeing Long Beach	DPM 6432, COMP C
Northrop Grumman	GC146AR1
MD Helicopters	MDM 15-1095
Casa (EADS)	Z-12.204
Lockheed Martin	GC37.5350
Irkut	741.140/21-00-00-0038-0T04/0B
Ilyushin	N756.18.619
Ilyushin	TN 756.03-603

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Pretreatments

Alumigrip 4602 (Pinhole Filler)

Trowelable Filler

Product Overview	Alumigrip 4602 is a 2-component epoxy filler for several substrate types. • Formulated to provide corrosion inhibition using chromate-free inhibitors • Provides a durable smooth surface on composite and fiberglass surfaces, sandable filler for rivets, seam areas, and surface defects • Fast curing at ambient conditions • Does not shrink or swell during application and curing Prepackaged in tube dispenser configuration.
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Piper Aircraft Inc	PMS-F1010
Gulfstream	GAMPS4002
Gulfstream	GMS 5007, TY NC1

Aerowave Filler 2501 (Putty Filler)

Low VOC, Shrinkage Free Stopper

Product Overview	Aerowave Filler 2501 is a low VOC, shrinkage free, 2-component stopper for several substrate types. • Fast curing at ambient conditions • Low VOC emission • Compatible with a wide range of composite, plastic, metallic substrates and primers • Does not shrink or swell during application and curing • Remains flexible after curing • Low odor level • Low dry-film-weight (DFW); reduce operational costs Aerowave Filler is 2501 a product part of the Aerowave Series which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	6009
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Helicopters	LMP-DDLD-09-012
Airbus Helicopters	ECS-L-2047
Airbus Helicopters	ECS -L-2327
Gulfstream	GAR110VK
Gulfstream	GAMPS4002
Sukhoi	RRJ-0000-RE-314-144
Irkut	741.140/21-00-00-0036-0T040-0
Irkut	741.140/21-00-00-0038-0T04/0A
Ilyushin	N756.18.608
Ilyushin	TN 756.03-603

467-9 (Putty Filler)

Filler Putty to create Smooth Surface

Product Overview	- Chemically cured two-component epoxy filler putty - Provides a durable smooth surface on composite and fiberglass substrates - Contains no chromates or lead bearing compounds
Curing Solution	CA-41B
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	ABP4-3135
Cessna	CMFS010
Boeing Long Beach	MEP 10-058
Northrop Grumman	GC146AR1
Lockheed Martin Aeronautic	LAC G37-607
Lockheed Martin	LAC G37-609
LearJet	LES 1231

Pyroflex Filler 0651 (Filler)

Composite Coatings / Primer Surfacer

Product Overview	Pyroflex Filler 0651 is a 3-component isocyanate cured polyurethane filler designed to fill and smoothen the composite surface irregularities before application of the finish.
Curing Solution	0651
Thinner/Activator	0651
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Specs

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Pretreatments

M50 (Putty/Filler)

Low VOC, Epoxy Pinhole Filler & Knifing Stopper

Product Overview	M50 is a low VOC, 2 or three-component stopper used as a putty or as filler with high-solid content. Can be applied by spray or with a spatula for structural and cosmetic repairs of composites. • Fast curing at ambient conditions • Low VOC emission • Compatible with P65-HG, P65-C, P65-C2K • Compatible with a wide range of composite, plastic, metallic substrates and primers • Does not shrink or swell during application and curing • Low odor level • Low dry-film-weight (DFW); reduce operational costs • High chemical resistance M50 a product which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	M50 Hardener
Thinner Activator	Thinner E
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-011
Airbus	AIMS 04-04-030
Airbus	AIPI 05-02-009
Airbus	ABP4-3350
Airbus	ABP4-3135
Airbus	80-T-35-9030
Airbus Helicopters	ECS7036

03-49 (Surfacer)

Epoxy Surfacer

Product Overview	Three-component epoxy surfacer applicable with spatula or spray. This surfacer should be used on composite or epoxy primer. • Low VOC emission
Curing Solution	03-49 Hardener
Thinner Activator	E
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Socata	Socata
Airbus Helicopters	ECS 2047.B40

Alumigrip 10P30-8 (Surfacer)

Sandable Epoxy Surfacer

Product Overview	A two-component high build epoxy surfacer formulated to provide excellent filling properties, superior hang-up, and easy sanding characteristics.
Curing Solution	EC-284
Thinner/Activator	TR-114
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Cessna	CSFS084
Cessna	CMFS039, TY I
Ilyushin	N756.18.711
Ilyushin	TN 756.03-603
Learjet	LES 1509
Piper Aircraft Inc	PMSF1010
Raytheon	772254-1

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Pretreatments

464-3-1 (Surfacer)

Durable Smooth Surface Creator for Top Coats

Product Overview	This two-component epoxy primer surfacer is designed to provide a durable smooth surface ready for subsequent top coat.
Curing Solution	CA-142
Thinner/Activator	TL-52
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Cessna	CMFS010
Boeing Long Beach	DPM 5766
Northrop Grumman	GC115AD1
MD Helicopters	MDM 15-1095
Schweizer Aircraft Corp	SHMS 15-1095

8W5 (Surfacer)

Sandable Polyurethane Primer Surfacer

Product Overview	• A two-component polyurethane primer surfacer providing excellent filling properties • May be applied to aerospace aluminum and composite substrates to fill and smooth surface irregularities in combination with AkzoNobel Aerospace Coatings specification primers, conductive coatings and top coats
Curing Solution	50C3
Thinner/Activator	66C20
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AIM Aerospace	APS 10
Army Missile Command (Only for 66C20)	MIS 14753, TY IA, CL 1 & 2
Boeing	BAC 5322, TY I&II, CL 2
Boeing	BAC 5837
Comac	CMS-CT-904
Northrop Grumman	GC130CS4
Lockheed Martin Aeronautic	LMS 5002A
Pratt & Whitney Aircraft	PWA 36014
Boeing	BMS 10-143, TY I CL A, GR A
Avic Aviation	AMMS2514
MTU Aero Engines AG	MTS 1681

Aerodur Barrier Primer 37045

(Composite Coating or Primer Surfacer)

Chromate-Free Composite Primer

Product Overview	Aerodur Barrier Primer 37045 is a chromate-free three-component isocyanate cured epoxy primer for composites and plastics. • Compatible with a wide range of composites and plastics • Low water permeability due to the absence of leachable, hygroscopic pigments • Resistance to aircraft hydraulic fluids and chemicals
Curing Solution	S 66/14, S 66/22 R
Thinner/Activator	C 25/90 S
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIPI 05-02-009
UK Ministry of Defense	AFS 2328
Airbus	AIMS 04-04-002
British Aerospace AVRO	AVN 7-005
British Aerospace AVRO	BAEP 3529
British Aerospace AVRO	BAEP 3546
IPTN	NMS 10-502 TY I
Airbus	PQ 10050 - 021
British Aerospace Jetstream	PS 23-8-35
British Aerospace Jetstream	PS 23-8-36
British Aerospace Jetstream	PS 5632
Air France	SMI 71 004 / NT 10003
Fokker	TH 33.0140
Fokker	TH 5.701 / 2
Airbus	TN A.007.10012 Primer TY II
Airbus	TN A.007.10050 - 21
Airbus	TN A.007.10113 Grade A
Airbus	AIMS 04-04-035
Airbus	AIMS 04-04-046
Sukhoi	RRJ0000-RE314-201
Dowty Aerospace Propellers	PS 5049

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Pretreatments

Polystop LP (Composite Coating or Primer Surfacer)

Polyester Filler Putty

Product Overview	Polystop LP is a low VOC, 2-component, peroxide cured polyester stopper to fill dents, surface flaws and other surface irregularities on different substrate types. • Fast curing at ambient conditions • Low VOC – Compatible with a wide range of composite, plastic, and metallic substrates • Overcoatable with all AkzoNobel Aerospace Coatings primers and fillers
Curing Solution	Hardner for Polystop
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Aries Complex	ACMS 263 TY I
British Aerospace AVRO	AVP 3-003
British Aerospace Group	BAEP 3527
Airbus	PQ 10050 - 076
Airbus	TN A.007.10050 - 76
Airbus	TN A.007.10050 - 76B
Embraer	MEP10-066

Solvent Cleaning 96100 (Cleaning Solvent)

Toluene Free Cleaner for Metal Substrates

Product Overview	Solvent Cleaning 96100 is a toluene free cleaning solvent for metal decreasing, removal of paint remover residues and final cleaning prior to paint application. • Compatible with nitro-cellulose, acrylic, alkyd, epoxy and polyurethane coatings • Leaves no residues after evaporation • Suitable for cleaning of brushes and spray equipment • Free of toluene and other aromatic hydrocarbons
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	80-T-35-0014 BBL20
Belgian Defense	BA-CP-4610 CL C
General Dynamics	P 6174 - 2
British Aerospace Jetstream	PS 23-8-35
British Aerospace Jetstream	PS 23-8-36

Solvent Cleaning 98068 (Cleaning Solvent)

Cleaner for Metal Substrates

Product Overview	Solvent Cleaning 98068 is a cleaning solvent for metal de-greasing, removal of paint remover residues and final cleaning prior to paint application. • Compatible with conventional and US products • Slow evaporating • Complies with the German legislation VBF: A2 (flash point >21°C / 70°F)
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
British Aerospace Airbus	ABP 5-1351
Airbus	AIMS 09-03-001
Pilatus Britten-Norman Ltd	BNDS 5
British Aerospace Jetstream	PS 23-8-30

Solvent Cleaning C28/15 (Cleaning Solvent)

Residue-free Final Cleaner for Metal Substrates

Product Overview	Solvent Cleaning C 28/15 is a cleaning solvent for metal degreasing, removal of paint remover residues and final cleaning prior to paint application. • Compatible with nitro-cellulose, acrylic, alkyd, epoxy and polyurethane coatings • Leaves no residues after evaporation • Suitable for cleaning of brushes and spray equipment • Fast evaporating
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
British Aerospace Airbus	ABP 4-2125
British Aerospace Airbus	ABP 5-1351
British Aerospace Regional Ac.	AVP 2-024
British Aerospace Group	BAEP 3545
British Aerospace Group	BAEP 7700
Pilatus Britten-Norman Ltd	BNDS 5
British Aerospace Jetstream	PS 23-8-30
British Aerospace Jetstream	PS 23-8-35
British Aerospace Jetstream	PS 23-8-36
Saab	STD 176714

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Conductive Coatings

10P2-3 (Conductive Coating)

Anti-static Epoxy Conductive Coating

Product Overview	This epoxy coating is designed to produce an anti-static conductive film on fiberglass components. It can be air cured or force dried.
Curing Solution	EC-110
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-012, TYIII
Bombardier	BAMS 565-012, TY III
Boeing	BMS 10-21, TY III
Comac	CMS-CT-223, TY II
Embraer	MEP 10-053, TY II
Gulfstream	GMS 5003, TY I CL 2
LearJet	LES 1231
Northrop Grumman	P-P502
TRW	MT6-12A1
United Launch Alliance	STM 37-510, TY III CL 2
Avic Aviation	AMMS2504
Mitsubishi	CMAMS 565-012, TY III

8B6A (Conductive Coating)

Anti-Static Polyurethane Conductive Coating

Product Overview	A black, two-component catalyzed polyurethane conductive coating. • Pigments selected for electrical conductive capabilities and for maximum erosion, abrasion and impact resistance • Cured film resists chemicals such as lubricants, hydraulic fluids and aircraft fuels • Provides exceptional rain erosion resistance and conductivity for bleeding off surface static electricity • Recommended for application to deicing equipment, propeller blades and other critical airframe areas subject to damaging effects of high speed contact with rain, hail, dust and other corrosive elements
Curing Solution	50C3A
Thinner/Activator	66C20
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Aermacchi	MDL 5032
Army Missile Command (Only for 66C20)	MIS 14753, TY IA, CL 1 & 2
deHavilland	DHMS C4.13, TY II
Goodyear	GOODYEAR CUBERSIC
Hamilton Sundstrand Corp	HS 7136, TY I CL B
Honeywell	5080518
Pratt & Whitney Aircraft	PWA 36013
Irkut	741.140/21-00-00-0038-0T04/0B
Ilyushin	TN756.18.616
Ilyushin	TN 756.03-603
Viking Air	VMS C4.13

Primers

Top Coats

Pretreatments

Conductive
CoatingsFuel Tank
CoatingsHigh Heat
or Insulation
CoatingsAbrasion
Resistant
or Walkway
CoatingsWing
CoatingsCabin
CoatingsComposite
CoatingsSpecialty
CoatingsParting
Lacquers

Conductive Coatings

Pyroflex 7 D 713 (Conductive Coating)

Conductive Coating for Non-Conductive Substrates

Product Overview	Pyroflex 7 D 713 is a three-component polyurethane conductive coating for application to non-conductive substrates like composites: • Matt black appearance • Resistance to aircraft fluids and chemicals • Surface resistance: R<50 K-ohm
Curing Solution	0651
Thinner/Activator	0651, C 25/90 S
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
British Aerospace Airbus	ABP 4-2125
Airbus	AIMS 04-04-005
British Aerospace Group	R40-3537
DASA	DA 4-653-93
Hispano Suiza	HS 900187 F°0421
Airbus	PQ 10050 - 017
Dowty Aerospace Propellers	PS 5632
Air France	SMI 70 081
Fokker	TH 5.723 / 1
Airbus	TN A.007.10050 - 17
Airbus	TN A.007.10106 TY I
Irkut	741.140/21/00-00-0038
Irkut	741.140/21-00-00-0038-0T04/0B
Airbus	ASNA 4241
Snecma	DMR 74-038
Sukhoi	RRJ0000-RE-314-201
Airbus	IPDA 64-07

Notes

Primers

Top Coats

Pretreatments

Conductive
Coatings

Fuel Tank
Coatings

High Heat
or Insulation
Coatings

Abrasion
Resistant
or Walkway
Coatings

Wing
Coatings

Cabin
Coatings

Composite
Coatings

Specialty
Coatings

Parting
Lacquers

Fuel Tank Coatings

10P30-1 (Fuel Tank Coating)

Corrosion and Fluid Resistant, Sealant Capable Coating

Product Overview	A high solids two-component epoxy coating for the interior of fuel tanks providing excellent corrosion and fluid resistance, and sealant compatibility.
Curing Solution	EC-242
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BAC 5793
Boeing	BMS 10-20, TY II CL A, GRD
Comac	CMS-CT-221, TY I CL 1, GRB

20P1-21 (Fuel Tank Coating)

Fuel Contaminants Preventive Coating

Product Overview	420 g/l polyurethane coating. • Intended for the protection of aircraft integral fuel tanks against corrosion from fuel contaminants • Lead-free and EE-acetate free
Curing Solution	PC-235
Thinner/Activator	TR-117
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Gulfstream	GAMS3102
Airbus Canada	A2MS 565-010, GRB, TY1
SAE International	AMS-C-27725, TY I
Bombardier	BAMS 565-010, TY I, GR B
deHavilland	DHMS C4.06, TY I CL A, GR B
Boeing Long Beach	DMS 1850, TY I COMP. B
Viking Air	VAMS 565-010 Grade B, Type 1
Viking Air	VMS C4.06
Mitsubishi	CMAMS 565-010, TY 1, GR B

454-4-1 (Fuel Tank Coating)

Corrosion Preventive Coating

Product Overview	- Chemically cured two component epoxy coating - Provides protection from various chemicals, hydraulic fluids, aviation fuels, phosphate ester (Skydrol®) fluids, and corrosion causing media for aircraft fuel tanks - Compliant to VOC requirements for SCAQMD Rule 1124 454-4-5 is specifically designed for electrostatic spray
Curing Solution	CA-109
Thinner/Activator	TL-52
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BMS 10-20, TY II CL A, GRA
Comac	CMS-CT-221, TY I CL 1, GRA
LearJet	LES 1079
Textron Aviation	TM3403
Avic Aviation	AMMS2512
Eclipse Aviation	EACP1024 Rev. J

454-4-5 (Fuel Tank Coating)

Electrostatic Spray Corrosion Preventive Coating

Product Overview	- Chemically cured two component epoxy coating - Provides protection from various chemicals, hydraulic fluids, aviation fuels, phosphate ester (Skydrol®) fluids, and corrosion causing media for aircraft fuel tanks - Compliant to VOC requirements for SCAQMD Rule 1124 - 454-4-5 is specifically designed for electrostatic spray
Curing Solution	X-395
Thinner/Activator	TL-52
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BMS 10-20, TY II CL B, GRA
Comac	CMS-CT-221, TY I CL 2, GRA
LearJet	LES 1079

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Fuel Tank Coatings

473-13 (Fuel Tank Coating)

Fuel Vapor Barrier Coating

Product Overview	A two-component coating developed as a secondary fuel vapor barrier coating for integral fuel tanks. May be applied by brush or spray.
Curing Solution	C-31
Thinner/Activator	TL-29
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-051
deHavilland	DHMS C4.20
Boeing Long Beach	DPM 3430-1
Boeing Long Beach	DPM 3430-2
Bombardier	RAM-BA700-900
Avic Aviation	AMMS2522

F80 (Epoxy Top Coat)

Fuel Vapor Barrier Coating

Product Overview	Two-components epoxy varnish with a high chemical resistance. F80 Varnish is used to block kerosene vapors from tanks. It can be applied with a spray gun or with a brush or a foam in the case of repairs. • Reduction of process time • High build thickness • Low VOC • Not sensitive to micro-bubbling • Compatible with P60-A and F69
Curing Solution	F80 Hardener
Thinner Activator	
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-008

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

High Heat or Insulation Coatings

0709A01M (High Heat or Insulation Coating)

Heat Resistant Coating for Electrical Components

Product Overview	Heat resistant coating for electrical components
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Spec

463-6-4 (High Heat or Insulation Coating)

Aluminized Epoxy Coating

Product Overview	Chemically cured aluminized high temperature epoxy coating especially designed to provide maximum protection for ferrous and non-ferrous metals against fresh and salt water, aircraft fuels, hydraulic fluids, engine fuels and corrosion causing media.
Curing Solution	X-306
Thinner/Activator	TL-52
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BAC 5755, TY X
GKN Aerospace Services	CL 0224
General Electric	GE A8B58
Spirit Aerosystems	SMS-111207, TY IV
Boeing	BMS 10-142, TY I CA, GR A, COMP C

64C1-2-A (High Heat or Insulation Coating)

Fire Resistant Insulative Coating

Product Overview	64C1-2-A is formulated for use as a high temperature insulation coating for environments with continuous exposure to temperatures up to 600°F and as a fire protection barrier. The coating is ideally suited for adhesive bonded assemblies in high temperature areas where adhesive deterioration might otherwise occur. Since it is a sprayable material that cures at ambient temperatures, it may be applied to assemblies with complicated configurations at thicknesses of up to one inch or more. Normally a thickness 1/16 to 1/4" is adequate for thermal and fire protection. A trowelable grade for repair or potting requirements is also available (68C3-1A). 64C1-2-A, and the primer and top coat, DC1200 and RTV560, are the component coatings of the BMS 10-102 high temperature insulation paint system. All three components are formulated using high temperature resistant silicone resins. All application areas and equipment must be isolated from the areas and equipment used for alternative paint systems. The BMS 10-102 paint system is extremely contaminating to alternative paint systems.
Curing Solution	SC-100A
Thinner/Activator	SCR-100
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BMS 10-102, TY I CL 2 GR 30
Boeing	BMS 10-102, TY I C1, GR 25

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

High Heat or Insulation Coatings

68C3-1-A (High Heat or Insulation Coating)

Fire Resistant Insulative Coating

Product Overview	This trowelable coating is designed for use as a high temperature insulation for environments with continuous exposure to temperatures up to 600°F and as a fire protection barrier. It is ideally suited for adhesive bonded assemblies in high temperature areas where adhesive deterioration might otherwise occur.
Curing Solution	SC-100A
Thinner/Activator	SCR-100
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BMS 10-102, TY I C2, GR 30

High Heat Resistant Paint S 21/8

(High Heat or Insulation Coating)

High Heat Resistant Silicone Coating

Product Overview	High Heat Resistant Paint S 21/8 is a single component aluminium pigmented silicone coating.
Thinner/Activator	C 3/37V
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Saab	STD 175233

Pyrosil 2000 LV Aluminium (High Heat or Insulation Coating)

High Heat Resistant Silicone Coating

Product Overview	Pyrosil 2000 LV Aluminium is a one component silicone coating with high heat resisting properties for protection of jet engines, jet pipes interior, etc. • Excellent heat resistance, up to 500oC (932o F) • Adheres directly to blasted steel or aluminium • Resistant to aircraft hydraulic fluids and chemicals • High solid (VOC maximum 420 g/L)
Thinner/Activator	C 3/37V
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Spec

Aerodur CF 8900 (Aluminium Lipskin Coating)

High Heat Coating

Product Overview	Aerodur CF 8900 is designed for use on the leading edges of aluminium alloy nose cowl inlets. It is formulated for cosmetic touch up on air inlet lipskin.
Curing Solution	CS 6041
Thinner/Activator	98064
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Spec
Airbus	AIMS 04-04-072
Airbus	IPS 04-04-072

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Abrasion Resistant or Walkway Coatings

Eclipse ARC (Abrasion Resistant Coating)

Polyurethane Abrasion Resistant Coating

Product Overview	The Eclipse® ARC Series, three-component, VOC compliant, fluoropolymer filled polyurethane anti-chafe coating provides high abrasion resistance and surface lubricity in a high gloss film. Designed for use on aircraft control surfaces, this finish provides excellent protection against hydraulic fluids (such as Skydrol®, Aerosafe® and Hi Jet®), aircraft fuel, engine oil, solvents, water and cleaning compounds.
Curing Solution	PC-233
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Specs

Aviox Non Slip (Abrasion Resistant or Walkway Coating)

Non-Slip Polyurethane Walkway Coating

Product Overview	Aviox Non Slip is a three-component durable polyurethane walkway coating for marked upper-wing emergency escape routes and cargo floor panels. • Excellent durability and UV resistance • Optimal non skid properties • Non slip material has been incorporated in the base component • Product can be applied by regular air-spray techniques Aviox® Non Slip is a product part of the Aviox® Advanced Series which utilizes the latest high solid technology and sets the standard for minimum process times and reduced process cycle costs.
Curing Solution	90150
Thinner/Activator	99330
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-024
US Military	A-A 59166
Ilyushin	TN756.18.618
Ilyushin	756.18.617
Ilyushin	TN 756.03-603

23T3 Series (Abrasion Resistant or Walkway Coating)

Anti-Chafe Abrasion Resistant Coating

Product Overview	Two component PTFE-filled, polyurethane anti-chafe air curing coating. • Inherently light stable with excellent abrasion resistance and surface lubricity • For use on aircraft control surfaces • Resistant to hydraulic fluids (Skydrol®, Aerosafe, HyJet), aircraft fuel, engine oil, solvents, water and cleaning compounds
Curing Solution	PC-216
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Canada	A2MS 565-005, Type III
Airbus Canada	A2MS 565-007
Airbus Helicopters	ECS-L-2180
Lockheed Martin Aeronautic	5PTMRL40, TY I
deHavilland	DHMS C4.08
Boeing	HMS 15-1218
Lockheed Martin Aeronautic	LMA-MR008, TY I
Embraer	MEP 10-071
Israel Aerospace Industries	MS100032E
Spirit Aerosystems	SMS 93, TY I
Bombardier	BAMS 565-005, TY III
Boeing	BMS 10-86, TY I GR D PERF
Lockheed Martin Aeronautic	FMS 3120, TY I C1
Irkut	741.140/21-00-00-0038-0T04/0A
Northrop Grumman	Z-P501
Ilyushin	TN756.18.618
Vought Aircraft Division	207-9-467-1
Boeing	BAC 5710. TY 27
Comac	CMS-CT-121. TY1 C1
Hamilton Sundstrand Corp	HS 6996
Northrup Grumman	MS 172
Northrup Grumman	MS37.21.03
Northrop Grumman	GC130RJ2
Pratt & Whitney Aircraft	PWA 36514-2
Spirit Aerosystems	SMS-111207, TY 2
United Airlines	UNITED AIRLINES PAI 3782-1
Ilyushin	TN 756.03-603
Mitsubishi	CMAMS 565-005, TY II & III

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Abrasion Resistant or Walkway Coatings

23T3-10 (Abrasion Resistant or Walkway Coating)

Anti-Chafe Abrasion Resistant Coating

Product Overview	Two component PTFE-filled, polyurethane anti-chafe air curing coating. • Inherently light stable with excellent abrasion resistance and surface lubricity • For use on aircraft control surfaces • Resistant to hydraulic fluids (Skydrol®, Aerosafe, HyJet), aircraft fuel, engine oil, solvents, water and cleaning compounds
Curing Solution	PC-216
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BMS 10-86, TY I, GR D (T)
Boeing	BAC 5710, TY 27 (AD)
Airbus Canada	A2MS 565-005, TYII
Airbus Canada	A2MS 565-005, TYIII
Bombardier	BAMS 565-005, TY II (C)
Spirit Aerosystems	SMS 93, TY I (1)
Embraer	MEP 10-071 (P)
MD Helicopters	HMS 15-1218 (A)
deHavilland	DHMS C4.08(B)
Spirit Aerosystems	SMS-111207, TY 2 (J)
Comac	CMS-CT-121, TY I, CL 1 (D)
Pratt & Whitney Aircraft	PWA 36514-2 (C)
Northrup Grumman	MS 172 (B)
Lockheed Martin Aeronautic	LMA-MR008, TY I (B)
Lockheed Martin Aeronautic	FMS 3120, CL 1, TY 1 (A)
Lockheed Martin Aeronautic	5PTMRL40, TY I (B)
Hamilton Sundstrand Corp	HS 6996 (D)
Northrup Grumman	MS37.21-03 (B)
Vought Aircraft Division	207-9-467-1
Israel Aerospace Industries	MS100032E, CL HS (D)
Irkut	741.140/21-00-0041-0T04/0A(12)
Mitsubishi	CMAMS 565-005, TY II & III

23T3-105 (Abrasion Resistant or Walkway Coating)

Anti-Chafe Abrasion Resistant Coating

Product Overview	Two component PTFE-filled, polyurethane anti-chafe air curing coating. • Inherently light stable with excellent abrasion resistance and surface lubricity • For use on aircraft control surfaces • Resistant to hydraulic fluids (Skydrol®, Aerosafe, HyJet), aircraft fuel, engine oil, solvents, water and cleaning compounds
Curing Solution	PC-216
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BMS 10-86, TY I, GR D (T)
Boeing	BAC 5710, TY 27 (AD)
Airbus Canada	A2MS 565-005, TYII
Airbus Canada	A2MS 565-005, TYIII
Bombardier	BAMS 565-005, TY II (C)
Spirit Aerosystems	SMS 93, TY I (1)
Embraer	MEP 10-071 (P)
MD Helicopters	HMS 15-1218 (A)
deHavilland	DHMS C4.08(B)
Spirit Aerosystems	SMS-111207, TY 2 (J)
Comac	CMS-CT-121, TY I, CL 1 (D)
Pratt & Whitney Aircraft	PWA 36514-2 (C)
Northrup Grumman	MS 172 (B)
Lockheed Martin Aeronautic	LMA-MR008, TY I (B)
Lockheed Martin Aeronautic	FMS 3120, CL 1, TY 1 (A)
Lockheed Martin Aeronautic	5PTMRL40, TY I (B)
Hamilton Sundstrand Corp	HS 6996 (D)
Northrup Grumman	MS37.21-03 (B)
Vought Aircraft Division	207-9-467-1
Israel Aerospace Industries	MS100032E, CL HS (D)
Irkut	741.140/21-00-0041-0T04/0A(12)
Mitsubishi	CMAMS 565-005, TY II & III

Abrasion Resistant or Walkway Coatings

24T3-105 (Abrasion Resistant or Walkway Coating)

Fast Dry Anti-Chafe Abrasion Resistant Coating

Product Overview	This two-component, fluoropolymers filled polyurethane coating is inherently light stable with excellent abrasion resistance and surface lubricity. Designed for use on aircraft control surfaces, this coating is resistant to hydraulic fluids, aircraft fuel, engine oil, solvents, water and cleaning compounds. It is available in various colors.
Curing Solution	PC-216
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Lockheed Martin Aeronautic	5PTMRL40, TY I
Boeing	BAC 5710, TY 27
Boeing	BMS 10-86, TY II GR D
Lockheed Martin Aeronautic	FMS 3120, TY I C1
Lockheed Martin Aeronautic	LMA-MR008, TY I
Israel Aerospace Industries	MS100032E
Sikorsky	SS8869
Spirit Aerosystems	SMS 93, TY 2

24T3 Series (Abrasion Resistant or Walkway Coating)

Fast Dry Anti-Chafe Abrasion Resistant Coating

Product Overview	This two-component, fluoropolymers filled polyurethane coating is inherently light stable with excellent abrasion resistance and surface lubricity. Designed for use on aircraft control surfaces, this coating is resistant to hydraulic fluids, aircraft fuel, engine oil, solvents, water and cleaning compounds. It is available in various colors.
Curing Solution	PC-216
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BAC 5710
Israel Aerospace Industries	MS100032E
Spirit Aerosystems	SMS 93, TY II

24T3-10 (Abrasion Resistant or Walkway Coating)

Fast Dry Anti-Chafe Abrasion Resistant Coating

Product Overview	This two-component, fluoropolymers filled polyurethane coating is inherently light stable with excellent abrasion resistance and surface lubricity. Designed for use on aircraft control surfaces, this coating is resistant to hydraulic fluids, aircraft fuel, engine oil, solvents, water and cleaning compounds. It is available in various colors.
Curing Solution	PC-216
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Boeing	BAC 5710, TY 27
Boeing	BMS 10-86, TY II, GR D
Israel Aerospace Industries	MS100032E
Spirit Aerosystems	SMS 93, TY II
Lockheed Martin Aeronautic	LMA-MR008

Wing Coatings

763-66-9200 (Wing Coating)

Fuel and Corrosion Resistant Coating

Product Overview	A single component aluminum pigmented high flexibility top coat designed to provide maximum protection from aviation fuels and corrosion causing media for the in-spar area of aircraft wings. This product is compliant to the VOC requirements of SCAQMD Rule 1124.
Thinner/Activator	C25/90S
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	Certification
Boeing	BMS 10-100
Boeing Long Beach	DPM 5303

Aeroflex Finish G12E25 (Wing Coating)

Corrosion Inhibiting Top Coat for Wing In-Spar

Product Overview	Aeroflex Finish G12E25 is a one component corrosion inhibiting top coat for in-spar areas of the wing. • Fast drying • Aluminium pigmented • Rain erosion resistant
Thinner/Activator	C 25/90 S, 96184
Thinner/Activator	C 25/90 S
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-017
Airbus	ASN A4287
Airbus	I.C. TO-37.05
Airbus	I.P. DA-64.03
Airbus	PQ 10050 - 023
Airbus	TN A.007.10050 - 23
Airbus	TN A.007.10129

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Wing Coatings

Aeroflex HS 113F01 (Wing Coating)

High Flexibility Top Coat for Wing In-Spar and Horizontal Stabilizers

Product Overview	Aeroflex HS 113F01 is a three-component polyurethane coating with excellent flexibility for exterior use on the upper surface (in-spar) of the wing box and horizontal stabilizers. • High solids • Extremely highly flexible • Low surface roughness • Applicable over various high solid, conventional and wash primers
Curing Solution	90121
Thinner/Activator	99330, 99322
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-034
Airbus	IPS 04-04-034-05
Irkut	741.140/21-00-00-0038-0T04/0A

Aeroflex HS 113F03 (Wing Coating)

High Flexibility Top Coat for Wing In-Spar and Horizontal Stabilizers

Product Overview	Aeroflex HS 113F03 is a three-component polyurethane coating with excellent flexibility for exterior use on the upper surface (in-spar) of the wing box and horizontal stabilizers. • High solids – Extremely highly flexible • Low surface roughness • Applicable over Aviox CF Primer 37124. To ease the spot repairs, Aeroflex HS 113F03 can be used in combination with SRA9009. See Technical Data Sheet of SRA9009 for this purpose
Curing Solution	90150
Thinner/Activator	99330, 99322
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel Certification	ANAC Spec
Airbus	AIMS 04-04-034
Airbus	IPS 04-04-034-07
Airbus	IPS 04-04-034-08

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Cabin Coatings

Optidur 6000 UV Filler (Cabin Coating)

High Quality Ultra Violet Reactive Coating (UV)

Product Overview	Optidur 6000 UV Filler is a 1-component high quality, Ultra Violet Reactive Coating (UV), used as a filler on all types of solid wood and veneer meant for interior use. Its special formulation ensures excellent filling properties. UV cured Polyurethane / Polyester resins provide the basis for Optidur 6000 UV Filler. These resins chemically combine to form the backbone of the final coating. The material is specifically formulated to obtain premium performance with respect to filling properties and ease of application. The Optidur 6000 UV Filler is designed to provide superior clarity to a high build system. • Near Zero VOC • Excellent adhesion on wood • Good filling properties • Excellent scratch resistance • Suited for hand application Product is part of the Optidur Series which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care
Curing Solution	NA
Thinner/Activator	NA
Delivery Method	Solvent Borne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Specification

Optidur 8000 Sealer (437-2263)

(Cabin Coating)

Wood and Veneer Interior UV Sealer

Product Overview	Optidur 8000 Sealer is a 1-component high quality, Ultra Violet Reactive Coating (UV), used as a sealer / primer on all types of solid wood and veneer meant for interior use. Its special formulation ensures excellent adhesion to exotic woods with superior hold-out for subsequent coating UV cured resins provide the basis for Optidur 8000 Sealer. These resins chemically combine to form the backbone of the final coating. The material is specifically formulated to obtain premium performance with respect to hardness, durability, abrasion, scratch and chemical resistance. • Zero VOC • Excellent adhesion on all types of wood • Good filling properties • Excellent scratch resistance • Excellent resistance to dry heat and fluids • Suited for roller coating application Product is part of the Optidur Series which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Spec

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Optidur 8001 UV Sealer (Cabin Coating)

High quality, Ultra Violet Reactive Coating (UV) sealer / primer build coat

Product Overview	Optidur 8001 UV Sealer is a 1-component high quality, Ultra Violet Reactive Coating (UV), used as a sealer / primer build coat on all types of solid wood and veneer meant for interior use. Its special formulation ensures excellent hold-out for subsequent coating. UV cured polyurethane modified resins provide the basis for Optidur 8001 UV Sealer. These resins chemically combine to form the backbone of the final coating. The material is specifically formulated to obtain premium performance with respect to hardness, durability, abrasion, scratch and chemical resistance. • Zero VOC • Excellent adhesion on wood • Good filling properties • Excellent scratch resistance • Excellent resistance to dry heat and fluids • Suited for roller coating application Product is part of the Optidur Series which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	NA
Thinner/Activator	FR-1100
Delivery Method	Solvent Borne
OEM/Specifier	Specs Qualified
NA	Flammability - F.A.R. / J.A.R 25.853(a) App.F Pt. I(a)(1)(i) 60s

Optidur 8002 High Flex UV Sealer (Cabin Coating)

High Quality, Ultra Violet Reactive Coating (UV) Sealer / Primer Build Coat

Product Overview	Optidur 8002 High Flex UV Sealer is a 1-component high quality, Ultra Violet Reactive Coating (UV), used as a sealer / build coat on all types of solid wood and veneer meant for interior use. Its special formulation ensures excellent hold-out for subsequent coating. UV cured polyurethane modified resins provide the basis for Optidur 8002 High Flex UV Sealer. These resins chemically combine to form the backbone of the final coating. The material is specifically formulated to obtain premium performance with respect to hardness, durability, abrasion, scratch and chemical resistance. The Optidur 8002 High Flex UV Sealer is designed to provide superior flexibility to a high build system. • Zero VOC • Excellent adhesion on wood • Good filling properties • Excellent scratch resistance • Excellent resistance to dry heat and fluids • Suited for roller coating application Product is part of the Optidur Series which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.	
	Curing Solution	NA
	Thinner/Activator	FR-1100
	Delivery Method	Solvent Borne
OEM/Specifier	Specs Qualified	
NA	Flammability - F.A.R. / J.A.R 25.853(a) App.F Pt. I(a)(1)(i) 60s	

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Optidur 8300 High Gloss Sealer (Cabin Coating)

High Quality, Ultra Violet Reactive Coating (UV) Sealer / Primer Build Coat

Product Overview	Optidur 8300 UV High Gloss Sealer is a 1-component high quality, Ultraviolet Reactive coating (UV), used as a sealer and topcoat on all types of solid wood and veneer meant for interior use. Its special formulation provides excellent hold out for subsequent coating. UV cured aliphatic polyurethane resins provide the basis for Optidur 8300 UV High Gloss Sealer. These resins chemically combine to form the backbone of the final coating. The material is specifically formulated to obtain premium performance with respect to hardness, durability, abrasion, scratch and chemical resistance. The Optidur 8300 UV High Gloss Sealer is designed to provide superior flexibility to a high build system. Optidur 8300 UV High Gloss Sealer can be buffed and polished to provide a high gloss and wet look appearance. • Excellent adhesion on wood • Good filling properties • Excellent DOI • Excellent scratch resistance • Excellent resistance to dry heat and fluids • Suited for spray application Product is part of the Optidur Series which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	NA
Thinner/Activator	FR-1100
Delivery Method	Solvent Borne
OEM/Specifier	Specs Qualified
NA	Flammability - F.A.R. / J.A.R 25.853(a) App.F Pt. I(a)(1)(i) 60s

Optidur 9100 Series Clear Coat (Cabin Coating)

High Quality, Ultra Violet Reactive Coating (UV) Sealer / Primer Build Coat

Product Overview	Optidur 9100 Series Clear Coat is a 2-component high quality acrylic polyurethane topcoat in four reduced sheen options, from 10% to 50% sheen. Optidur 9100 Series Clear Coat is specifically formulated to obtain premium performance with respect to hardness, durability, abrasion, scratch and chemical resistance. Product is part of the Optidur Series which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	Optidur 910-001B
Thinner/Activator	Reducer 910-001C – Fast Reducer, Reducer 910-002C – Medium Reducer, Reducer 910-003C – Slow Reducer, Retarder 910-004C, FR-1100
Delivery Method	Solvent Borne
OEM/Specifier	Specs Qualified
NA	Flammability - F.A.R. / J.A.R 25.853(a) App.F Pt. I(a)(1)(i) 60s

Optidur 9200 Clear Coat (Cabin Coating)

High Quality Acrylic Polyurethane Topcoat

Product Overview	Optidur 9200 Clear Coat is a 2-component high quality acrylic polyurethane topcoat with water white clarity, non-yellowing formulation providing the highest gloss with an impressive distinction of image (DOI). The material is specifically formulated to obtain premium performance with respect to hardness, durability, abrasion, scratch and chemical resistance. Product is part of the Optidur Series which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	Optidur 920-001B
Thinner/Activator	Optidur 920-001C, FR-1100
Delivery Method	Solvent Borne
OEM/Specifier	Specs Qualified
NA	Flammability - F.A.R. / J.A.R 25.853(a) App.F Pt. I(a)(1)(i) 60s

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Optidur 9300 (Cabin Coating)

Polyurethane Topcoat

Product Overview	Optidur 9300 Series is a 2-components high quality water based acrylic polyurethane topcoat in four reduced sheen options. The material is specifically formulated to obtain premium performance with respect to hardness, durability, abrasion, scratch and chemical resistance. The Optidur 9300 is available from 5% to 80% sheen. Product is part of the Optidur Series which utilizes the latest resin technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	Optidur 930-001B
Thinner/Activator	Water (Optional)
Delivery Method	Water Borne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Specification

FR-P1K (Surfacer)

Water-Based Isocyanate-Free Mono-Component Surfacer

Product Overview	FR-P1K is an isocyanate-free mono-component, water based, fire retardant acrylic surfacer designed to fill pinholes and correct defects on cabin interior composite parts. • FR-P1K is compatible with putties FR-M1K and FR-Preprime and top coats such as FR2-55, FR6-55, FRC and FRS40 • Low VOC • Ideal for robot application
Curing Solution	
Thinner Activator	
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-08-001
Airbus	AIMS 04-08-000
Airbus	ABS5650

FR1-55 (Surfacer)

Water-based Polyurethane Surfacer

Product Overview	Three-component water-based polyurethane surfacer for aircraft interiors. • Compatible with putties and surfacers, FR-M1K and FR-Preprime and top coats such as FR2-55, FR6-55, FRC and FRS40 • Low VOC
Curing Solution	FR1-55 Hardener
Thinner Activator	Water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-08-001
Airbus	CML/16-046B
Airbus	ABS5650A
Airbus	CML-04-BAM6
FACC	FMS 5520 class 2

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

FR4-45 (Surfacer)

Water-based Polyurethane Surfacer

Product Overview	Three-component water-based polyurethane surfacer for aircraft interiors. FR4-45 is intended to correct surface defects such as pin holes on composite and thermoplastic substrates. • Compatible with putties and surfacers, FR-M1K and FR-Preprime and water-based top coat FR2-55, FR6-55, FRS40, FRC or Di-TEX • Fast drying • Multi qualified • Low VOC
Curing Solution	FR4-55 Hardener
Thinner Activator	Water
Delivery Method	Waterborne

OEM/Specifier	Specs Qualified
Airbus	AIMS 04-08-001
Airbus	ABS5650A
Airbus	CML 16-046
Airbus	CML-04-BAM6
Boeing	BMS 10-83 Type IX
Boeing	BMS 10-83 Type IV
Boeing	BAC 5755
Boeing	BAC 5322
FACC	FMS 5520 Class 2
Safran	CDM240-00
Safran	CDM240-01
Safran Cabin Bellingham	HMS-D1-004
Embraer	MEP 10-132
Embraer	MEP 10-075
deHaviland	DHMS C4.22 Type IX
Bombardier	BAMS 800-005
AIM Aerospace	APS 10
Collins Aerospace	SPG-MPS-163 (BPS-0002Y)
Pilatus	PMS0600-52-02

FR4-45 Conductive (Polyurethane Top Coat)

Water-based polyurethane bi-component surfacer for aircraft interiors

Product Overview	FR4-45 Conductive is intended to correct surface defects such as pin holes on composite and thermoplastic substrates. Antistatic properties that allow application of powder coatings. Compatible with putty's and surface's, FR-M1K and FR-PREPRIME and water-based topcoat FR2-55, FR6-55, FRS40, FRC or DI-TEX. • Fast drying • Low VOC • Surface resistivity 106 -108 Ohms.sq
Curing Solution	FR4-45 Hardener
Thinner Activator	Tap water
Delivery Method	Delivery Method: Waterborne
OEM/Specifier	Specs Qualified
Airbus	AIMS04-08-017
DIEHL	DS-M0052C

FRS30 (Surfacer)

Solvent-Based Polyurethane Surfacer

Product Overview	Three-component solvent-borne polyurethane surfacer for aircraft interiors. It is intended to correct surface defects such as pin holes on composite and thermoplastic substrates. • FRS30 is compatible with putties FR-M1K and FR-Preprime and top coats such as FR2-55, FR6-55, FRC and FRS40
Curing Solution	FRS Hardener
Thinner Activator	FRSL
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-08-001
Airbus	CML 16-046A
Airbus	ABS 5650A
Airbus	CML-04-BAM6
FACC	FMS 5520 class 1
Pilatus	VV0605-02 C
Pilatus	PMS0600-52-02
F.LIST	LMS QM000094

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

1500-FR (Polyurethane Base Coat)

Solvent-Based Polyurethane Clear Coat with High Solid Content

Product Overview	Three-component polyurethane varnish with high solid content, designed to protect aircraft cabin interiors. This varnish provides top coat ranging from matt to gloss in cabin interiors. 1500-FR can be applied on FRS40 or directly on solvent resistant plastics. • Very clear (no yellowing)
Curing Solution	1500-FR Hardener
Thinner Activator	FRSL
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
FACC	FMS 5540
F.LIST	LMS QM000094
Pilatus	PMS0600-52-02
Safran	Safran
Safran Cabin Bellingham	HMS-D1-004

FR2-55 (Polyurethane Top Coat)

Water-Based Polyurethane Top Coat

Product Overview		Three-component water-based semi gloss polyurethane top coat for aircraft interiors. Available gloss levels are 8-12 GU, and 12-18 GU. • Compatible with FR-M1K and FR-Preprime and cabin interior primers FR-P1K, FR1-55, FR4-45 or FRS30 • Low VOC • Industrial robustness • High resistance to cleaning agents • High coverage • Wide range of colors • Application from smooth to large texture
Curing Solution		FR2-55 Hardener
Thinner Activator		Tap water
Delivery Method		Waterborne
OEM/Specifier	Specs Qualified	
Airbus	MARS04-08-004	
Airbus	AIMS 04-08-002	
Airbus	ABS 5650B	
Airbus	CML 16-047B	
Airbus	CML-04-JMD9	
Airbus Helicopters	ECS 2066	
Airbus Helicopters	ECS 2210	
deHaviland	DHMS C4.22 TY VI	
deHaviland	DHMS C4.22 TY VII (Low Gloss)	
JAR/FAR	JAR/FAR Part 25 §25.853	
Safran	CDM240-00	
Safran	CDM240-01	
Embraer	MEP 10-073	
FACC	5550 Class 2	
Collins Aerospace	SPG-MPS-163 (BPS-0002Y)	
Socata	Socata	
ATR	ATR	
TTF	TMS12	
Safran Cabin Bellingham	HMS-D1-004	
Pilatus	PMS0600-52-02	
Piper Aircraft Inc	RAN-127-0073-01	
Piper Aircraft Inc	PPS 25000 app D	

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

FRS40 (Polyurethane Top Coat)

Solvent-Based Polyurethane Top Coat

Product Overview	Three-component semi-gloss and matt solventborne polyurethane top coat for aircraft interiors. • Compatible with FRS30 and FR4-45 surfacer • Industrial robustness • High resistance to cleaning agents • High coverage • Wide range of colors. Available in metallic and Flex
Curing Solution	FRS Hardener
Thinner Activator	FRSL
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	CML 16-047A
Airbus	04JMD9
Airbus	ABS5650B
Airbus	AIMS 04-08-002
FACC	FMS 5550 Class 1
F.LIST	LMS QM000094
Collins Aerospace	SPG-MPS-163 (BPS-0002Y)
Safran	CDM240-00
Safran	CDM240-01
Safran Cabin Bellingham	HMS-D1-004
Pilatus	PMS0600-52-02

A1000 AD (Polyurethane Top Coat)

Solvent-Based Polyurethane Anti-Skid Top Coat

Product Overview	Fire retardant solvent-based polyurethane anti-skid top coat. Three-component product used for interior decoration of aircrafts.
Curing Solution	A1000 Hardener
Thinner Activator	P2
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-08-008
Airbus	ABS 5650MC
Airbus	AIMS 04PAF8

Di-Tex 50 (Polyurethane Top Coat)

Water-Based Self-Texturing Top Coat

Product Overview	Three-component waterborne top coat for aircraft interiors. DI-TEX 50 is a self-texturing top coat with a smooth effect. Di-Tex 50 Compatible with FR-M1K and FR-Preprime and cabin interior primers FR-P1K , FR1-55, FR4-45 or FRS30. • Low VOC • Industrial robustness • Homogeneous fine texture and enhance lightning diffusion • High resistance to cleaning agents • Wide range of colors available
Curing Solution	FR2-55 or Di-Tex Hardener
Thinner Activator	Water
Delivery Method	Water reducible
OEM/Specifier	Specs Qualified
Boeing	BMS 10-156 Type II, Class A
Bombardier	BAMS 800-005
Embraer	MEP 10-073

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

FR6-55 (Polyurethane Top Coat)

Water-Based Polyurethane Top Coat

Product Overview	Three-component water-based semi gloss polyurethane top coat used for the commercial interiors of aircraft passenger cabins. Can be applied with cabin interior primers FRS 30, FR1-55 and FR4-45. • Low VOC • High resistance to cleaning agents • Multi qualified • High coverage • Wide range of colors • Fast drying
Curing Solution	FR6-55 Hardener
Thinner Activator	Water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-08-002
Airbus	ABS 5650B
Airbus	CML 16-047
Airbus	CML-04-JMD9
FACC	FMS5550 Class 2

FRC (Polyurethane Top Coat)

Water-Based Direct Texture Polyurethane Top Coat

Product Overview	Three-component water-based direct texture matt polyurethane top coat is used for commercial aircraft interiors cabins. Can be applied with cabin interior primers FR1-55, FR4-45 and FRS30. • Low VOC • Industrial robustness • Homogeneous fine texture and enhance lightning diffusion • High resistance to cleaning agents • Wide range of colors available
Curing Solution	FRC MATTE or FRC SEMI GLOSS Hardener
Thinner Activator	Water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-08-004
Airbus	ABS5650F
Safran	CDM240-00
Safran	CDM240-01
Safran Cabin Bellingham	HMS-D1-004

FR150 (Polyurethane Top Coat)

Water-Based Direct Texture Polyurethane Top Coat

Product Overview	Medium textured fast-drying waterborne three-component fire retardant polyurethane top coat for aircraft cabin interior materials. Can be applied with cabin interior primers FR1-55, FR4-45 and FRS30. • Low VOC • Industrial robustness • Homogeneous fine texture and enhance lightning diffusion • High resistance to cleaning agents
Curing Solution	FR2-55 Hardener
Thinner Activator	Water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus Helicopters	ECS2174

FR280-AD (Polyurethane Top Coat)

Water-Based Non-Slip Polyurethane Top Coat

Product Overview	Medium textured fast-drying waterborne three-component fire retardant polyurethane top coat for aircraft cabin interior materials. Can be applied with cabin interior primers FR1-55, FR4-45 and FRS30. • Low VOC • Industrial robustness • Homogeneous fine texture and enhance lightning diffusion • High resistance to cleaning agents
Curing Solution	FR2-55 Hardener
Thinner Activator	Water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus Helicopters	ECS 2050
Airbus Helicopters	ECS 2172

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

FR18 Velvet (Polyurethane Top Coat)

Water-Based Matt-Textured Polyurethane Top Coat

Product Overview	Waterborne matt-textured polyurethane 2-component fire-retardant top coat for aircraft cabin interior materials. Can be applied with cabin interior primers FR1-55, FR4-45 and FRS30. • Low VOC
Curing Solution	FR2-55 Hardener
Thinner Activator	Water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus Helicopters	ECS 2175

FR5-55 (Polyurethane Clear Coat)

Water-Based Polyurethane Clear Coat

Product Overview	Three-component water-based polyurethane clear coat for aircraft interiors. FR5-55 can be applied on FR2-55 or directly on plastics. • Good FST performance • Easily buffable • Very hard surface hardness, scratch resistant • Low VOC • Very clear (no yellowing)
Curing Solution	FR5-55 Hardener
Thinner Activator	Water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus	AIMS04-08-003
Pilatus	PMS0600-52-02
Safran	Safran

1500-HD (Polyurethane Top Coat)

Solvent-Based Polyurethane Clear Coat

Product Overview	Three-component, solvent, very high surface hardness polyurethane varnish, for the passenger cabin interiors. • To be applied on the FRS40 polyurethane top coat and wood • Very hard surface hardness, scratch resistant • Easily buffable • Very clear (no yellowing)
Curing Solution	1500-HD Hardener
Thinner Activator	P2
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Pilatus	PMS0600-52-02
Safran	CDM240-00
Safran	CDM240-01
Safran Cabin Bellingham	HMS-D1-004

FR2-55 Flex (Polyurethane Top Coat)

Water-Based Flexible Polyurethane Top Coat

Product Overview	Three-component water-based flexible polyurethane top coat for aircraft interiors seat covers, arm caps, bumpers. • Compatible with FR-M1K and FR-Preprime and cabin interior primers FR-P1K, FR1-55, FR4-45 or FRS30 • Application on smooth and flexible surfaces such as leather, rubber, foam • Low VOC • Industrial robustness • High resistance to cleaning agents • High coverage • Wide range of colors • Designed in compliance with FST requirements
Curing Solution	FR2-55/ A Hardener
Thinner Activator	Water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Mapaero	Mapaero Spec

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

FRS40 Flex (Polyurethane Top Coat)

Solvent-Based Polyurethane Top Coat

Product Overview	Flexible solvent-based, three component polyurethane top coat for aircraft passengers cabins. The product is available in 2 gloss ranges : 5-10 GU for matt parts and 20-30 GU for other semi-gloss cabin parts. • Compatible with FRS30 and FR4-45 surfacer • Application on smooth and flexible surfaces such as leather, rubber, foam • Industrial robustness • High resistance to cleaning agents • High coverage • Wide range of colors • Designed in compliance with FST requirements
Curing Solution	FRS Hardener
Thinner Activator	FRSL
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Mapaero	Mapaero Spec

FR-M1K (Putty/Filler)

Water-Based Mono-Component Fire-Retardant Acrylic Putty

Product Overview	FR-M1K is a mono-component fire retardant acrylic water based putty for filling pinholes and correct small defects on cabin interior composite parts. Recommended application, using a spatula or putty knife. • Low VOC • Fast-drying
Curing Solution	
Thinner Activator	Water (if needed)
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Embraer	MEP 10-074
Pilatus	PMS0600-52-02
Safran	CDP490-10

FR-Preprime (Putty/Filler)

Water-Based Mono-Component Putty

Product Overview	FR-Preprime is a mono-component, water based, fire retardant acrylic putty designed to fill pinholes and correct small defects on cabin interior composite parts. • Compatible with primer FRS30, FR1-55 or FR4-45 • Low VOC • Fast-drying
Curing Solution	
Thinner Activator	
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Safran	NTD066-QPL

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Composite Coatings

P65-C (Composite Coating/Primer Surfacer)

Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates

Product Overview	P65-C is a non-inhibiting, chromate-free, water-based, three-component amine cured epoxy primer. • Water based technology • Sprayable in mould application • Compatible with M50 • Designed for optimal mixing properties for both manual and plural mixing application • For application on composite substrates • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals P65-C is a product which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	H88 Hardener
Thinner Activator	Demineralized water
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus Helicopters	ECS 0042
Embraer	MEP 10-133

P65-C 2K (Composite Coating/Primer Surfacer)

Corrosion-Inhibiting Primer for Metallic Substrates

Product Overview	P65-C is a non-inhibiting, chromate-free, water-based, three-component amine cured epoxy primer. • Water-based technology • Sprayable in mold application • Compatible with M50 • Designed for optimal mixing properties for both manual and plural mixing application • For application on composite substrates • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals P65-C2K is a product which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	H2K Hardener
Thinner Activator	
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Embraer	MEP 10-118
Embraer	MEP 10-133

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Composite Coatings

P65-HG (Composite Coating/Primer Surfacer)

Chromate-Free, Non-corrosion Inhibiting High Gloss Primer for Composite Substrates

Product Overview	P65-HG is a non-inhibiting, chromate-free, water-based, three-component amine cured epoxy primer used on composite structures to reveal the defects (porosity, scratches). • Water based technology • High Gloss, used on external fuselage • Compatible with M50 • Designed for optimal mixing properties for both manual and plural mixing application • For application on composite substrates • Low VOC emission • Low dry-film-weight (DFW); reduce operational costs • Resistance to aircraft hydraulic fluids and chemicals P65-HG is a product which utilizes the latest water based technology and sets the standard for minimum process times, reduced process cycle costs and environmental care.
Curing Solution	H88 Hardener
Thinner Activator	Water (AIMS 09-00-003 grades A, B and C)
Delivery Method	Waterborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-050
Airbus	AIPI 05-02-009

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

Specialty Coatings

Aerodur Clear 43022 / Clear Fluo 43023 (Specialty Coating)

Clearcoat

Product Overview	Aerodur Clear 43022 and Aerodur Clear Fluo 43023 are a one component polyurethane finish for printed circuits and component protection.
Thinner/Activator	D4064
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus Helicopters	ECS-L-2228 (only 43022 is QPL-ed)
Dassault	DGQT 1.7.0.0138A (only 43022 is QPL-ed)

4002A21M (Specialty Coating)

Temperature Resistant Aluminum Lipskin Coating

Product Overview	This specialty coating is designed for use on the leading edges of aluminum alloy nose cowl inlets. It is formulated to resist erosion, aircraft fluids and the temperatures associated with de-icing equipment. This coating prevents pitting of the anodized surfaces typical of the construction of the nose cowl.
Curing Solution	0200T106
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Embraer	MEP 10-077
Rohr	RPS 13.75
SAE International	AMS 3604

Aerodur Sealer 42240 (Specialty Coating)

Selectively Strippable Intermediate Coating

Product Overview	Aerodur Sealer 42240 is a one component polyamide coating used in selective strippable aircraft exterior surface paint schemes. • Allow top coats to be stripped with an appropriate and relatively mild paint remover without removing the primary epoxy primer • Compatible with Aerodur Finish Series and Aviox Finish • Resistance to hydraulic fluids and chemicals
Thinner/Activator	98066
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-032
Airbus	AIMS 04-04-037
Airbus	IPS 04-04-032-04
Airbus	IPS 04-04-037-04
British Aerospace AVRO	AVN 7-004
British Aerospace AVRO	AVP 3-001
Saab	SN 2000-1106
Saab	SN 340-1108
Fokker	TH 6.7370
Irkut	741.140,21-00,00,0038

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Specialty Coatings

Daylight Reflecting System (Specialty Coating)

Daylight reflecting base-coat/clear-coat

Product Overview	Daylight Reflecting System is a base-coat/clear-coat system for exterior use. • High daylight reflection • Resistant to aircraft fluids and chemicals
Curing Solution	S 66/22 R
Thinner/Activator	C 25/90 S
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Air France	SMI 70 087
Fokker	TH 5.712 / 1
Airbus	TN A.007.10050 - 106
Airbus	AIMS 04-04-056

SRA 9009 (Specialty Coating)

Spot Repair Agent

Product Overview	SRA 9009 is designed to ease the spot repairs. The use of SRA 9009 helps to deliver quality repairs by lowering the coating surface tension and thinning paint, resulting in an enhance overspray acceptance and atomization. SRA 9009 is OEM approved for its use with Aerobase / Aviox Clearcoat UVR. SRA 9009 can be used with other Polyurethane top coats like Aviox Finish Aerodur 3001/ Aerodur 3002, without the necessity of masking out large skin areas, whilst still achieving even gloss over the repair area.
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
Airbus	AIMS 04-04-033
Airbus	AIMS 04-04-037
Airbus	AIMS 04-04-034
Airbus	AIMS 04-04-025

Primers

Top Coats

Pretreatments

Conductive Coatings

Fuel Tank Coatings

High Heat or Insulation Coatings

Abrasion Resistant or Walkway Coatings

Wing Coatings

Cabin Coatings

Composite Coatings

Specialty Coatings

Parting Lacquers

Parting Lacquers

366-A020-125 (Parting Lacquer)

Parting Lacquer for Plaster Molds

Product Overview	Parting lacquer for plaster molds.
Delivery Method	Solventborne
OEM/Specifier	Specs Qualified
AkzoNobel	ANAC Spec

Notes

Primers

Top Coats

Pretreatments

Conductive
CoatingsFuel Tank
CoatingsHigh Heat
or Insulation
CoatingsAbrasion
Resistant
or Walkway
CoatingsWing
CoatingsCabin
CoatingsComposite
CoatingsSpecialty
CoatingsParting
Lacquers

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
AERMACCHI					
	MDL 5032	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
AIM AEROSPACE					
	APS 10	FR4-45	Water-based polyurethane surfacer	FR4-45 Hardener	Water
	APS 10	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		
	APS 10	8W5	Sandable Polyurethane Primer Surfacers	50C3	66C20
AIR FRANCE					
	SMI 70 067	Aerodur Primer S15/60	Interior and Exterior Primer	S 66/14, S 66/22 R	C 25/90 S
	SMI 70 089	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	SMI 71 004 / NT 10003	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	SMI 70 08w1	Pyroflex 7 D 713 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	SMI 70 087	Daylight Reflecting System	Daylight Reflecting Base-Coat/ Clear-Coat	S 66/22 R	C 25/90 S
AIRBUS CANADA					
	A2MS 565-009	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	A2MS 565-001 Gr B Cat 1&2, Ty I	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	A2MS 565-001 Gr B Cat 1&2, Ty I	P60-LC	Corrosion Inhibiting Primer for Metallic Substrates	P 60-A Hardener	Demineralized water
	A2MS 565-007 Ty E class2 Semi-Gloss (White FS 27875 and Dark grey FS 26473)	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	A2MS 565-005, TYII	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	A2MS 565-005, TYII	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	A2MS 565-005, TYIII	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	A2MS 565-005, TYIII	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	A2MS 565-018	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	A2MS 565-018	Alumigrip 4101	Chromate-Free Corrosion Inhibiting Primer 1	CS4901	
	A2MS 565-018	Aerodur 3002G	Long Life Clearcoat used with Aerodur 3001	CS6003	A9050, A9052, A9053, A9054, A9055, A9056
	A2MS 565-014, Class A Grade B	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
	A2MS 565-012, TYIII	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110	
	A2MS 565-010, GRB, TY1	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	A2MS 565-007	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	A2MS 565-005, Type III	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	A2MS 565-009, GR B, TY 1	High Solids	High Solids Decorative Non-Metallic Mica Top Coat	PC-233	
	A2MS 565-009, GR B, TY 1	Eclipse Semi Gloss	High Solids Decorative Top Coat	PC-233	
	A2MS 565-009, GR B, TY 1	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
	A2MS 565-009, GR B, TY 1	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	A2MS 565-001 Grade B Category 2 Type I	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	Curing Solution: S 66/22 R
	A2MS 565-001 Grade B Category 1, Type I & Category 2, Type I	P60-LC	Corrosion Inhibiting Primer for Metallic Substrates	P 60-A Hardener	Demineralized water

AIRBUS

AIMS04-08-003	FR5-55	Polyurethane Clear Coat	FR5-55 Hardener	Tap water
80-T-35-0014 BBL20	Solvent Cleaning 96100	Toluene Free Cleaner for Metal Substrates		
A2MS 565-002, Grade B Class 33	Aerodur HS 77302	High Gloss Interior Top Coat	90121	99292, 99330
IPS 04-04-072	Aerodur CF 8900	High Heat Coating	98064	CS 6041
IPS 04-04-072	Metaflex SP 1050 Pretreatment	Chromate-Free Surface Pretreatment		
A2MS 565-001, GrA, Cat1, Ty1	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
AIPI 05-02-009	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
IPS 04-04-075-02	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
AIPI 05-02-009	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates		6005
AIPI 05-02-009	Aerowave 3003	Description: Interior Top Coat		6007
AIPI 05-02-009	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
AIPI 05-02-009	XS420	High Solids Decorative Top Coat	XS420 Hardener	Thinner 713, Thinner 713-2
MARS04-08-004	FR2-55	Solvent-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
A2MS 565-001, GrA, Cat1, Ty1	10P4-3NF	Structural Corrosion and Chemical Resistant Primer	EC-117	TR-19, TR-20
80-T-35-5254	Aerodur ARC	UV Resistant Clearcoat	S 66/22 R	C 25/90 S
A2MS 565-001, GrA, Cat1, Ty1	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	Brand Name: Aerodur ARC
A2MS 565-001, GrA, Cat1, Ty1	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	Description: UV Resistant Clearcoat
ABP 4-1123	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	Thinner/Activator: C 25/90 S

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	80-T-35-5002	Epoxy Primer 37002 (S15/76)	3-Component Polyamide Cured Primer	92057	C 25/90 S
	80-T-35-5002	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96188
	ABP4-3135 (5)	467-9	Filler Putty to create Smooth Surface	CA-41B	
	TN A.007.10050-32	Aerodur ARC	UV Resistant Clearcoat	S 66/22 R	C 25/90 S
	AIMS 04-04-051	473-13	Fuel Vapor Barrier Coating	C-31	TL-29
	AIMS 04-04-052	683-3-2	Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	AIMS 04-04-001	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AIMS 04-04-003	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AIMS 04-04-004	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AIMS 04-04-038	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AIMS 04-04-040	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AIMS 04-04-041	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AIMS 04-04-042	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AIMS 04-04-072	Metaflex SP 1050 Pretreatment	Chromate-Free Surface Pretreatment		
	AIMS 04-04-001	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	AIMS 04-04-003	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	AIMS 04-04-004	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	AIMS 04-04-038	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	AIMS 04-04-040	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	AIMS 04-04-042	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	IPDA 64-07	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	AIMS 04-04-002	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
	AIMS 04-04-035	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
	AIMS 04-04-045	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
	AIMS 04-04-031	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	AIMS 04-04-032	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	AIMS 04-04-034	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	AIMS 04-04-036	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	AIMS 04-04-037	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	AIMS 04-04-033	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	AIMS 04-04-001	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96185
	AIMS 04-04-038	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96186
	TN A.007.10012 Primer TY I	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96201
	TN A.007.10050 - 1	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96202
	AIMS 04-04-003	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96205
	AIMS 04-04-004	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96206
	AIMS 04-04-038	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96207
	AIMS 04-04-040	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96208
	AIMS 04-04-041	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96209
	AIMS 04-04-042	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96210
	AIMS 04-04-002	Epoxy Primer 37076	Lead and Chromate-Free Primer for Ferrous and Non-Ferrous Metals	92133, 92161	C 25/90 S, 98064
	TN A.007.10012	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S66/22 R	C 25/90 S, 98064, 96186
	TN A.007.10012 Primer TY II	Epoxy Primer 37076	Lead and Chromate-Free Primer for Ferrous and Non-Ferrous Metals	92133, 92161	C 25/90 S, 98064
	TN A.007.10050 - 38	Epoxy Primer 37076	Lead and Chromate-Free Primer for Ferrous and Non-Ferrous Metals	92133, 92161	C 25/90 S, 98064
	AIMS 04-04-003	Aerowave 3003	Interior Top Coat	6007	
	AIMS 04-04-040	Aerowave 3003	Interior Top Coat	6007	
	AIMS 04-04-045	Aerowave 3003	Interior Top Coat	6007	
	ABP 4-2130	Aerowave 3003	Interior Top Coat	6007	
	IPDA 64-07	Aerowave 3003	Interior Top Coat	6007	
	AIMS 04-04-025	Aerobase	Base Coat / Clear Coat System	Aerobase Curing Solution	Aerobase standard activator
	AIMS 04-04-033	Aerobase	Base Coat / Clear Coat System	Aerobase Curing Solution	Aerobase standard activator

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
AIMS 04-04-037	Aerobase		Base Coat / Clear Coat System	Aerobase Curing Solution	Aerobase standard activator
IPS 04-04-037-04	Aerobase		Base Coat / Clear Coat System	Aerobase Curing Solution	Aerobase standard activator
IPS 04-04-033-04	Aerobase		Base Coat/ Clear Coat System	Aerobase Curing Solution	Aerobase Standard Activator
AIMS 04-04-025	Aerobase Special Effects		Base Coat / Clear Coat System with Special Effects Finish	Aerobase Curing Solution	Aerobase standard activator
AIMS 04-04-036	Aerodur 5000 Camouflage		Military Aircraft Camouflage Top Coat	PC-404	
AIMS 04-04-022	Aerodur Clearcoat UVR		UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
ASNA4196	Aerodur Clearcoat UVR		UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
I.C. TO-37.05	Aerodur Clearcoat UVR		UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
I.P. DA-64.03	Aerodur Clearcoat UVR		UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
AIMS 04-04-003	Aerodur HS 67348		Interior Top Coat	90150	99302
AIMS 04-04-040	Aerodur HS 67348		Interior Top Coat	90150	99302
AIMS 04-04-041	Aerodur HS 67348		Interior Top Coat	90150	99302
AIMS 04-04-025	Aviox Advanced Mica Series		High Solids Exterior Top Coat	90150	99341, 99321
TN A.007.10050 - 446	Aviox Advanced Mica Series		High Solids Exterior Top Coat	90150	99341, 99321
AIMS 04-04-023	Aviox Clearcoat UVR		High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
AIMS 04-04-025	Aviox Clearcoat UVR		High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
AIMS 04-04-033	Aviox Clearcoat UVR		High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
AIMS 04-04-037	Aviox Clearcoat UVR		High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
IPS 04-04-037-04	Aviox Clearcoat UVR		High Solids Top Coat	90150	99322, 99321, 99341, 99330
IPS 04-04-033-04	Aviox Clearcoat UVR		High Solids Top Coat	90150	99322, 99321, 99341, 99330
AIMS 04-04-013	Aviox Finish 77702		UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
AIMS 04-04-025	Aviox Finish 77702		UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
AIMS 04-04-031	Aviox Finish 77702		UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
AIMS 04-04-032	Aviox Finish 77702		UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
IPS 04-04-032-04	Aviox Finish 77702		UV Resistant Exterior Top Coat	90150	9322, 99321, 99341, 99330
IPS 04-04-031-05	Aviox Finish 77702		UV Resistant Exterior Top Coat	90150	9322, 99321, 99341, 99330
AIMS 04-04-002	Aerodur Barrier Primer 37045		Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
PQ 10050 - 021	Aerodur Barrier Primer 37045		Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
TN A.007.10012 Primer TY II	Aerodur Barrier Primer 37045		Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	TN A.007.10050 - 21	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	TN A.007.10113 Grade A	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	AIMS 04-04-035	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	AIMS 04-04-046	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	PQ 10050 - 076	Polystop LP	Polyester Filler Putty	Hardner for Polystop	
	TN A.007.10050 - 76	Polystop LP	Polyester Filler Putty	Hardner for Polystop	
	TN A.007.10050 - 76B	Polystop LP	Polyester Filler Putty	Hardner for Polystop	
	AIMS 09-03-001	Solvent Cleaning 98068	Cleaner for Metal Substrates		
	80-T-35-5256	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	PQ 10050 - 017	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	TN A.007.10050 - 17	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	TN A.007.10106 TY I	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	ASNA 4241	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	AIMS 04-04-017	Aeroflex Finish G12E25	Corrosion Inhibiting Top Coat for Wing In-Spar		C 25/90 S, 96184
	ASN A4287	Aeroflex Finish G12E25	Corrosion Inhibiting Top Coat for Wing In-Spar		C 25/90 S, 96184
	IPDA 64-07	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S66/22 R	C 25/90 S, 98064, 96186
	IPDA 64-07	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	I.C. TO-37.05	Aeroflex Finish G12E25	Corrosion Inhibiting Top Coat for Wing In-Spar		C 25/90 S, 96184
	I.P. DA-64.03	Aeroflex Finish G12E25	Corrosion Inhibiting Top Coat for Wing In-Spar		C 25/90 S, 96184
	PQ 10050 - 023	Aeroflex Finish G12E25	Corrosion Inhibiting Top Coat for Wing In-Spar		C 25/90 S, 96184
	TN A.007.10050 - 23	Aeroflex Finish G12E25	Corrosion Inhibiting Top Coat for Wing In-Spar		C 25/90 S, 96184
	TN A.007.10129	Aeroflex Finish G12E25	Corrosion Inhibiting Top Coat for Wing In-Spar		C 25/90 S, 96184
	AIMS 04-04-034	Aeroflex HS 113F01	High Flexibility Top Coat for Wing In-Spar and Horizontal Stabilizers	90121	99330, 99322
	IPS 04-04-034-07	Aeroflex HS 113F03	High Flexibility Top Coat for Wing In-Spar and Horizontal Stabilizers	90150	99330, 99322
	IPS 04-04-034-08	Aeroflex HS 113F03	High Flexibility Top Coat for Wing In-Spar and Horizontal Stabilizers	90150	99330, 99322
	AIMS 04-04-034	Aeroflex HS 113F03	High Flexibility Top Coat for Wing In-Spar and Horizontal Stabilizers	90150	99330, 99322

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	AIMS 04-04-075	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	AIMS 04-04-003	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	AIMS 04-04-040	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	AIMS 04-04-041	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	AIMS 04-04-045	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	AIMS 04-04-046	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	TN A.007.10012	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	AIMS 04-04-032	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating		98066
	AIMS 04-04-037	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating		98066
	AIMS 04-04-072	Aerodur CF 8900	High Heat Coating	98064	CS 6041
	IPS 04-04-037-04	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating		98066
	IPS 04-04-032-04	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating		98066
	TN A.007.10050 - 106	Daylight Reflecting System	Daylight Reflecting Base-Coat/Clear-Coat	S 66/22 R	C 25/90 S
	AIMS 04-04-056	Daylight Reflecting System	Daylight Reflecting Base-Coat/Clear-Coat	S 66/22 R	C 25/90 S
	IPS-04-04-031-05	Aerodur HS 2121 CF Primer	High Adhesion Epoxy Primer	6040	A9026
	IPS-04-04-034-05	Aerodur HS 2121 CF Primer	High Adhesion Epoxy Primer	6040	A9026
	IPS-04-04-034-06	Aerodur HS 2121 CF Primer	High Adhesion Epoxy Primer	6040	A9026
	IPS-04-04-032-04	Aerodur HS 2121 CF Primer	High Adhesion Epoxy Primer	6040	A9026
	IPS-04-04-037-04	Aerodur HS 2121 CF Primer	High Adhesion Epoxy Primer	6040	A9026
	IPS-04-04-034-07	Aerodur HS 2121 CF Primer	High Adhesion Epoxy Primer	6040	A9026
	IPS-04-04-034-08	Aerodur HS 2121 CF Primer	High Adhesion Epoxy Primer	6040	A9026
	AIMS 04-04-033	SRA 9009	Spot Repair Agent		
	AIMS 04-04-037	SRA 9009	Spot Repair Agent		
	AIMS 04-04-034	SRA 9009	Spot Repair Agent		
	AIMS 04-04-024	Aviox Non-Slip	Non-Slip Polyurethane Walkway Coating	90150	99330
	AIMS 04-04-025	SRA 9009	Spot Repair Agent		
	CML 477200	Aerodur LV 2114	Low Voc Corrosion Inhibiting Primer	CS6022	TR-114, TR-102
	Airbus SRM - task 51-75-12-911-019 or 020	Aerodur LV 2114	Low Voc Corrosion Inhibiting Primer	CS6022	TR-114, TR-102
	IPS 04-04-038-07	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	AIMS 04-04-064	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	AIMS04-08-017	FR4-45 Conductive	Water-based Polyurethane Bi-component Surfacer for Aircraft Interiors	FR4-45 Hardener	Tap water
	ABP 4-2126	F69	Structure water reducible direct adhesion	F69	Water (AIMS 09-00-003 Grade C)

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
AIMS 04-04-064	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
IPS 04-04-038-07	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
AIMS 04-04-001	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
AIMS 04-04-003	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
AIMS 04-04-004	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
AIMS 04-04-038	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
AIMS 04-04-040	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
AIMS 04-04-041,	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
AIMS 04-04-042,	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
AIMS 04-04-063.	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
API 05-05-003	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
API 05-02-009	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
ABP 4-1123,	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
ASNA 5147,	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
PQ N° 10050-230-01,	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
CML 16-063, 04DEB2	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
IPDA 64-02	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
80-T-35-5030	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
AIMS 04-04-009,	F69		Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
AIMS 04-04-018,	F69		Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
AIMS 04-04-043,	F69		Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
AIMS 04-04-047,	F69		Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
PQ10050-055-04 (blue),	F69		Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
PQ10050-053-03 (grey),	F69		Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
CML 16-021	F69		Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
04QAB2	F69		Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	04QAC2	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	04TMB2	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	80-T-35-5218,	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	ABP 4-2128,	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	AIPI 05-05-003	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	AIMS 04-08-000	FR-P1K	Water-based Isocyanate-free mono-component surfacer		
	ABS5650	FR-P1K	Water-based Isocyanate-free mono-component surfacer		
	AIMS 04-04-011	M50	Low VOC, Epoxy Pinhole filler & Knifing Stopper	M50 Hardener	Thinner E
	AIMS 04-04-030	M50	Low VOC, Epoxy Pinhole filler & Knifing Stopper	M50 Hardener	Thinner E
	AIPI 05-02-009	M50	Low VOC, Epoxy Pinhole filler & Knifing Stopper	M50 Hardener	Thinner E
	ABP4-3350	M50	Low VOC, Epoxy Pinhole filler & Knifing Stopper	M50 Hardener	Thinner E
	ABP4-3135	M50	Low VOC, Epoxy Pinhole filler & Knifing Stopper	M50 Hardener	Thinner E
	80-T-35-9030	M50	Low VOC, Epoxy Pinhole filler & Knifing Stopper	M50 Hardener	Thinner E
	ECS7036	M50	Low VOC, Epoxy Pinhole filler & Knifing Stopper	M50 Hardener	Thinner E
	ECS 0042	P65-C	Chromate-Free, Non-corrosion Inhibiting Primer for Composite Substrates	H88 Hardener	Demineralized water
	AIMS 04-04-050	P65-HG	Chromate-Free, Non-corrosion Inhibiting High Gloss Primer for Composite Substrates	H88 Hardener	Water (AIMS 09-00-003 grades A, B and C)
	AIPI 05-02-009	P65-HG	Chromate-Free, Non-corrosion Inhibiting High Gloss Primer for Composite Substrates	H88 Hardener	Water (AIMS 09-00-003 grades A, B and C)
	AIMS 04-04-003	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	AIMS 04-04-040	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	AIMS 04-04-041	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	AIMS 04-04-063	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	PS 6.6101.01	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	AIPS 05-02-009	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	ASNA 5148	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	IPDA 64-02	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	PQ10050-240-01	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	ABP 4-2130	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	80-T-35-5130	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water
	AIMS 04-04-008	F80	Fuel Vapor Barrier coating	F80 Hardener	
	AIMS 04-08-001	FR-P1K	Water-based Isocyanate-free mono-component surfacer		
	AIMS 04-08-001	FR1-55	Water-based polyurethane surfacer	FR1-55 Hardener	Water
	CML/16-046B	FR1-55	Water-based polyurethane surfacer	FR1-55 Hardener	Water
	ABS5650A	FR1-55	Water-based polyurethane surfacer	FR1-55 Hardener	Water
	CML-04-BAM6	FR1-55	Water-based Polyurethane Surfacer	FR1-55 Hardener	Water
	AIMS 04-08-001	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	ABS5650 A	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	CML 16-046	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	CML-04-BAM6	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	AIMS 04-08-001	FRS30	Water-based Polyurethane Surfacer	FRS Hardener	Thinner FRSL
	CML 16-046A	FRS30	Water-based Polyurethane Surfacer	FRS Hardener	Thinner FRSL
	ABS 5650A	FRS30	Water-based Polyurethane Surfacer	FRS Hardener	Thinner FRSL
	CML-04-BAM6	FRS30	Water-based Polyurethane Surfacer	FRS Hardener	Thinner FRSL
	AIMS 04-08-008	A1000 AD	Solvent-based Polyurethane Anti-Skid Topcoat	A1000 Hardener	Thinner P2
	ABS 5650MC	A1000 AD	Solvent-based Polyurethane Anti-Skid Topcoat	A1000 Hardener	Thinner P2
	AIMS 04PAF8	A1000 AD	Solvent-based Polyurethane Anti-Skid Topcoat	A1000 Hardener	Thinner P2
	AIMS 04-08-002	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
	ABS 5650B	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
	CML 16-047B	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
	CML-04-JMD9	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
	CML 16-047A	FRS40	Water-based Polyurethane Topcoat	FRS Hardener	Thinner FRSL
	04JMD9	FRS40	Water-based Polyurethane Topcoat	FRS Hardener	Thinner FRSL

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	ABS5650B	FRS40	Water-based Polyurethane Topcoat	FRS Hardener	Thinner FRSL
	AIMS 04-08-002	FRS40	Water-based Polyurethane Topcoat	FRS Hardener	Thinner FRSL
	AIMS 04-08-002	FR6-55	Water-based Polyurethane Topcoat	FR6-55 Hardener	Water
	ABS 5650B	FR6-55	Water-based Polyurethane Topcoat	FR6-55 Hardener	Water
	CML 16-047	FR6-55	Water-based Polyurethane Topcoat	FR6-55 Hardener	Water
	CML-04-JMD9	FR6-55	Water-based Polyurethane Topcoat	FR6-55 Hardener	Water
	AIMS 04-08-004	FRC	Water-based Direct Texture Polyurethane Topcoat	FRC Hardener	Water
	ABS5650F	FRC	Water-based Direct Texture Polyurethane Topcoat	FRC Hardener	Water
	TNA00710028 - ASNA 4255	A1000	Exterior Solvent-based Civil Polyurethane Topcoat	A1000 Hardener or A1000 BRUSH Hardener	Thinner P2, Thinner Pu n°4, Thinner Brush extra slow, Accelerator 702, Thinner D712, retarder

AIRBUS HELICOPTERS

ECS 0096	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
ECS-L-2180	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
ECS 0097	Aerowave 5001	Interior and Exterior Military Top Coat	6002	DI Water
ECS7118	Metaflex SP 1050 Pretreatment	Chromate-Free Surface Pretreatment		
LMP-DDLD-09-012	Aerowave Filler 2501	Low Voc, Shrinkage Free Stopper	6009	
ECS-L-2047	Aerowave Filler 2501	Low Voc, Shrinkage Free Stopper	6009	
ECS -L-2327	Aerowave Filler 2501	Low Voc, Shrinkage Free Stopper	6009	
ECS-L-2228 (only 43022 is QPL-ed)	Aerodur Clear 43022 / Clear Fluo 43023 Clearcoat	One component polyurethane finishes for printed circuits and component protection		D4064
ECS 2066	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
ECS 2210	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
ECS2174	FR150	Water-based Direct Texture Polyurethane Topcoat	FR2-55 Hardener	Water
ECS 2050	FR280-AD	Water-based Non-Slip Polyurethane Topcoat	FR2-55 Hardener	Water
ECS 2172	FR280-AD	Water-based Non-Slip Polyurethane Topcoat	FR2-55 Hardener	Water
ECS 2175	FR18 VELVET	Water-based matt-textured Polyurethane Topcoat	FR2-55 Hardener	Water
ECS 2047.B40	03-49	Epoxy Surfacer	03-49 Hardener	Thinner E
ECS2217	Stat-100	Antistatic Polyurethane Primer	Stat-100 Hardener	Thinner P

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	ECS 2018	A1500-M	Exterior Solvent-based Military Polyurethane Topcoat	A1500-M Hardener	Thinner P2
	ECS 2139	A1500-M	Exterior Solvent-based Military Polyurethane Topcoat	A1500-M Hardener	Thinner P2
AKZONOBEL					
	ANAC Spec	Optidur 9300	Water-based Acrylic Polyurethane Topcoat	Optidur 930-001B	Water (Optional)
	Certification	763-66-9200	Fuel and Corrosion Resistant Coating		C25/90S
	ANAC Spec	10P3-2	Zinc Rich Primer	EC-113	
	ANAC Spec	Aerodur LV 2114	Low Voc Corrosion Inhibiting Primer	CS6022	TR-114
	ANAC Spec	Eclipse ARC	Abrasion Resistant Coating	PC-233	TR-111, TR-112
	ANAC Spec	Pyroflex Filler 0651	Composite coatings / primer surfacers	0651	0651
	ANAC Spec	422XT Series	Flexible, Chip and Flake Resistant Top Coat	0200T129(G), 0200T126C(F)	
	ANAC Spec	Alumigrip 4200	Mono Coat for General Aviation	PC-242	A4950(AC-139), A4951, A4952, A4953, A4954
	ANAC Spec	Alumigrip 4250	Accent Color Top Coat for General Aviation	PC-242	A4950(AC-139), A4954
	ANAC Spec	422XT C Series	Flexible, Chip and Flake Resistant Top Coat	0200T129(G), 0200T126C(F)	
	ANAC Spec	0709A01M	Heat Resistant Coating for Electrical Components		
	ANAC Spec	Optidur 8000 Sealer (437-2263)	Wood And Veneer Interior UV Sealer		
	ANAC Spec	366-A020-125	Parting Lacquer for Plaster Molds		
	ANAC Spec	Aerodur Finish C 21/100	High Gloss Interior Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
ALLIED SIGNAL					
	51180208 24	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	CEMS 1024	463-12-8	Fluid and Corrosion Resistant Primer	CA-116	TR-19, TR-49
	MCS 9146	463-12-8	Fluid and Corrosion Resistant Primer	CA-116	TR-19, TR-49
ARIES COMPLEX					
	ACMS 263 TY I	Polystop LP	Polyester Filler Putty	Hardner for Polystop	
ARMY MISSILE COMMAND					
	MIS 14753, TY IA, CL 1 & 2 (Only for 66C20)	8W5	Sandable Polyurethane Primer Surfacer	Curing Solution: 50C3	Thinner/Activator: 66C20
	MIS 14753, TY IA, CL 1 & 2 (Only for 66C20)	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
ASE					
	58465/47	Epoxy Primer 37002 (S15/76)	3-Component Polyamide Cured Primer	92057	C 25/90 S
	58465/42	Epoxy Primer 37002 (S15/76)	3-Component Polyamide Cured Primer	92057	C 25/90 S

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
ATR					
	ATR	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
AVIATION TECHNICAL SERVICES					
	ATSMS-001 Rev. A	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	ATSMS-001 Rev. A	22 Series	Aviation Fluid Protective Top Coat	X-530	
	ATSMS-001 Rev. A	23 Series	Aviation Fluid Protective Top Coat	EC-263 (Semi-gloss), EC-264 (Flat)	
AVIC AVIATION					
	AMMS2502	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	AMMS2512	10P20-44	Corrosion Preventive Coating	CA 109	TL-52
	AMMS2502	10P20-44	Exterior Corrosion Resistant Primer	EC-265, EC-273	TR-114
	AMMS2514	8W5	Sandable Polyurethane Primer Surfacer	50C3	66C20
	AMMS2522	473-13	Fuel Vapor Barrier Coating	C-31	TL 29
	AMMS2504	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110	
BAE SYSTEMS					
	R40-3527	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96184
	AVN 7-003	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	R40-6978	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	R40-6978	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
	R40-6309	Aerowave 5001	Interior and Exterior Military Top Coat	6002	DI Water
	AVN 7-004	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	AVP 3-001	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	AVP 3-006	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	AVP 3-011	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
BELGIAN DEFENSE					
	BA-CP-4610 CL C	Solvent Cleaning 96100	Toluene Free Cleaner for Metal Substrates		
BELL HELICOPTER / TEXTRON					
	299-947-144	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
BOEING					
	BAC 50751	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	BAC 5075	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
	BMS 10-125, TY II, GR D	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	BAC 5983	Eclipse Gloss	High Solids Decorative Metallic Top Coat	PC-233	TR-111
	BMS 10-102, TY I CL 2 GR 30	64C1-2-A	Fire Resistant Insulative Coating	SC-100A	SCR-100
	BAC 5710	24T3-series	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	D6-83729	Eclipse Gloss (ECL-G, ECL-G-8XX and ECL-G-7)	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	D6-83729	Eclipse Semi-Gloss	High Solids Decorative Top Coat	PC-233	
	D6-83729	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
	D6-83729	10P20-44	Exterior Corrosion Resistant Primer	EC-265	TR-114
	D6-83729	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	D6-83729	Aerodur HS 2118 CF Primer	Chromate-Free Corrosion Inhibiting Primer	CS6035	A9190, C 25/90 S, TR-114
	D6-83729	Aerodur 3002G	Long Life Clearcoat used with Aerodur 3001	CS6003	A9050, A9052, A9053, A9054, A9055, A9056
	D6-83729	10P20-44MNF	Exterior Corrosion Resistant Primer	EC-291B	TR-114
	HMS 15-1218	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	BMS 10-86, TY I, GR D (T)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	BMS 10-86, TY I, GR D (T)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	AC 5710, TY 27 (AD)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	BAC 5710, TY 27 (AD)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	BAC 5710, TY 27	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	BMS 10-144 (Type I, Grade B, Composition NC)	10P20-44	Exterior Corrosion Resistant Primer	EC-265	TR-114
	BMS 10-79, TY II&III CL B GRD	10P20-44	Exterior Corrosion Resistant Primer	EC-265	TR-114
	BMS 10-72, TY IX, COMP C	10P20-44MNF	Exterior Corrosion Resistant Primer	EC-291B	TR-114
	BMS 10-72, TY VIII, COMP C	10P20-44MNF	Exterior Corrosion Resistant Primer	EC-291B	TR-114
	BMS 10-72, TY X, COMP C	10P20-44MNF	Exterior Corrosion Resistant Primer	EC-291B	TR-114

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	BMS 10-11, TY I CL A, GRA	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	BMS 10-11, TY I CL A, GRA	10P4-3NF	Structural Corrosion and Chemical Resistant Primer	EC-117	TR-19, TR-20
	BMS 10-11, TY I CL A, GR B	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	
	BMS 10-11, TY I CL A GR B PERF	10P8-10NFSC	Structural Corrosion and Chemical Resistant Primer	EC-283	
	BMS 10-11, TY II CL B GRD	22 Series	Aviation Fluid Protective Top Coat	X-530	
	BMS 10-11, TY II CL B GRD	23 Series	Aviation Fluid Protective Top Coat	EC-263 (Semi-gloss), EC-264 (Flat)	
	BAC 5710, TY 41	683-3-2 & 683-2-20	Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	BMS 10-152	683-3-2 & 683-3-20		X-310A	TL-59
	BMS 10-72 TY X, NC2	Aerodur 2111	High Solids Chromate-Free Primer	CS6018	TR-114
	BAC 5793	10P30-1	Corrosion and Fluid Resistant, Sealant Capable Coating	EC-242	
	BMS 10-72, TY X	Aerodur 3001E	Special Effects Base Coat	CS6031	A9005
	BMS 10-125, TY II, GR D	Aerodur 3002G	Long Life Clear Coat used with Aerodur 3001	CS6003	A9050, A9052, A9055, A9056, A9053, A9054
	BMS 10-125, TY IV, GR D	Aerodur 3002G	Long Life Clear Coat used with Aerodur 3001	CS6003	A9050, A9052, A9055, A9056, A9053, A9054
	BAC 5093	10P20-44	Corrosion Preventive Coating	CA 109	TL-52
	BAC 5093	Aerodur HS 2118 CF Primer	Chromate-Free Corrosion Inhibiting Primer	CS6035	A9190, C 25/90 S, TR-114
	BAC 5983	Aerodur 3001E	Special Effects Base Coat	CS6031	
	BAC 5075	Aerodur 2111	High Solids Chromate-Free Primer	CS6018	TR-114
	BAC 5075	10P20-44	Corrosion Preventive Coating	CA 109	TL-52
	BAC 5075	10P20-44MNF	Exterior Corrosion Resistant Primer	EC-291B	TR-114
	BAC 5075	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	BAC 5075	Aerodur 3002G	Long Life Clearcoat used with Aerodur 3001	CS6003	A9050, A9052, A9053, A9054, A9055, A9056
	BAC 5755	FR4-45	Water-based polyurethane surfacer	FR4-45 Hardener	Water
	BMS 10-144 (Type II, Grade B, Composition NC)	Aerodur HS 2118 CF Primer	Chromate-Free Corrosion Inhibiting Primer	CS6035	A9190, C 25/90 S, TR-114
	BMS 10-125, TY IV, GR D	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	BMS 10-125, TY VII, GR D	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	BMS 10-72, TY X	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	BMS 10-72, TY IX	Aerodur 3002G	Long Life Clear Coat used with Aerodur 3001	CS6003	A9050, A9052, A9055, A9056, A9053, A9054

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
BMS 10-72, TY X	Aerodur 3002G		Long Life Clear Coat used with Aerodur 3001	CS6003	A9050, A9052, A9055, A9056, A9053, A9054
BMS 10-125, TY VII, GR D	Aerodur 3002G		Long Life Clear Coat used with Aerodur 3001	CS6003	A9050, A9052, A9055, A9056, A9053, A9054
BMS 10-60, TY I&II CL B GRD	Eclipse Flat		High Solids Decorative Top Coat	PC-233	
BMS 10-72, TY IX	Eclipse Flat		High Solids Decorative Top Coat	PC-233	
BMS 10-125, TY II, GR D	Eclipse Flat		High Solids Decorative Top Coat	PC-233	
BMS 10-125, TY II, GR D	Eclipse Gloss		High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
BMS 10-60, TY I&II CL B GRD	Eclipse Gloss		High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
BMS 10-72, TY IX	Eclipse Gloss		High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
BMS 10-60, TY I&II CL B GRD	Eclipse Semi-Gloss		High Solids Decorative Top Coat	PC-233	
BAC 5322, TY I&II CL 1&2	28C1		Pinhole Filler for Glass Laminates and Open Grained Woods		
BMS 10-125, TY IV, GRD	Aerodur 3001E		Special Effects Base Coat	CS6031	A9005
BMS 10-125, TY VII, GRD	Aerodur 3001E		Special Effects Base Coat	CS6031	A9005
BAC 5837	28C1		Pinhole Filler for Glass Laminates and Open Grained Woods		
BAC 5322, TY I&II CL 2	8W5		Sandable Polyurethane Primer Surfacer	50C3	66C20
BAC 5837	8W5		Sandable Polyurethane Primer Surfacer	50C3	66C20
BMS 10-21, TY III	10P2-3		Anti-Static Epoxy Conductive Coating	EC-110	
BMS 10-143, TY I CL A, GR 1	8W5		Sandable Polyurethane Primer Surfacer	50C3	66C20
BMS 10-20, TY II CL A GRD	10P30-1		Corrosion and Fluid Resistant, Sealant Capable Coating	EC-242	
BMS 10-20, TY II CL A GRA	454-4-1		Corrosion Preventive Coating	CA-109	TL-52
BMS 10-20, TY II CL B GRA	454-4-5		Electrostatic Spray Corrosion Preventive Coating	X-395	TL-52
BAC 5755, TY I0	463-6-4		Aluminized Epoxy Coating	X-306	TL-52
BMS 10-102, TY I CL 1 GR 25	64C1-2-A		Fire Resistant Insulative Coating	SC-100A	SCR-100
BMS 10-102, TY I CL 2 GR 30	68C3-1-A		Fire Resistant Insulative Coating	SC-100A	SCR-100
BMS 10-142, TY I CL A, GR A, COMP C	463-6-4		Aluminized Epoxy Coating	X-306	TL-52
BMS 10-86, TY I GR D PERF	23T3 Series		Anti-Chafe Abrasion Resistant Coating	PC-216	

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
BOEING LONG BEACH					
	DPM 6502	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	BAC 5710, TY 27	24T3-10	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	BMS 10-86, TY II GR D	24T3-10	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	BAC 5710, TY 27	24T3-105	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	BMS 10-86, TY II GR D	24T3-105	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	BMS 10-100	763-66-9200	Fuel and Corrosion Resistant Coating		C25/90S
	BMS 10-83 Type IX	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	BMS 10-83 Type IV	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	BAC 5755	FR4-45	Water-based polyurethane surfacer	FR4-45 Hardener	Water
	BMS 10-156 Type II, Class A	DI-TEX 50	Water-based Self-texturing Topcoat	FR2-55 Hardener or Di-Tex Hardener	Tap water
	BAC 5322	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	DMS 2104, TY I COMP C	10P20-12	Exterior Corrosion Resistant Primer	EC-212	TR-114
	DMS 2104, TY I COMP B	10P20-44	Exterior Corrosion Resistant Primer	EC-265, EC-273	TR-114
	DPM 6330-1	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	DPM 5557	683-3-2	Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	DPS 4.50-187	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	DPM 6502	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	DPM 6432, COMP C	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		
	DPM 5766	464-3-1	Durable Smooth Surface Creator for Top Coats	CA-142	TL-52
	DMS 1850, TY I COMP. B	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117
	DPM 3430-1	473-13	Fuel Vapor Barrier Coating	C-31	TL-29
	DPM 3430-2	473-13	Fuel Vapor Barrier Coating	C-31	TL-29
	DPM 5303 (C)	763-66-9200	Fuel and Corrosion Resistant Coating		C25/90S
BOWING / MCDONALD DOUGLAS					
	DMS 1786, TY I, COMP A	463-12-8	Fluid and Corrosion Resistant Primer	Curing Solution: CA-116	TR-19, TR-49
BOMBARDIER					
	BAMS 565-008, TY I&II GR B	10P20-44	Corrosion Preventive Coating	CA 109	TL-52

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	BAMS 565-002, GR B	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	BAMS 565-009, TY I GR B	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	BAMS 565-005, TY II (C)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	BAMS 565-005, TY II (C)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	BAMS 565-001	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	BAMS 565-001, GR B CT1 TY1	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	
	BAMS 565-009	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
	BAMS 565-001	10P4-3NF	Structural Corrosion and Chemical Resistant Primer	EC-117	TR-19, TR-20
	BAMS 565-009	Eclipse Gloss (ECL-G-7 only)	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	BAMS 565-001 Grade B Category 1&2 Type I	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	SMS89 TY I	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	BAMS 565-001 Grade B Category 2 Type I	Aerowave 2001	Corrosion Inhibiting Primer For Metallic And Non-Metallic Substrates	6005	
	DHMS C4.01	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	BAMS 565-014 Class A Grade B	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
	SMS 92, GR B, ISS.8	Aerodur HS 77302	High Gloss Interior Top Coat	90121	99292, 99330
	BAMS 565-02 GRD B	Aerodur HS 77302	High Gloss Interior Top Coat	90121	99292, 99330
	BAMS 565-013 Type II, Class 2	P250 Metal	Low VOC chromate-free epoxy primer resistant to high temperature up to 350°C (660°F) in peak.	P250 metal Hardener	
	BAMS 565-001 Grade B Category 1, Type I & Category 2, Type I	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	BAMS 565-007B Type EC2SG	F69	Structure Water-reducible Direct Adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	BAMS 565-001 Grade B Category 1, Type I & Category 2, Type I	P60-LC	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	BAMS 800-005	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	BAMS 800-005	DI-TEX 50	Water-based Self-texturing Topcoat	FR2-55 Hardener or Di-Tex Hardener	Tap water
	BAMS 565-001, GR A CT1 TY I	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	BAMS 565-009, TY I GR B	Eclipse Flat	High Solids Decorative Top Coat	PC-233	

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	BAMS 565-001, GR A CT1 TY I	10P4-3NF	Structural Corrosion and Chemical Resistant Primer	EC-117	TR-19, TR-20
	BAMS 565-001, GR A CT1 TY I	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	
	BAMS 565-018	Alumigrip 4101	Chromate-Free Corrosion Inhibiting Primer	CS4901	
	BAMS 565-018	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	BAMS 565-018	Aerodur 3002G	Long Life Clear Coat used with Aerodur 3001	CS6003	A9050, A9052, A9053, A9054, A9055, A9056
	BAMS 565-002, GR B, CL 33	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	BAMS 565-009, TY I GR B	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	BAMS 565-012, TY III	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110	
	BAMS 565-010, TY I GR B	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117
	BAMS 565-005, TY III	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
BRITISH AEROSPACE AIRBUS					
	RAM-BA700-900	473-13	Fuel Vapor Barrier Coating	C-31	TL-29
	ABP 4-1123	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	ABP 4-1123	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	ABP 4-1352	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	ABP 4-2364	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	ABP 4-2128	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	ABP 9-4325	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	ABP 4-2130	Aerodur HS 67348	Interior Top Coat	90150	99302
	ABP 9-4325	Avioxcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	ABP 9-4325	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	ABP 4-2128	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	ABP 4-2126	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	ABP 4-2127	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	ABP 4-2364	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	ABP 4-2364	Aerodur HS 2121	High Adhesion Epoxy Primer	6040	A9026
	ABP 5-1351	Solvent Cleaning 98068	Cleaner For Metal Substrates		
	ABP 4-2125	Solvent Cleaning C28/15	Residue-Free Final Cleaner for Metal Substrates		
	ABP 5-1351	Solvent Cleaning C28/15	Residue-Free Final Cleaner for Metal Substrates		

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	ABP 4-2125	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
BRITISH AEROSPACE AVRO					
	AVP 3-003	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AVP 3-011	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AVN 7-003	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96187
	AVP 3-003	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96188
	AVP 3-003	Epoxy Primer 37076	Lead and Chromate-Free Primer for Ferrous and Non-Ferrous Metals	92133, 92161	C 25/90 S, 98064
	AVN 7-002	Aerodur HS 67348	Interior Top Coat	90150	99302
	AVP 3-008	Aerodur HS 67348	Interior Top Coat	90150	99302
	AVN 7-005	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	BAEP 3529	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	BAEP 3546	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	AVP 3-003	Polystop LP	Polyester Filler Putty	Hardner for Polystop	
	AVN 7-004	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating		98066
	AVP 3-001	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating		98066
BRITISH AEROSPACE GROUP					
	BAER 7004	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96189
	BAEP 3536 Issue 7	Aerodur ARC	UV Resistant Clearcoat	S 66/22 R	C 25/90 S
	BAEP 3527	Polystop LP	Polyester Filler Putty	Hardner for Polystop	
	BAEP 3545	Solvent Cleaning C 28/15	Residue-Free Final Cleaner for Metal Substrates		
	BAEP 7700	Solvent Cleaning C 28/15	Residue-Free Final Cleaner for Metal Substrates		
	R40-3537	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
BRITISH AEROSPACE JETSTREAM					
	PS 23-8-12	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96191
	PS 23-8-35	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96192
	PS 23-8-36	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96193
	PS 23-8-7	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96194

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	PS 23-8-35	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	PS 23-8-36	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	PS 5632	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	PS 23-8-35	Solvent Cleaning 96100	Toluene Free Cleaner for Metal Substrates		
	PS 23-8-36	Solvent Cleaning 96100	Toluene Free Cleaner for Metal Substrates		
	PS 23-8-30	Solvent Cleaning 98068	Cleaner for Metal Substrates		
	PS 23-8-30	Solvent Cleaning C28/15	Residue-Free Final Cleaner for Metal Substrates		
	PS 23-8-35	Solvent Cleaning C28/15	Residue-Free Final Cleaner for Metal Substrates		
	PS 23-8-36	Solvent Cleaning C28/15	Residue-Free Final Cleaner for Metal Substrates		
BRITISH AEROSPACE					
	AVP 3-006	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AVP 3-038	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	AVP 2-024	Solvent Cleaning C28/15	Residue-Free Final Cleaner for Metal Substrates		
BWB					
	TL 8010-0047	Aerodur 2100 MgRP	Corrosion Inhibiting Chromate-Free Primer	CS6010	TR-114, TR-7005
	WL 5.7011	Epoxy Primer 37002 (S15/76)	3-Component Polyamide Cured Primer	92057	C 25/90 S
	TL 8010-0001 CL II TY IV	Epoxy Primer 37076	Lead- And Chromate-Free Primer for Ferrous and Non-Ferrous Metals	92133, 92161	C 25/90 S, 98064
CASA (EADS)					
	Z-12.140MIL-P-23377 Ty I	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	Z-12.204	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		
CESSNA					
	CMFS039	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	CMFS039	Alumigrip 4200	Mono Coat for General Aviation	PC-242	A4950 (AC-139), A4951, A4952, A4953, A4954
	CMFS039	Alumigrip 4450G00003	Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
	CMFS038	Alumigrip 4450	Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
	CSFS084	10P30-5	Corrosion Resistant Epoxy Primer/Fuel Tank Primer	EC-275	TR-115
	CMFS035	Alumigrip 10P8-11	Smooth Finish Primer	EC-286	
	CSFS084	Alumigrip 10P8-11	Smooth Finish Primer	EC-286	
	CMFS039, TY II	20P20-3	Intermediate Surfacer Primer	PC-232	

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	CMFS010	464-3-1	Durable Smooth Surface Creator for Top Coats	CA-142	TL-52
	CMFS010	467-9	Filler Putty to Create Smooth Surface	CA-41B	
	CSFS084	10PW20-4	Water-based Primer for Aluminum Substrates	ECW-104	DI water
	CSFS084	20P20-3	Intermediate Surface Primer	PC-232	
	CSFS084	10P20-13	Exterior Corrosion Resistant Primer	EC-213	TR-114
	CSFS084	Alumigrip 4200	Mono Coat for General Aviation	PC-242	A4950(AC-139)
	CMFS037	Alumigrip 4200	Mono Coat for General Aviation	PC-242	A4950(AC-139)
	CMFS038	Alumigrip 4400	Base Coat for General Aviation	CS4904	A4956, A4957, A4965, A4967
	CSFS084	Alumigrip 4400	Base Coat for General Aviation	CS4904	A4956, A4957, A4965, A4967
	CSFS084	Alumigrip 4450	Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
	CSFS084	10P30-8	Sandable Epoxy Surfacer	EC-284	TR-114
	CMS039	10P30-8	Sandable Epoxy Surfacer	EC-284	TR-114
COBHAM					
	Cobham	Mapcoat	Polyurethane Topcoat	Mapcoat Hardener	Mapcoat Thinner
	Cobham	Mapcoat AS	Thick Antistatic Polyurethane Topcoat with High Chemical Resistance	Mapcoat AS Hardener	Mapcoat AS Thinner
	Cobham	P63	Chromate-free Solvent-based Epoxy [rimer	P63 Hardener	Thinner E
	Cobham	A1500-UVR	Solvent-based Polyurethane Clear Coat	A1000 Hardener or A1000 BRUSH Hardener	Thinner P2
	Cobham	A1000	Exterior solvent-based Civil Polyurethane Topcoat	A1000 Hardener or A1000 BRUSH Hardener	Thinner P2, Thinner Pu n°4, Thinner Brush extra slow, Accelerator 702, Thinner D712, retarder
	Cobham	9014-B	Polyurethane Adhesion Promoter	9014-B Hardener	Thinner P
COLLINS AEROSPACE					
	SPG-MPS-163 (BPS-0002Y)	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	SPG-MPS-163 (BPS-0002Y)	FR2-55	Solvent-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
	SPG-MPS-163 (BPS-0002Y)	FRS40	Solvent-based Polyurethane Topcoat	FRS Hardener	Thinner FRSL
	LGQP 6000	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	RPS 13.99	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	RPS 13.99	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	LGQP 6000	10P20-44	Exterior Corrosion Resistant Primer	EC-265, EC-273	TR-114
	LGQP 6001	10P20-44	Exterior Corrosion Resistant Primer	EC-265, EC-273	TR-114

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator	
COMAC	LGQP 6001	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141	
	CMS-CT-101, TY I	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113	
COMAC	CMS-CT-101, TY III	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113	
	CMS-CT-103, Class I	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109,TR-111,TR- 112,TR-113, TR-141	
	CMS-CT-103, Class II	Eclipse Flat	High Solids Decorative Top Coat	PC-233		
	CMS-CT-121, TY I, CL 1 (D)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216		
	CMS-CT-121, TY I, CL 1 (D)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-21		
	CMS-CT-121. TY 1 C1	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216		
	CMS-CT-101, TY III	Eclipse Flat	High Solids Decorative Top Coat	PC-233		
	CMS-CT-101, TY I	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109,TR-111,TR-112, TR-113, TR-141	
	CMS-CT-102	Aerodur 3001	Polyurethane Top Coat	CS6031		
	CMS-CT-102	Aerodur 3002	Polyurethane Top Coat	CS6003	A9052, A9055, A9056	
	CMS-CT-201, CL B, GR B	10P20-44	Exterior Corrosion Resistant Primer	EC-265, EC-273	TR-114	
	CMS-CT-903	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods			
	CMS-CT-904	8W5	Sandable Polyurethane Primer Surfacer	50C3	66C20	
	CMS-CT-223, TY II	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110		
	CMS-CT-221, TY I CL 1, GRB	10P30-1	Corrosion and Fluid Resistant, Sealant Capable Coating	EC-242		
	CMS-CT-221, TY I CL 1, GRA	454-4-1	Corrosion Preventive Coating	CA-109	TL-52	
	CMS-CT-221, TY I CL 2, GRA	454-4-5	Electrostatic Spray Corrosion Preventive Coating	X-395	TL-52	
	CMS-CT-202, TY I CL 1	463-12-8	Fluid and Corrosion Resistant Primer	CA-116	TR-19, TR-49	
	DASA					
	DASA	DAN 1168	Epoxy Primer 37076	Lead- And Chromate-Free Primer for Ferrous and Non- Ferrous Metals	92133, 92161	C 25/90 S, 98064
DA 4-653-93		Pyroflex 7 D 713	Conductive Coating for Non- Conductive Substrates	0654	0651, C 25/90 S	
DASSAULT						
DASSAULT	DGQT 0.4.2.0385	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water	
	DGQT 0.4.2.0385	F70-A	Structure water reducible topcoat	F70 -A Hardener	Demineralized water	

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	DGQT 1.7.0.0138	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	DGQT 1.7.0.0138	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	DGQT 1.7.0.0138A (only 43022 is QPL-ed)	Aerodur Clear 43022 / Clear Fluo 43023 Clearcoat	One component polyurethane finishes for printed circuits and component protection		D4064
	0.4.2.220	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96184
	DGQT 1.7.0.0138	Eclipse Gloss (ECL-G-7 only)	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	DGQT 1.7.0.0120	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	DGQT 1.7.0.0120	F70-A	Structure Water Reducible Topcoat	F70 -A Hardener	Demineralized water

DEHAVILLAND

DHMS C4.13, TY II	8B6A	Anti-Static Polyurethane Conductive Coating	Curing Solution: 50C3A	66C20
PPS 34-08	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
DHMS C4.06, TY I CL A GR B	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117
DHMS C4.20	473-13	Fuel Vapor Barrier Coating	C-31	TL-29
DHMS C4.08	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
PPS34.08	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
PPS34.08	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
DHMS C4.06, TY I CL A GR B	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117
DHMS C4.20	473-13	Fuel Vapor Barrier Coating	C-31	TL-29
DHMS C4.13, TY II	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
DHMS C4.18, TY III CL B GRB	10P20-44	Exterior Corrosion Resistant Primer	EC-265, EC-273	TR-114
DHMS C4.01	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
DHMS C4.01	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
PPS 34.08	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
DHMS C4.30	Alumigrip 4101	Chromate-Free Corrosion Inhibiting Primer	CS4901	
DHMS C4.30	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
DHMS C4.30	Aerodur 3002G	Long Life Clearcoat used with Aerodur 3001	CS6003	A9050, A9052, A9053, A9054, A9055, A9056
DHMS C4.04, TY6 CL B GRB	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
DHMS C4.04, TY6 CL B GRB	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	DHMS C4.08(B)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	DHMS C4.08(B)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	DHMS C4.01 Type II Grade C	P60-LC	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	DHMS C4.22 Type IX	FR4-45	Water-based Polyurethane Surfacers	FR4-45 Hardener	Water
	DHMS C4.22 TY VI	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
	DHMS C4.22 TY VII (Low Gloss)	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
DIAMOND AIRCRAFT					
	DM-S-03-0006	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	DM-S-03-0006	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
DIEHL					
	DS-M0052C	FR4-45 Conductive	Water-based Polyurethane Bi-component Surfacers for Aircraft Interiors	FR4-45 Hardener	Tap water
DORNIER					
	DOL 255	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96190
DOWTY AEROSPACE PROPELLERS					
	PS 5618	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96195
	PS 5007	Aerodur Primer S15/60	Interior and Exterior Primer	S 66/14, S 66/22 R	C 25/90 S
	PS 5632	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	PS 5049	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
ECLIPSE AVIATION					
	EACP1024 Rev. J	454-4-1	Corrosion Preventive Coating	CA-109	TL-52
EMBRAER					
	MEP 10-080	Alumigrip 4250	Accent Color Top Coat for General Aviation	PC-242	A4950(AC-139), A4954
	MEP10-066	Polystop LP	Polyester Filler Putty	Hardner for Polystop	
	MEP 10-059, TY II	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	
	MEP 10-059, TY II (AB)	10P20-44	High Corrosion Preventive Coating	CA 109	TL-52
	MEP 10-059, TY II (AB)	10P20-44SC	Exterior Corrosion Resistant Primer Aerosol	EC-265	TR-114
	MEP 10-068, TY II, CL A&B (U)	Aerodur 2111	High Solids Chromate- Free Primer	CS6018	TR-114
	MEP 10-069	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	MEP 10-058	Eclipse Gloss (ECL-G-7 only)	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	MEP 10-071 (P)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MEP 10-071 (P)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MEP 10-068, TY I CL A&B	10P20-44	Exterior Corrosion Resistant Primer	EC-265, EC-273	TR-114
	MEP 10-068, TY I CL A&B	10P20-44SC	Exterior Corrosion Resistant Primer Aerosol	EC-265	TR-114
	MEP 10-059, TY I	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	MEP 10-059, TY II	10P8-10NF	Structural Corrosion and Chemical Resistant Primer	EC-283	
	MEP 10-068, TY II CL A&B	Aerodur 2111	High Solids Chromate- Free Primer	CS6018	TR-114
	MEP 10-059	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	99217	
	MEP 10-059	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	MEP 10-118	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
	MEP 10-070	20P20-3	Intermediate Surfacer Primer	PC-212	
	MEP 10-117, TY I	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	MEP 10-058	683-3-2	Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	MEP 10-125, TY II	Aerodur 3001E	Special Effects Base Coat	CS6031	A9005
	MEP 10-125, TY II	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	MEP 10-125, TY II	Aerodur 3002G	Long Life Clear Coat used with Aerodur 3001	CS6003	A9050, A9052, A9053, A9054, A9055, A9056
	MEP 10-117, TY II	Aerodur 5000 Camouflage	Military Aircraft Camouflage Top Coat	PC-404	
	MEP 10-058	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	MEP 10-125, TY I	Alumigrip 4400	Base Coat for General Aviation	CS4904	A4956, A4957, A4965, A4967
	MEP 10-125, TY I	Alumigrip 4450	Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
	MEP 10-069	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	MEP 10-069	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
	MEP 10-069	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	MEP 10-069	Eclipse Gloss Spray Can	High Solids Decorative Top Coat Aerosol		
	MEP 10-069	Eclipse Semi-Gloss	High Solids Decorative Top Coat	PC-233	
	MEP 10-117, TY II	ECM-F Series/ Aerodur 5000 Camouflage	Military Aircraft Camouflage Finish	PC-404	

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	MEP 10-053, TY II	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110	
	MEP 10-071	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MEP 10-077	4002A21M	Temperature Resistant Aluminum Lipskin Coating	0200T106	
	MEP 10-059 Type III	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	MEP 10-133	P65-C	Chromate-Free, Non-corrosion Inhibiting Primer for Composite Substrates	H88 Hardener	Demineralized water
	MEP 10-118	P65-C 2K	Chromate-Free, Non-corrosion Inhibiting Primer for Composite Substrates	H2K Hardener	
	MEP 10-133	P65-C 2K	Chromate-Free, Non-corrosion Inhibiting Primer for Composite Substrates	H2K Hardener	
	MEP 10-059 TY III	P60-2K	Corrosion Inhibiting Primer for Metallic Substrates	H2K Hardener	
	MEP 10-074	FR-M1K	Water-based mono-component fire retardant acrylic putty		
	MEP 10-132	FR4-45	Water-based polyurethane surfacer	FR4-45 Hardener	Water
	MEP 10-075	FR4-45	Water-based polyurethane surfacer	FR4-45 Hardener	Water
	MEP 10-073	DI-TEX 50	Water-based self-texturing topcoat	FR2-55 Hardener or Di-Tex Hardener	Tap water
	MEP 10-073	FR2-55	Water-based polyurethane topcoat	FR2-55 Hardener	Tap water
	MEP 10-124	9014-B	Polyurethane adhesion promoter	9014-B Hardener	Thinner P
	MEP 10-058	467-9	Filler Putty to create smooth surface	CA-41B	
EUROCOPTER					
	ECS 7275	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
EUROFIGHTER					
	SP-J-513-A-0016 TY III CL A	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	SP-J-513-A-0013 TY III CL A	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
	SP-J-513-A-0016 TY I CL A	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140	C 25/90 S, 98064
	SP-J-513-A-0016 TY I CL B	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140	C 25/90 S, 98064
	SP-J-513-M-0021 TY I CL C	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140	C 25/90 S, 98064

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	SP-J-513-A-0013 TY I CL A	Epoxy Primer 37076	Lead and Chromate-Free Primer for Ferrous and Non- Ferrous Metals	92133	C 25/90 S, 98064
	SP-J-513-C-0083 TY III CL A	Aerowave 5001	Interior and Exterior Military Top Coat	6002	DI Water
	SP-J-513-C-0083 TY III CL B	Aerowave 5001	Interior and Exterior Military Top Coat	6002	DI Water
	SP-J-513-A-0014	Aerowave 5001 ARC	Abrasion Resistant Military Top Coat	6002	DI Water
FACC					
	FMS 5520 class 2	FR1-55	Water-based polyurethane surfacers	FR1-55 Hardener	Water
	FMS 5520 class 2	FR4-45	Water-based polyurethane surfacers	FR4-45 Hardener	Water
	FMS 5520 class 1	FRS30	Solvent-based polyurethane surfacers	FRS Hardener	Thinner FRSL
	5550 Class 2	FR2-55	Water-based polyurethane topcoat	FR2-55 Hardener	Tap water
	FMS 5550 Class 1	FRS40	Solvent-based polyurethane topcoat	FRS Hardener	Thinner FRSL
	FMS5550 Class 2	FR6-55	Water-based polyurethane topcoat	FR6-55 Hardener	Water
	FMS 5540	1500-FR	Solvent-based polyurethane clear coat with high solid content	1500-FR Hardener	Thinner FRSL
FEDERAL EXPRESS					
	84-010	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
F.LIST					
	LMS QM000094	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	LMS QM000094	FRS30	Solvent-based polyurethane surfacers	FRS Hardener	Thinner FRSL
	LMS QM000094	FRS40	Solvent-based polyurethane topcoat	FRS Hardener	Thinner FRSL
	LMS QM000094	1500-FR	Solvent-based polyurethane clear coat with high solid content	1500-FR Hardener	Thinner FRSL
FRENCH AIR FORCE					
	DCAN N°060/ AERO/61	9014-B	Polyurethane adhesion promoter	9014-B Hardener	Thinner P
	DCAN N°060/ AERO/61	Mapcoat	Polyurethane top coat	Mapcoat Hardener	Mapcoat Thinner
	STPA-MA N°2 859- LE-92	A1500-M	Exterior solvent-based military polyurethane topcoat	A1500-M Hardener	Thinner P2
	STPA-MA N°2 859- LE-92	P23	Polyurethane primer with strontium chromate	P23 Hardener	Thinner P2
FOKKER					
	TH 5.724	Aerodur ARC	UV Resistant Clearcoat	S 66/22 R	C 25/90 S
	TH 5.731	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	TH 6.7370	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	TH 5.702 / 4	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96200
	TH 33.0140	Aerodur Primer S15/60	Interior And Exterior Primer	S 66/14, S 66/22 R	C 25/90 S
	TH 5.701 / 1	Aerodur Primer S15/60	Interior And Exterior Primer	S 66/14, S 66/22 R	C 25/90 S
	TH33.0150	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	TH 5.721	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	TH 6.7370	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	TH 33.0140	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	TH 5.701 / 2	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	TH 5.723 / 1	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	TH 6.7370	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	TH 6.7370	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating		98066
	TH 5.712 / 1	Daylight Reflecting System	Daylight Reflecting Base-Coat/Clear-Coat	S 66/22 R	C 25/90 S
GENERAL DYNAMICS					
	GD 0-00862-1, TY I	463-12-8	Fluid and Corrosion Resistant Primer	CA-116	TR-19, TR-49
	P 6174 - 2	Solvent Cleaning 96100	Toluene Free Cleaner for Metal Substrates		
GENERAL ELECTRIC					
	GE A50TF107-S5, CL A	463-12-8	Fluid and Corrosion Resistant Primer	CA-116	TR-19, TR-49
	GE A15B99	467-9	Filler Putty to create Smooth Surface	CA-41B	
	GE A8B58	463-6-4	Aluminized Epoxy Coating	X-306	TL-52
GERMAN AEROSPACE					
	WL 5.7138	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96204
	WL 5.7139	Epoxy Primer 37076	Lead and Chromate-Free Primer for Ferrous and Non-Ferrous Metals	92133, 92161	C 25/90 S, 98064
GKN AEROSPACE SERVICES					
	CL 0224	463-6-4	Aluminized Epoxy Coating	X-306	TL-52
GOODYEAR					
	GOODYEAR CUBERSIC	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
GRUMMAN					
	GP 111 EK	Aerodur Primer S 15/60	Interior and Exterior Primer	S 66/14, S 66/22 R	C 25/90 S
GULFSTREAM					

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	GAMPS4002	Aerowave Filler 2501	Low VOC, Shrinkage Free Stopper	6009	
	GAMS3102	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117
	GAMPS4002	Aerodur 2100	Corrosion Inhibiting Chromate-Free Primer	CS6010	TR-114, TR-7005
	GAMPS4002	10P30-5	Corrosion Resistant Epoxy Primer/Fuel Tank Primer	EC-275	TR-115
	GAMPS4002	Alumigrip 4602r	Pinhole Filler		
	GAMPS4002	Alumigrip 4200	Mono Coat for General Aviation	PC-242	A4950 (AC-139), A4951, A4952, A4953, A4954
	GAMPS4002	Alumigrip 4400	Base Coat for General Aviation	CS4904	A4956, A4957, A4965, A4967
	GAMPS4002	Alumigrip 4450	Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
	GMS 5005, TY I	10P30-5	Corrosion Resistant Epoxy Primer/Fuel Tank Primer	EC-275	TR-115
	GMS 5003, TY I CL 2	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110	
	GMS 5008	Metaflex SP 1050 Pretreatment	Chromate-Free Surface Pretreatment		
	GAR110VK	Aerowave Filler 2501	Low VOC, Shrinkage Free Stopper	6009	
	GMS 5008	Alumigrip 4400	Base Coat for General Aviation	CS4904	A4956, A4957, A4965, A4967
	GMS 5008	Alumigrip 4450	Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
	GMS 5008	Aerodur 2100MgRP	Corrosion Inhibiting Chromate-Free Primer	CS6010	TR-114, TR-7005
	GMS 5008	Aerodur 2111	High Solids Chromate-Free Primer	CS6018	TR-114
	GMS 5008	Alumigrip 4200	Mono Coat for General Aviation	PC-242	A4950(AC-139), A4951, A4952, A4953, A4954
	GMS 5007, TY NC1	Alumigrip 4602	Pinhole Filler		
HAMILTON SUNDSTRAND GROUP					
	HS 6996 (D)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	HS 6996 (D)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	HS 6996	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	HS 7136, TY I CL B	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
HAWKER BEECHCRAFT					
	BAEP 3527-4PSD5	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	BAEP3528-4PSD2	Aerodur HS 67348	Interior Top Coat	90150	99302
HISPANO SUIZA					
	BLGE 121001	Epoxy Primer 37002 (S15/76)	3-Component Polyamide Cured Primer	92057	C 25/90 S
	BLGE 140101	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S 66/22 R	C 25/90 S, 98064, 96191

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	HS 900187 F°0421	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0655	0651, C 25/90 S
HONEYWELL					
	51180320	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR113, TR-141
	5080518	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
	MC8045-01	23 Series	Aviation Fluid Protective Top Coat	EC-263 (Semi-gloss), EC-264 (Flat)	
	51180314	22 Series	Aviation Fluid Protective Top Coat	X-530	
	EMS93284 Rev. K	22 Series	Aviation Fluid Protective Top Coat	X-530	
	EMS53181	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
	EMS53181	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	EMS93284 Rev. K	23 Series	Aviation Fluid Protective Top Coat	EC-263 (Semi-gloss), EC-264 (Flat)	
	EMS53181	Eclipse Semi Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	EM-369	22 Series	Aviation Fluid Protective Top Coat	Curing Solution: X-530	
	EM-369	Eclipse Gloss (ECL-G-10342 only)	High Solids Decorative Metallic Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
ILLYUSHIN					
	TN756.03.583	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	TN756.03.583	Aerobase	Base Coat / Clear Coat System	Aerobase	Aerobase standard activator
	TN756.03.583	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR113, TR-141
	TN756.03.583	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
	N756.18.608	Aerowave Filler 2501	Low Voc, Shrinkage Free Stopper	6009	
	N756.18.617	Aviox Non Slip	Abrasion Resistant or Walkway Coating	90150	99330
	N756.18.619	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		
	N756.18.618	23T3 series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	N756.18.616	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
	N756.18.711	Alumigrip 10P30-8	Sandable Epoxy Surfacer	EC-284	TR-114
	TN756.03.583	Eclipse Semi Gloss	High Solids Decorative Top Coat	PC-233	
	TN756.03.583	10P20-44MNF	Exterior Corrosion Resistant Primer	EC-291B	TR-114

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	756.03-603	Aerobase	Base Coat / Clear Coat System	Aerobase Curing Solution	Aerobase standard activator
	756.03-603	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	756.03-603	Alumigrip 10P30-8	Sandable Epoxy Surfacers	EC-284	TR-114
	756.03-603	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
	756.03-603	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		
	756.03-603	Aerodur ARC	UV Resistant Clearcoat	S 66/22 R	C 25/90 S
	756.03-603	Aerowave Filler 2501	Low VOC, Shrinkage Free Stopper	6009	
	756.03-603	Aviox Non Slip	Abrasion Resistant or Walkway Coating	90150	99330
	756.03-603	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	PC-216
	756.03-603	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	756.03-603	10P20-44MNF	Exterior Corrosion Resistant Primer	EC-291B	TR-114
IPTN					
	NMS 10-72 TY V	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	NMS 10-502 TY I	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
IRKUT					
	741.14021-00-00-0038-0T040A	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	741.140/21-00-0041-0T04/0A(12)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	741.140/21-00-0041-0T04/0A(12)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	741.140/21/00-00-0038	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
	741.140/21/00-00-0038	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating	98066	
	741.140/21/00-00-0036-0T040-0A	Aerowave Filler 2501	Low VOC, Shrinkage Free Stopper	6009	
	741.140/21/00-00-0038-0T040-0A	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	741.140/21/00-00-0038-0T040-0A	Aerodur 3002G	Long Life Clear Coat used with Aerodur 3001	CS6003	A9050, A9052, A9053, A9054, A9055, A9056
	741.140/21/00-00-0038-0T040-0A	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	741.140/21/00-00-0038-0T040-0A	Aeroflex HS 113F01	High Flexibility Top Coat for Wing In-Spar and Horizontal Stabilizers	90121	99330, 99322
	741.140/21/00-00-0038-0T040-0A	Aerowave Filler 2501	Low VOC, Shrinkage Free Stopper	6009	
	741.140/21/00-00-0038-0T040-0A	Aerodur HS 2118 CF Primer	Chromate-Free Corrosion Inhibiting Primer	CS6035	A9190, C 25/90 S, TR-114

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	741.140/21/00-00-0038-0T040-0A	Eclipse Gloss High Solids	Decorative Top Coat	PC-233	TR-109,TR-111,TR-112, TR-113, TR-141
	741.140/21/00-00-0038-0T040-0B	Aerodur HS 2118 CF Primer	Chromate-Free Corrosion Inhibiting Primer	CS6035	A9190, C 25/90 S, TR-114
	741.140/21/00-00-0038-0T040-0B	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651,C 25/90 S
	741.140/21/00-00-0038-0T040-0B	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		
	741.140/21/00-00-0038-0T040-0B	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
ISRAEL AEROSPACE INDUSTRIES					
	MS100029E, CL HS	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	MS100032E, CL HS (D)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MS100029E	683-3-2	Chemicals, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	MS100029E	83-3-20	Chemicals, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	MS100029E	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	MS100029E	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	MS100029E	683-3-20	Chemicals, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	MS100032E, CL HS (D)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MS100013E CL S	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	EC-283	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	
	MS100014E	22 Series	Aviation Fluid Protective Top Coat	X-530	
	MS100014E	23 Series	Aviation Fluid Protective Top Coat	EC-263 (Semi-gloss), EC-264 (Flat)	
	MS100029E, CL HS	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
	MS100029E, CL HS	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109,TR-111,TR-112, TR-113, TR-141
	MS100029E, CL HS	Eclipse Semi-Gloss	High Solids Decorative Top Coat	PC-233	
	MS100032E	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MS100032E	24T3 Series	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	MS100029E	683-3-20	Chemicals, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	MS100016E	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrate	6005	
ITALIAN AIR FORCE					

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	AER(EP).M-P-001	Metaflex SP 1050 Pretreatment	Chromate-Free Surface Pretreatment		TY I CL 1, CL 2, CL 3, GR1
	AER-M-P.023	Epoxy Primer 37002 (S15/76)	3-Component Polyamide Cured Primer	92057	
	AER(EP).M-P-001, TY I CL 1, CL 2, CL 3, GR1	Aerodur 2100 MgRP	Corrosion Inhibiting Chromate-Free Primer	CS6010	TR-114, TR-7005
	AER(EP).M-P-001 TY I CL 1	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	AER(EP).M-P-001 TY I CL 2	Aerodur 5000 Camouflage	Military Aircraft Camouflage Finish	PC-404	
	AER(EP).M-P-001	Aerowave 5001	Interior and Exterior Military Top Coat	6002	DI Water
KEARFOTT GUIDANCE & NAV C					
	6831544-001	10PW20-4	Water-Based Primer for Aluminum Substrates	ECW-104	DI Water
	6831544	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
LEARJET					
	LES 1509	Alumigrip 4450	Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
	LES 1509	Alumigrip 10P8-11	Smooth Finish Primer	EC-286	
	LES 1509	Alumigrip 10P30-8	Sandable Epoxy Surfacer	EC-286	TR-114
	LES 1509	Eclipse Gloss	High Solids Decorative Metallic Top Coat	PC-233	TR-111
	LES 1509	Alumigrip 4200	Mono Coat for General Aviation	PC-242	A4950 (AC-139), A4951, A4952, A4953, A4954 A4950 (AC-139), A4951, A4952, A4953, A4954
	LES 1509	Alumigrip 4250	Accent Color Top Coat for General Aviation	PC-242	A4950(AC-139), A4954
	LES 1091	10P30-5	Corrosion Resistant Epoxy Primer/Fuel Tank Primer	EC-275	TR-115
	LES 1231	467-9	Filler Putty to create Smooth Surface	CA-41B	
	LES 1231	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110	
	LES 1079	454-4-1	Corrosion Preventive Coating	CA-109	TL-52
	LES 1079	454-4-5	Electrostatic Spray Corrosion Preventive Coating	X-395	TL-52
LEONARDO AIRCRAFT					
	NTA 63152 H	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S66/22 R	C 25/90 S, 98064, 96186
	NTA 63152 H	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	NTA 63154	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	NTA 63353	Aerodur Finish C 21/100	High Gloss Interior Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	NTA 63353	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	NTA 63352	Aerowave 3003	Interior Top Coat	6007	
	NTA 63352	Aerodur Finish C 21/100	High Gloss Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
LEONARDO HELICOPTERS (FORMERLY AUGUSTA WESTLAND)					
	BM210I0012	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	WHPS 081	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	WHPS 081	Aerowave 2003	Chromate-Free, Corrosion Inhibiting Primer for Composite Substrates	6005	
	WHPS 081	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96212
	WHPS 242	Aerowave 5001	Interior and Exterior Military Top Coat	6002	DI Water
	WHPS 242	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	AWMS 28-002 TY I CL. 1	Aerowave 2003	Chromate-Free, Corrosion Inhibiting Primer for Composite Substrates	6005	
	WHPS 081	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	BM210I0042	Epoxy Primer 37076	Lead and Chromate-Free Primer for Ferrous and Non-Ferrous Metals	92133, 92161	C 25/90 S
	AWMS 28.001	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	NTA 63152 G	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S66/22 R	C 25/90 S, 98064, 96186
	NTA 63152 G	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
LIEBHERR AEROSPACE					
	T-LABO-QUA-0607	MSP-1	Chromate-Free Corrosion Resistant Primer	MSP-1 Hardener	Demineralized water
	T-LABO-QUA-0607	A1500-M	Exterior solvent-based military polyurethane topcoat	A1500-M Hardener	Thinner P2
LOCKHEED MARTIN AERONAUTIC					
	LAC G37-609	467-9	Filler Putty to create Smooth Surface	CA-41B	
	LMA-MR008, TY I (B)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	LMA-MR008, TY I (B)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	FMS 3120, CL 1, TY 1 (A)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	FMS 3120, CL 1, TY 1 (A)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	5PTMRL40, TY I (B)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	5PTMRL40, TY I (B)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	LMA-MR008, TY I	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	LMA-MR008, TY I	24T3-105	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	LMA-MR008	24T3 Series	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	LMA-MR058 Class I, Form I (E)	Aerodur 2122 Touch Up Primer	Fast Drying, Fluid Resistant Epoxy Primer	EC-292	
	LAC G37-607	467-9	Filler Putty to create Smooth Surface	CA-41B	
	LMS 5002A	8W5	Sandable Polyurethane Primer Surfacer	50C3	66C20
	5PTMRL40, TY I	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	FMS 3120, TY I CL 1	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	5PTMRL40, TY I	24T3-105	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	FMS 3120, TY I CL 1	24T3-105	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	GC37.5350	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		
	70193240	10P20-13	Exterior Corrosion Resistant Primer	EC-213	TR-114
MAPEARO					
	Mapaero spec	FR2-55 Flex	Water-based flexible polyurethane topcoat	FR2-55/ A Hardener	Water
	Mapaero spec	FRS40 Flex	Solvent based polyurethane topcoat	FRS Hardener	Thinner FRS L
MD HELICOPTERS					
	HMS 15-1218 (A)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	HMS 15-1218 (A)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MDM 15-1095	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		
	MDM 15-1095	464-3-1	Durable Smooth Surface Creator for Top Coats	CA-142	TL-52
	MDM 15-1095	20P20-3	Intermediate Surfacer Primer	PC-232	
MITSUBISHI					
	CMAMS 565-002 Grade B	Aerodur HS 77302	High Gloss Interior Top Coat	90121	99292, 99330
	CMAMS 565-001 Type I, Grade B	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	CMAMS 565-001 Type I, Grade B	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	S 66/22 R	

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	CMAMS 565-001 Type I, Grade B	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	CMAMS 565-014 Grade B	Aerowave 2002	Chromate-Free, NonCorrosion Inhibiting Primer for Composite Substrates	6005	
	CMAMS 565-009, GR B, TY I	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	CMAMS 565-009, GR B, TY I	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
	CMAMS 565-009, GR B, TY I	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	MS100029E, CL HS	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	MMS 420	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	CMAMS 565-005, TY II & III	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	CMAMS 565-010, TY I, GR B	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117
	CMAMS 565-018	Aerodur 3002G	Long Life Clear Coat used with Aerodur 3001	CS6003	A9050, A9052, A9053, A9054, A9055, A9056
	CMAMS 565-008, TY I & II GR B	10P20-44	Exterior Corrosion Resistant Primer	EC-265, EC-273	TR-114
	CMAMS 565-018	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	CMAMS 565-001, GR A CT1 TY1	10P4-3NF	Structural Corrosion and Chemical Resistant Primer	EC-117	TR-19, TR-20
	CMAMS 565-001, GR B CT1 TY1	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	
	CMAMS 565-018	Alumigrip 4101	Chromate-Free Corrosion Inhibiting Primer	CS4901	
	CMAMS 565-012, TY III	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110	
	CMAMS 565-001, GR A CT1 TY1	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	
	CMAMS 565-002, GR B, CL 33	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	CMAMS 565-001, GR A CT1 TY1	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
MTU AERO ENGINE AG					
	MTS 1681	8W5	Sandable Polyurethane Primer Surfacer	50C3	66C20
NORTHROP GRUMMAN					
	MS 172 (B)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MS 172 (B)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MS37.21-03 (B)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	MS37.21-03 (B)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
MS 172	23T3 Series		Anti-Chafe Abrasion Resistant Coating	PC-216	
MS-475	Aerodur 5000 Camouflage		Military Aircraft Camouflage Finish	PC-404	
MS37.21.03	23T3 Series		Anti-Chafe Abrasion Resistant Coating	PC-216	
GC130RJ2	23T3 Series		Anti-Chafe Abrasion Resistant Coating	PC-216	
GC130HG1	683-3-2		Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
EC-110	10P2-3		Anti-static Epoxy	EC-110	
GC146AR1	28C1		Pinhole Filler for Glass Laminates and Open Grained Woods		
GC115AD1	464-3-1		Durable Smooth Surface creator for Top Coats	CA-142	TL-52
GC146AR1	467-9		Filler Putty to create Smooth Surface	CA-41B	
GC130CS4	8W5		Sandable Polyurethane Primer Surfacer	50C3	66C20
GP110AEF	58 Series		Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
Z-P501	23T3 Series		Anti-Chafe Abrasion	PC-216	
QFM-0007	683-3-2		Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59

PILATUS

VV0605-28	Eclipse Special Effects		High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
VV0605-01	Epoxy Primer 37035A		Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140, 92162	C 25/90 S, 98064, 96184
VV0605-01	Aerowave 2001		Corrosion Inhibiting Primer for Metallic and Non-metallic Substrates	6005	
VV0607-22	Alumigrip 4450		Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
VV0605-33	Alumigrip 4250		Accent Color Top Coat for General Aviation	PC-242	A4950(AC-139), A4954
PMS0600-52-01	Aerodur 2111		Chromate free epoxy primer	CS6018	TR-114 or TR-115
VV0607-22	Aerodur 2111		Chromate free epoxy primer	CS6018	TR-114 or TR-115
PMS0600-52-01	Alumigrip 4400		Base Coat for General Aviation	CS4904	A4956, A4957, A4965, A4967
VV0605-28	Alumigrip 4200		Mono Coat for General Aviation	PC-242	A4950(AC-139), A4951, A4952, A4953, A4954
PMS0600-52-01	Metaflex SP 1050 Pretreatment		Chromate-Free Surface Pretreatment		
PMS0600-52-01	Alumigrip 4450		Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
VV0607-22	Alumigrip 4400		Base Coat for General Aviation	CS4904	A4956, A4957, A4965, A4967
MS0600-51-01	P60-A		Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	PMS0600-52-02	FR-M1K	Water-based mono-component fire retardant acrylic putty		
	PMS0600-52-02	FR2-55	Water-based Polyurethane Topcoat	FR2-55 Hardener	Tap water
	PMS0600-52-02	MSP-1	Chromate-Free Corrosion Resistant Primer	MSP-1 Hardener	Demineralized water
	PMS0600-52-02	FRS40	Solvent-based polyurethane topcoat	FRS Hardener	Thinner FRSL
	PMS0600-52-02	FR4-45	Water-based polyurethane surfacer	FR4-45 Hardener	Water
	PMS0600-52-02	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	PMS0600-52-02	1500-FR	Solvent-based polyurethane clear coat with high solid content	1500-FR Hardener	Thinner FRSL
	PMS0600-52-02	FRS30	Solvent-based polyurethane surfacer	FRS Hardener	Thinner FRSL
	PMS0600-52-02	FR5-55	Polyurethane Clear Coat	FR5-55 Hardener	Tap water
	PMS0600-52-02	1500-HD	Solvent-based polyurethane clear coat	500-HD Hardener	Thinner P2
	VV0605-01E	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	VV0600-52F	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	VV0605-01E	P60-2K	Corrosion Inhibiting Primer for Metallic Substrates	H2K Hardener	
	VV0605-02 C	FRS30	Solvent-based polyurethane surfacer	FRS Hardener	Thinner FRSL
PILATUS BRITTEN-NORMAN LTD					
	BNDS 5	Solvent Cleaning 98068	Cleaner for Metal Substrates		
	BNDS 5	Solvent Cleaning C 28/15	Residue-Free Final Cleaner for Metal Substrates		
PIPER AIRCRAFT INC					
	SS8869	Aerodur HS 2118 CF Primer	Chromate-Free Corrosion	CS6035	A9190, C 25/90 S, TR-114
	PMS-F1005	10P30-5	Fuel Tank Primer	EC-275	TR-115
	PMS-F1003-8	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	
	PMS-F1010	Alumigrip 4602	Pinhole Filler		
	PMS-F1010	Alumigrip 4450	Clear Coat used with Alumigrip 4400	CS4906	A4961, A4962, A4968, A4969
	PMS-F1010	Alumigrip 4400	Base Coat for General Aviation	CS4904	A4956, A4957, A4965, A4967
	PMS-F1010	Alumigrip 4101	Chromate-Free Corrosion Inhibiting Primer	CS4901	
	PMS-F1010	Alumigrip 4200	Mono Coat for General Aviation	PC-242	A4950(AC-139), A4951, A4952, A4953, A4954
	PMS-F1010	10P30-8	Sandable Epoxy Surfacer	EC-284	TR-114
PRATT & WHITNEY AIRCRAFT					
	RAN-127-0073-01	FR2-55	Water-based polyurethane topcoat	FR2-55 Hardener	Tap water

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	PPS 25000 app D	Alumigrip 4200	Mono Coat for General Aviation	PC-242	A4950(AC-139), A4954
	PPS 25000 app D	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	PWA 36514-2 (C)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	PWA 36514-2 (C)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	PWA 36514-1	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	PWA 36014	8W5	Sandable Polyurethane Primer Surfacer	50C3	66C20
	PWA 36013	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
RAYTHEON					
	772254-1	Alumigrip 10P30-8	Sandable Epoxy Surfacer	EC-284	TR-114
	772254-7	467-9	Filler Putty to create Smooth Surface	CA-41B	
	B6468098	683-3-20	Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
ROHR					
	RMS 118, TY I CL G	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	RMS 118	22 Series	Aviation Fluid Protective Top Coat	X-530	
	RMS 8963	683-3-2	Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	RPS 13.99	683-3-2	Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	RPS 13.75	4002A21M	Temperature Resistant Aluminum Lipskin Coating	0200T106	
RUAG					
	RAN-127-0038.01	Eclipse Gloss	High Solids Decorative Metallic Top Coat	PC-233	TR-111
	RAN-127-0073-01	P300	Polyurethane primer	300-HT Hardener	Thinner FRSL
	RAN-127-0073-01	F300 HT	Polyurethane topcoat, resistant to high temperature	F300 Hardener	Thinner FRSL
SAAB					
	TEK 00-0161MT	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	STD 175441	Aerodur HS 2118 CF Primer	Chromate-Free Corrosion Inhibiting Primer	CS6035	A9190, C 25/90 S, TR-114
	STD 175139	Epoxy Primer 37002 (S15/76)	3-Component Polyamide Cured Primer	92057	C 25/90 S
	STD 175417 - 21	Epoxy Primer 37076	Lead and Chromate-Free Primer for Ferrous and Non-Ferrous Metals	92133, 92161	C 25/90 S, 98064
	STD 175417	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-metallic Substrates	6005	

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	STD 175417	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S66/22 R	C 25/90 S, 98064, 96186
	3268	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S66/22 R	C 25/90 S, 98064, 96184
	STD 3268	Epoxy Primer 37076	Lead and Chromate-Free Primer for Ferrous and Non-Ferrous Metals	92133, 92161	C 25/90 S, 98064
	STD 2932E TY I	Aerodur Primer S15/60	Interior And Exterior Primer	S 66/14, S 66/22 R	C 25/90 S
	STD 175429	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	STD 175428	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	STD 176714	Solvent Cleaning C28/15	Residue-Free Final Cleaner For Metal Substrates		
SAE INTERNATIONAL					
	STD 175233	High Heat Resistant Paint S 21/8	High Heat Resistant Silicone Coating		C 3/37V
	STD 1974	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	SN 2000-1106	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating		98066
	SN 340-1108	Aerodur Sealer 42240	Selectively Strippable Intermediate Coating		98066
	STD 175431	Aerowave 5001	Interior and Exterior Military Top Coat	6002	DI Water
	AMS3095B	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	AMS C-27725 Type III Grade 1, 2	Aerolith P27-CF	Chromate-Free Corrosion Resistant Primer	P27-CF Hardener	P2 and P27-CF Thinners
	AMS 3095	Aerodur 3001G	Long Life Base Coat used with Aerodur 3002	CS6000	A9002, A9003, A9004
	AMS 3095	Aerodur 3002	Long Life Clear Coat used with Aerodur 3001	CS6000	A9050, A9052, A9053, A9054, A9055, A9056
	AMS 3095	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	AMS 3095	Eclipse Semi Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	AMS12, TY I	463-12-8	Fluid and Corrosion Resistant Primer	CA-116	TR-19, TR-49
	AMS-C-27725, TY I	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117
	AMS 3095	Metaflex SP 1050 Pretreatment	Chromate-Free Surface Pretreatment		
	AMS 3095	Aerodur HS 2118 CF Primer	Chromate-Free Corrosion Inhibiting Primer	CS6035	A9190, C 25/90 S, TR-114
	AMS 3095	Aerodur LV 2114	Low Voc Corrosion Inhibiting Primer	CS6022	TR-114, TR-102
	AMS 3095	Aerobase	Base Coat / Clear Coat System	Aerobase Curing Solution	Aerobase standard activator
	AMS 3095	Aerobase Special Effects	Base Coat / Clear Coat System with Special Effects Finish	Aerobase Curing Solution	Aerobase standard activator

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	AMS 3095	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	AMS 3604	4002A21M	Temperature Resistant Aluminum Lipskin Coating	0200T106	
	PCS-2500	Aerodur Finish SGL Aluminum	Interior and Exterior Top Coat	S 66/22 R	98064
	PCS-2500	463-12-8	Fluid and Corrosion Resistant Primer	CA-116	TR-19, TR-49
SAFRAN					
	IFC 30-125-07	SP350	Chromate-Free Corrosion Resistant Primer	SP350 Hardener	ThinnerSP350 PLUS
	IFC 30-125-07	High Solids Decorative Top Coat	High Solids Decorative Top Coat	XS420 Hardener	Thinner 713, Thinner 713-2
	DM241-05 T.III, Cl.1	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	PCS-2500	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109,TR-111,TR-112, TR-113, TR-141
	IFC 30-125-06	SP350	Chromate-Free Corrosion Resistant Primer	SP350 Hardener	ThinnerSP350 PLUS
	DMR74-130-A	SP350	Chromate-Free Corrosion Resistant Primer	SP350 Hardener	Thinner SP350 PLUS
	DMP16-054-A	SP350	Chromate-Free Corrosion Resistant Primer	SP350 Hardener	Thinner SP350 PLUS
	HMRC0149	SP350	Chromate-Free Corrosion Resistant Primer	SP350 Hardener	Thinner SP350 PLUS
	IFC 30-125-06	XS420	High Solids Decorative Top Coat	XS420 Hardener	Thinner 713, Thinner 713-2
	HMRC0150	XS420	High Solids Decorative Top Coat	XS420 Hardener	
	CDP490-10	FR-M1K	Water-based mono-component fire retardant acrylic putty		
	CDM240-00	FR4-45	Water-based polyurethane surfacer	FR4-45 Hardener	Water
	CDM240-01	FR4-45	Water-based polyurethane surfacer	FR4-45 Hardener	Water
	CDM240-00	FR2-55	Water-based polyurethane topcoat	FR2-55 Hardener	Tap water
	CDM240-01	FR2-55	Water-based polyurethane topcoat	FR2-55 Hardener	Tap water
	CDM240-00	FRS40	Solvent-based polyurethane topcoat	FRS Hardener	Thinner FRSL
	CDM240-01	FRS40	Solvent-based polyurethane topcoat	FRS Hardener	Thinner FRSL
	CDM240-00	FRC	Water-based direct texture polyurethane topcoat	FRC Hardener	Water
	CDM240-01	FRC	Water-based direct texture polyurethane topcoat	FRC Hardener	Water
	Safran	FR5-55	Water-based polyurethane clear coat	FR5-55 Hardener	Water

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	Safran	1500-FR	Solvent-based polyurethane clear coat with high solid content	1500-FR Hardener	Thinner FRSL
	CDM240-00	1500-HD	Solvent-based polyurethane clear coat	1500-HD Hardener	Thinner P2
	CDM240-01	1500-HD	Solvent-based polyurethane clear coat	1500-HD Hardener	Thinner P2
	NTD066-QPL	FR-PREPRIME	Mono-component, water based putty		
	HMRC 0142	A1500-UVR	Solvent-based polyurethane clear coat	A1000 Hardener or A1000 BRUSH Hardener	Thinner P2
SAFRAN AERO COMPOSITES					
	CP8019 LEAP-00-70-70-80-19A-077A-D	A1500-UVR	Solvent-based Polyurethane Clear Coat	A1000 Hardener or A1000 BRUSH Hardener	Thinner P2
SAFRAN CABIN BELLINGHAM					
	HMS-D1-004	F69	Structure water reducible direct adhesion	F69 Hardener	Water (AIMS 09-00-003 Grade C)
	HMS-D1-004	1500-FR	Solvent-based polyurethane clear coat with high solid content	1500-FR Hardener	Thinner FRSL
	HMS-D1-004	FR2-55	Water-based polyurethane topcoat	FR2-55 Hardener	Tap water
	HMS-D1-004	FRS40	Solvent-based polyurethane topcoat	FRS Hardener	Thinner FRSL
	HMS-D1-004	FRC	Water-based direct texture polyurethane topcoat	FRC Hardener	Water
	HMS-D1-004	1500-HD	Solvent-based polyurethane clear coat	1500-HD Hardener	Thinner P2
	HMS-D1-004	FR4-45	Water-based Polyurethane Surfacer	FR4-45 Hardener	Water
	IFC30-171-02	P23	Polyurethane Primer	P23	P2
SAFRAN LANDING SYSTEMS (FORMERLY MESSIER-BUGATTI-DOWTY)					
	DR 34321	SP350	Chromate-Free Corrosion Resistant Primer	SP350 Hardener	Thinner SP350 PLUS
	DR 34321	XS420	High Solids Decorative Top Coat	XS420 Hardener	Thinner 713, Thinner 713-2
	IFC 30-117-07	10P20-13	Exterior Corrosion Resistant Primer	EC-213	TR-114
	IFC 30-117-07	Aviox SGL Aluminum	Aluminium Finish Exterior Top Coat	90121	99321, 99330
	IFC 30-117-09	10P20-13	Exterior Corrosion Resistant Primer	EC-213	TR-114
	IFC 30-117-09	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	32-09-01 Section 36B	Aerodur Finish C 21/100	High Gloss Interior Top Coat	S 66/22 R, 90120	C 25/90 S, 98064, 96184
	32-09-01 Section 36F	SP350	Chromate-Free Corrosion Resistant Primer	SP350 Hardener	Thinner SP350 PLUS
	32-09-01 Section 36F	XS420	High Solids Decorative Top Coat	XS420 Hardener	713, 713-2

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	PCS 2531	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
	PCS-2500	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	PCS-2530	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	PCS 2531	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	PCS-2530	Aviox SGL Aluminum	Aluminium Finish Exterior Top Coat	90121	99321, 99330
	IFC-30-117-08-2	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	FC-30-117-08-2	Epoxy Primer 37002 (S15/76)	3-Component Polyamide Cured Primer	92057	C 25/90 S
	32-09-01 Section 36B	463-12-8	Fluid and Corrosion Resistant Prime	CA-116	TR-19, TR-49
	32-09-01 Section 36D	10P20-13	Exterior Corrosion Resistant Primer	EC-213	TR-114
	32-09-01 Section 36D	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	32-09-01 Section 36B	Aerodur Finish SGL Aluminium	Interior and Exterior Top Coat	S 66/22 R	98064
SAFRAN NACELLES					
	IFC30-171-02	Aerodur Clearcoat UVR	UV Resistant Clearcoat	S 66/22 R	C 25/90 S, 98064, 96184
	HMDC0022	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
SCHWEIZER AIRCRAFT GROUP					
	SHMS 15-1095	464-3-1	Durable Smooth Surface Creator for Top Coats	CA-142	TL-52
SHORTS					
	SMS 89 TY 1 Grade B	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	SMS 98	Aerowave 2002	Chromate-Free, Non-Corrosion Inhibiting Primer for Composite Substrates	6005	
SIKORSKY					
	SS8869	24T3-105	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	SS 8526, TY I&TY II	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
	SS 8526, TY I&TY II	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
SNECMA					
	DMR 74-038	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
SOCATA					
	Socata	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	Socata	FR2-55	Water-based polyurethane topcoat	FR2-55 Hardener	Tap water

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
Socata	03-49		Epoxy surfacer	03-49 Hardener	Thinner E
	Static F1		Antistatic Polyurethane primer	F1 Hardener	Thinner P
	A1000		Exterior solvent-based civil polyurethane topcoat	A1000 Hardener or A1000 BRUSH Hardener	Thinner P2, Thinner Pu n°4, Thinner Brush extra slow, Accelerator 702, Thinner D712, retarder
	A1500-UVR		Solvent-based polyurethane clear coat	A1000 Hardener or A1000 BRUSH Hardener	Thinner P2
	F14		Solvent-based polyurethane base coat for general aviation	F14 Hardener	Thinner 713, Thinner 714 or Thinner 715
	P23		Polyurethane primer with strontium chromate	P23 Hardener	Thinner P2
SONACA					
	6.6013-01	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	6.6002-01	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S 66/22 R	C 25/90 S, 98064, 96186
	6.6002-01	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S 66/22 R	C 25/90 S, 98064, 96187
	SMS N°0802	F300 HT	Polyurethane topcoat, resistant to high temperature	F300 Hardener	Thinner FRSL
	SMS N°0801	P300	Polyurethane primer	300-HT Hardener	Thinner FRSL
SPIRIT AEROSYSTEMS					
	SMS 93, TY I (1)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	SMS-111207, TY 2 (J)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	SMS 93, TY I (1)	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
	SMS-111207, TY 2 (J)	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
	SMS-111207. TY 2	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	SMS-111202, TY I CL 1, GR B	10P8-10NF	Fluid Resistant Epoxy Primer	EC-283	
	SMS-111207, TY I	683-3-2	Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	SMS-111207, TY I	683-3-20	Chemical, Fluids and Fuel Protective Top Coat	X-310A	TL-59
	SMS-111207, TY IV	463-6-4	Aluminized Epoxy Coating	X-306	TL-52
	SMS-111202, TY I CL 1 GR A	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	SMS 93, TY I	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
	SMS 93, TY II	24T3-10	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	SMS 93, TY II	24T3-105	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	
	SMS 93, TY II	24T3 Series	Fast Dry Anti-Chafe Abrasion Resistant Coating	PC-216	

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
SUKHOI					
	RRJ0000-RE-314-331	Aviox CF Primer 37124	Chromate-Free Exterior Primer	92245	
	RRJ0000-RE-314-331	Aviox Clearcoat UVR	High Solids Top Coat	90150	99397, 99351, 99341, 99321, 99330
	RRJ0000 RE -314-331	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	RRJ-0000-RE-314-144	Aerowave Filler 2501	Low VOC, Shrinkage Free Stopper	6009	
	RRJ0000-RE314-201	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
	RRJ0000-RE-314-201	Pyroflex 7 D 713	Conductive Coating for Non-Conductive Substrates	0651	0651, C 25/90 S
SWEDISH DEFENSE					
	FSD 7066	Aerodur Primer S15/90	Interior and Exterior Corrosion Inhibiting Primer	S 66/14, S 66/22 R	C 25/90 S, 98064, 96193
TEXTRON AVIATION					
	LAC G37-609	20P20-3	Intermediate Surfacer Primer	PC-232	
	TM3403	454-4-1	Corrosion Preventive Coating	CA 109	TL 52
	TM-3404	10P30-5Y/LV 4105 (Epoxy Primer)	Corrosion Resistant Epoxy Primer/Fuel Tank Primer	EC 275	TR-115
	TM3405	Alumigrip 10P8-11	Smooth Finish Primer	EC 286	TR-114
TTF					
	TMS12	FR2-55	Water-based polyurethane topcoat	FR2-55 Hardener	Tap water
THALES					
	HSV-N-8010-000	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	HSV-N-8010-000	Aerowave 5001	Interior and Exterior Military Top Coat	Curing solution: 6002	DI Water
TRIUMPH					
	ES-336	10P20-44	Corrosion Preventive Coating	CA 109	TL-52
	ES-336	Eclipse Gloss	High Solids Decorative Metallic Top Coat	PC-233	TR-111
TRW					
	TRW C600359-1	463-12-8	Fluid and Corrosion Resistant Primer	CA-116	TR-19, TR-49
	3231894	28C1	Pinhole Filler for Glass Laminates and Open Grained Woods		
	MT6-12A1	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110	
UK MINISTRY OF DEFENSE					
	BS2X 33 TY A and B	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	

Products by specification

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	BS2X 33 TY A and B	Epoxy Primer 37035A	Enhanced Adhesion, Corrosion Inhibiting Interior and Exterior Primer	92140	98064
	BS 2X 34	Aerowave 5001	Interior and Exterior Military Top Coat	6002	DI Water
	BS2X 34 TY A	Aviox Finish 77702	UV Resistant Exterior Top Coat	90150	99322, 99321, 99341, 99330
	AFS 2328	Aerodur Barrier Primer 37045	Chromate-Free Composite Primer	S 66/14, S 66/22 R	C 25/90 S
UNITED AIRLINES					
	UNITED AIRLINES PAI 3782-1	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
UNITED LAUNCH ALLIANCE					
	STM-P-L101, CL A	463-12-8	Fluid and Corrosion Resistant Primer	CA-116	TR-19, TR-49
	STM 37-510, TY III CL 2	10P2-3	Anti-Static Epoxy Conductive Coating	EC-110	
US MILITARY					
	MIL-PRF-22750, TYII CLH GRA	422XT C Series	Flexible, Chip and Flake Resistant Top Coat	0200T129(G), 0200T126C(F)	
	MIL-PRF-22750, TYII CLH GRA	422XT Series	Flexible, Chip and Flake Resistant Top Coat	0200T129(G), 0200T126C(F)	
	MIL-PRF 85285 Type IV, Class H, Form M, Grade N	Aerodur 5000 Gloss	High Solids Polyurethane Topcoat	X-501	
	MIL-PRF-23377, TY I CL C2	10P20-13	Exterior Corrosion Resistant Primer	EC-213	TR-114 (TR-144 is not qualified)
	MIL-PRF-23377, TY I CL C2	10P20-13SC	Exterior Corrosion Resistant Primer Aerosol	EC-213	TR-114 (TR-144 is not qualified)
	MIL-PRF-23377, TY II CL C2	10P20-14 (ITAR)	Low IR Primer	EC-214	TR-114 (TR-144 is not qualified)
	MIL-PRF-23377, TY II CL C2	10P20-14SC (ITAR)	Low IR Primer Aerosol	EC-214	TR-114 (TR-144 is not qualified)
	MIL-PRF-23377, TY I CL C2	Alumigrip 10P8-11	Smooth Finish Primer	EC-286	
	MIL-PRF-85582, TY I CL C2	10PW20-4	Water-Based Primer for Aluminum Substrates	ECW-104	DI Water
	MIL-PRF-32239, TY II CL 1, GR1	Aerodur 2100 MgRP	Corrosion Inhibiting Chromate-Free Primer	CS6010	TR-114, TR-7005
	MIL-PRF-32239, TY II CL 1, GR1	Aerodur HS 2118 CF Primer	Chromate-Free Corrosion Inhibiting Primer	CS6035	A9190, C 25/90 S, TR-114
	MIL-PRF-85285, TY I CL H	58 Series	Chemical Resistant Military Top Coat	X-501 (Gloss), X-503 (Semi and Flat)	
	MIL-PRF-85285, TY I CL H	58 Series Spray Can	Chemical Resistant Military Top Coat Aerosol		
	MIL-PRF-32239, TYII CL1, GR1	Aerodur 5000 Camouflage	Military Aircraft Camouflage Finish	PC-404	
	MIL-DTL-53022E, Type V	Intergard 10301SC Spray Can	Lead, Chromate and HAPS Free Aerosol		
VIKING AIR					
	VAMS 565-010 Grade B, Type 1	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117

OEM/Specifier	Specs Qualified	Brand Name	Description	Curing Solution	Thinner/Activator
	VAMS 565-001, Grade A, Category 1 Type	10P4-3NF	Structural Corrosion and Chemical Resistant Primer	EC-117	TR-19, TR-20
	VAMS 565-001, Grade A, Category 1 Type1	10P4-2NF	Structural Corrosion and Chemical Resistant Primer	EC-117S	TR-19, TR-20
	VAMS 565-001 Grade B Category 1, Type I & Category 2, Type I	P60-A	Corrosion Inhibiting Primer for Metallic Substrates	P60-A Hardener	Demineralized water
	VPS.PSD 34.08-28	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
	VMS C4.06	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117
	VPS.PSD 34.08-28	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	
	VMS C4.13	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
	VMS C4.18	10P20-44	Corrosion Preventive Coating	CA 109	TL-52

VOUGHT AIRCRAFT DIVISION

207-9-467-1	23T3 - 10	Anti-Chafe Abrasion Resistant Coating	PC-216	
207-9-467-1	23T3 - 105	Anti-Chafe Abrasion Resistant Coating	PC-216	
207-9-467-1	23T3 Series	Anti-Chafe Abrasion Resistant Coating	PC-216	
MS C4.06	20P1-21	Fuel Contaminants Preventive Coating	PC-235	TR-117
VMS C4.18	10P20-44	Corrosion Preventive Coating	CA 109	TL-52
VMS C4.13	8B6A	Anti-Static Polyurethane Conductive Coating	50C3A	66C20
VPS.PSD 34.08-28	Aerowave 2001	Corrosion Inhibiting Primer for Metallic and Non-Metallic Substrates	6005	
VPS.PSD 34.08-28	Aerodur HS Primer 37092	High Adhesion Epoxy Primer	92217	

XIAN AIRCRAFT CORP

XMS1622	Eclipse Special Effects	High Solids Special Effects Topcoat	PC-233	TR-109, TR-111, TR-112 & TR-113
XMS1623	10P20-44	Exterior Corrosion Resistant Primer	EC-265, EC-273	TR-114
XMS1622	Eclipse Flat	High Solids Decorative Top Coat	PC-233	
XMS1622	Eclipse Gloss	High Solids Decorative Top Coat	PC-233	TR-109, TR-111, TR-112, TR-113, TR-141
XMS1622	Eclipse Semi-Gloss	High Solids Decorative Top Coat	PC-233	

AkzoNobel

aerospace.akzonobel.com

Since 1792, we've been supplying the innovative paints and coatings that help to color people's lives and protect what matters most. Our world class portfolio of brands – including Dulux, International, Sikkens and Interpon – is trusted by customers around the globe. We're active in more than 150 countries and use our expertise to sustain and enhance the fabric of everyday life. Because we believe every surface is an opportunity. It's what you'd expect from a pioneering and long-established paints company that's dedicated to providing sustainable solutions and preserving the best of what we have today – while creating an even better tomorrow. Let's paint the future together.

For more information please visit
www.akzonobel.com.

AkzoNobel Aerospace Coatings is
an ISO 9001, ISO 14001 and AS9100
certified company.

© 2025 Akzo Nobel N.V. All rights reserved.